

NOTES A

- I. PLASTIC BOTTOM SECTION

 NON-CORRODIBLE ACRYLONITRILE BUTADIENE STYRENE

 (ABS) PLASTIC OR TOLUENE DIISOCYANATE

 (TDI)-TERMINATED LIQUID URETHANE PREPOLYMER.
- 2. CAST IRON BOTTOM SECTION C/W FUSION BONDED EPOXY
 UNLESS OTHERWISE SPECIFIED THE MATERIALS AND APPLICATION OF THIS COATING SHALL CONFORM TO

THE AWWA STANDARD C213-96. THE COATING MATERIAL SHALL BE A 100% SOLID, THERMOSETTING, FUSION BONDED, DRY POWDER EPOXY RESIN, APPROVED FOR CONTACT WITH POTABLE WATER BY THE NATIONAL SANITATION FOUNDATION (NSF). POWDERS SHALL BE ONE OF THE FOLLOWING PRODUCTS OR APPROVED EQUAL:

VALSPAR, D 1003 LD VALSPAR, G 1003 RB NAP-GARD MARK X 7-2500 3M, SCOTCHKOTE 134

THE SURFACE PREPARATION SHALL CONFORM TO SEC. 3.2 OF THE AWWA STANDARD C213-96. THESE COATINGS SHALL BE APPLIED TO A PREHEATED SURFACE BY THE FLUIDIZED BED METHOD OR THE ELECTROSTATIC POWDER SPRAY GUN METHOD. THE COATING THICKNESS SHALL BE 0.38MM (15 MIL) MINIMUM, 0.64 MM (25 MIL) MAXIMUM.

	PLAN DESCRIPTION/REVISION	DATE	BY	ĺ
1	ORIGINAL STANDARD DRAWING	2003-MAR-10	JMH	ı
2		2006-JAN-26	HLO	ı
3		2007-FEB-07	HLO	ı
4		2010-DEC-20	HL0	r
5	ADDED 2438/2743mm SPINDLE LENGTHS	2011-FEB-22	HLO	ı
6	ADDED PLASTIC BOTTOM SECTION & NOTE, REARRANGED NOTE ORDER,	2020-APR-01	DLH	ı
6	AND CORRECTED COATING THICKNESSES	2020-APR-01	DLH	ı
				ı
				ı
				ı



STANDARD CURB BOX

APPROVALS			
Sohrab Khan (May 3, 2020)	SIGNATURE		
Sohrab Khan	Tim Bushman		
NAME	NAME		
May 3, 2020	May 6, 2020		
DATE SIGNED	DATE SIGNED		
SCALES: PLAN NO. HOR. N.T.S. 102-	PLAN NO. 102-0013-011r006		