


NOTES:

1. PEDESTRIAN RAMP STANDARDS TO COMPLY WITH:
-ACCESSIBILITY STANDARD, SASK. HUMAN RIGHTS COMMISSION, AUGUST 14, 1980
-BUILDING STANDARDS FOR HANDICAPPED, CURRENT VERSION OF NATIONAL BUILDING CODE
2. SIDEWALK CONFIGURATIONS THAT DO NOT MATCH REQUIRE FIELD APPROVAL.
3. BROOM FINISH WALK, CURB FACE & GUTTER. BROOM OVER ALL CONTROL JOINTS.
4. BROOMING DIRECTION SHOULD BE PARALLEL TO THE CURB FOR THE PEDESTRIAN RAMPS AND PERPENDICULAR TO THE CURB FOR THE WINGS.

REFERENCE DRAWINGS:

- SEE 102-0002-026 FOR TEXTURE DETAILS REQUIRED ON ALL PEDESTRIAN RAMPS.
- SEE 102-0002-075 & 102-0002-076 FOR PEDESTRIAN RAMP PLACEMENT REQUIREMENTS

PLAN DESCRIPTION/REVISION		DATE	BY	<div><div>City of Saskatoon</div></div> <div>PEDESTRIAN RAMP DETAILS</div>	APPROVALS			
1	ORIGINAL STANDARD DRAWING	1999-AUG-25	RO		<div>Sapieha, Katie</div> <div>SIGNATURE</div> <div>NAME</div> <div>DATE SIGNED</div> <div>SCALES: HOR. N.T.S. VERT.</div>	<div>Digitally signed by Sapieha, Katie Date: 2025.04.14 08:30:18 -06'00'</div>	<div>Jurkiewicz, Matt</div> <div>SIGNATURE</div> <div>NAME</div> <div>DATE SIGNED</div>	<div>Digitally signed by Jurkiewicz, Matt Date: 2025.05.01 13:24:50 -06'00'</div>
2	UPDATED TO ALIGN WITH THE DESIGN & DEVELOPMENT STANDARDS	2020-FEB-13	PRZ					
2	MANUAL AND POLICY C07-030 - STREET DESIGN	2020-FEB-13	PRZ					
3	REVISED STANDARDS	2024-DEC-02	SJK					
				</				