

City of Saskatoon 2023 to 2025 City-Wide Waste Characterization Study Spring 2024



PRESENTED TO

City of Saskatoon

JULY 19, 2024 ISSUED FOR USE

FILE: 704-SWM.PLAN03291-01

This page intentionally left blank.



EXECUTIVE SUMMARY

Tetra Tech Canada Inc. (Tetra Tech) was retained by the City of Saskatoon (City) to conduct a multi-season City-Wide Waste Characterization Study. The scope of the study consists of nine seasonal waste sorting events over a three-year period from 2023 to 2025. This seasonal report summarizes the third sampling event conducted for garbage, recycling, and organics streams from the single family (SF) residential sector in April 2024 (Spring 2024).

Section 1 of the report identifies the scope of work, project limitations, and an overview of waste collection services in the City.

Section 2 identifies the methodology that was undertaken for the Spring Study, including waste collection, sorting, and data analysis. A detailed description of material categories is included in Appendix C.

Section 3 includes an overview of set-out rates, types and amounts of materials collected, and an estimate of cart fullness. Waste composition results for garbage, recycling, and organics are also presented in Section 3 along with diversion potential, contamination rates, capture rates, and a bag count for the organics stream. A detailed breakdown of waste composition results by stream is included in Appendix D.

- The average percentage of carts set-out for bi-weekly collection was 75% for all three streams.
- On average, the total amount of materials disposed from all three streams on a bi-weekly basis was approximately 35 kg/household.
- On average, carts that were set out were 65% full.
- The garbage stream was primarily composed of food waste (24%), household hygiene, including diapers and pet waste (24%), plastics (11%), yard waste (9%), paper (7%), and construction and demolition wastes (7%).
- Organic materials accounted for one third (33%) of the garbage stream.
- The diversion potential for the garbage stream based on existing programs and services is 56%.
- The recycling stream was primarily composed of paper packaging, including corrugated cardboard and boxboard (56%), paper (15%), and plastics (14%).
- The contamination in the recycling stream was 14%.
- The organics stream was primarily composed of yard waste (50%) and food waste (37%).
- The contamination in the organics stream was 7%.

Section 4 summarizes the interesting finds in the Spring Study and Appendix B includes selected photographs for reference.

Section 5 includes initial comments and preliminary recommendations based on the findings from the third sampling event:

- The bi-weekly collection frequency appears to be effective for residents' needs.
- The 360 L cart size worked well for most households. Only 6% of carts were overfilled; however, approximately 21% of carts were only filled to half capacity or below.



- Additional education and communication on the new green cart program may be beneficial to:
 - Reduce the amount of food waste in the garbage stream, which was comprised of 24% food waste and 9% yard waste.
 - Remind residents that only biodegradable products institute (BPI) certified compostable bags are permitted
 in the green cart program. The total number of plastic bags was greater than the total number of
 BPI-certified bags.
 - Increase resident participation or set-out rates. On average, 60% of residents set-out their green cart for collection.
- Additional education and communication on the recycling program may be beneficial to reduce the amount of contamination in the recycling stream.
- Additional diversion programs are recommended for materials that can be diverted from the landfill, including construction and demolition waste. Approximately 7% of material in the garbage stream was construction and demolition waste.

TABLE OF CONTENTS

EXE	CUTI	VE SUN	MMARY	
1.0	INITI		CTION	
1.0				
	1.1	•	e of Work	
	1.2 1.3	•	ct Limitationsriew of Garbage, Recycling, and Organics Collection	
2.0	MET		DLOGY	
	2.1	Health	n and Safety	3
	2.2	Seaso	onal Weather Conditions	∠
	2.3	Samp	ling Plan – Selected Homes	∠
	2.4	Samp	le Collection Methodology	6
	2.5	Hand	Sorting	€
	2.6	Data A	Analysis	7
3.0	RES	ULTS.		7
	3.1	Overv	riew	8
		3.1.1	Set-Out Rates	8
		3.1.2	Material Collected	8
		3.1.3	Waste Collected Per Household	
		3.1.4	Cart Fullness	
	3.2	Single	e Family Garbage	10
		3.2.1	SF Garbage Waste Composition Results	
		3.2.2	Diversion Potential	11
	3.3	Single	e Family Recycling	12
		3.3.1	SF Recycling Waste Composition Results	
		3.3.2	Contamination Rate	13
		3.3.3	Capture Rate	14
	3.4	Single	e Family Organics	15
		3.4.1	SF Organics Waste Composition Results	
		3.4.2	Contamination Rate	16
		3.4.3	Capture Rate	16
		3.4.4	Bag Count	17
4.0	INT	EREST	ING FINDS	18
5.0	REC	ОММЕ	ENDATIONS	19
6.0				
U.U	CLC	JOURE		Z1

LIST OF TABLES IN TEXT

Table 1.1. Circula Family Haysahalda Charactarizad	0
Table 1-1: Single Family Households Characterized	
Table 2-1: Weather Conditions – Spring 2024	
Table 2-2: Collection Days and Waste Streams Sampled – Spring 2024	
Table 3-1: Cart Set-Out Rates – Spring 2024	
Table 3-2: Amount of Materials Collected by Waste Stream – Spring 2024	8
Table 3-3: Amount of Waste Materials Disposed per Household per Two Week Period –	Spring 2024 9
Table 3-4: Cart Fullness – Spring 2024	10
Table 3-5: Recyclable Material in All Streams – Spring 2024	14
Table 3-6: Recyclable Material Capture Rate – Spring 2024	15
Table 3-7: Organic Material in All Streams – Spring 2024	17
Table 3-8: Organic Material Capture Rate – Spring 2024	17
Table 3-9: Number of Bags in SF Organics Samples – Spring 2024	17
Table 4-1: Notable Materials – Spring 2024	
LIST OF FIGURES IN TEXT	
Figure 3-1: Overall SF Garbage Composition	10
Figure 3-2: Overall SF Garbage Diversion Potential	12
Figure 3-3: Overall SF Recycling Composition	13
Figure 3-4: Overall SF Recycling Contamination	14
Figure 3-5: Overall SF Organics Composition	
Figure 3-6: Overall SF Organics Contamination	

APPENDIX SECTIONS

A 1' A	T (T))				
Appendix A	Tetra Tech's I	imitations of	n the Use	ot this i	Jocument

Appendix B Selected Photographs Appendix C Material Categories

Appendix D Waste Composition Results

Appendix E Sectors and Naming Conventions

ACRONYMS & ABBREVIATIONS

Acronyms/Abbreviations	Definition
BPI	Biodegradable Products Institute
City	City of Saskatoon
HDPE	High-density Polyethylene
Landfill	Saskatoon Regional Waste Management Centre
LDPE	Low-density Polyethylene
SARCAN	Saskatchewan Association of Rehabilitation Centres
SF	Single Family
Tetra Tech	Tetra Tech Canada Inc.
WEEE	Waste Electrical and Electronic Equipment

LIMITATIONS OF REPORT

This report and its contents are intended for the sole use of the City of Saskatoon and their agents. Tetra Tech Canada Inc. (Tetra Tech) does not accept any responsibility for the accuracy of any of the data, the analysis, or the recommendations contained or referenced in the report when the report is used or relied upon by any Party other than the City of Saskatoon, or for any Project other than the proposed development at the subject site. Any such unauthorized use of this report is at the sole risk of the user. Use of this document is subject to the Limitations on the Use of this Document attached in the Appendix or Contractual Terms and Conditions executed by both parties.

NOTE TO THE READER

The samples collected and characterized for this study are "snapshots" in time, meaning the reported quantities are estimates and only represent the conditions for the period in which they were collected. Annual variability, weather, and other factors can affect the amount and composition of waste and recyclables generated by the various sectors at any given time. Even with combined educational, regulatory, and financial initiatives, the reader should not assume that it is necessarily easy, practical, or economical to recover a substantial portion of a disposed material from a mixed waste stream or at its source.



1.0 INTRODUCTION

Tetra Tech Canada Inc. (Tetra Tech) was retained by the City of Saskatoon (City) to conduct a multi-season City-Wide Waste Characterization Study from 2023 to 2025. The purpose of this study is to identify trends and changes in the City's waste profile and provide benchmarks as new programs are introduced. The following programs implemented in the City include:

- In 2023, the City launched a mandatory curbside organics (green) cart program and a mandatory organics diversion program for the industrial, commercial, and institutional sector.
- In 2024, the City implemented a variable rate fee structure for curbside garbage (black) carts.

It is understood that results from the study are intended to improve understanding of program use, identify changes over time, identify areas for program improvement, and to inform public communication campaigns.

The scope of the study consists of nine seasonal waste sorting events over a three-year period. The first waste sort was conducted in October 2023 (Fall 2023) and the second was conducted in December 2023 (Winter 2023). This seasonal report summarizes the third sampling event conducted for the single family (SF) residential sector in April 2024 (Spring 2024).

1.1 Scope of Work

This study characterized the composition of solid waste in the garbage, recycling, and organics streams from SF households that receive curbside collection. The fieldwork involved the following:

- Collected garbage, recycling, and organics from select households;
- Documented waste stream set-outs and fullness of the materials in the carts collected;
- Transported collected materials to a designated sorting area; and
- Sorted and weighed the collected waste streams.

The objectives of this study include the following:

- Document the amount and types of materials discarded in the recycling, organics, and garbage waste streams to establish a baseline for the SF residential sector.
- Determine the amount of contamination found in the recycling and organic streams, and the amount of divertible materials in the garbage.
- Determine the capture rates for recyclables and organic materials relative to the generation rate.
- Document the estimated cart fullness prior to collection.
- Estimate waste generation rates for the three waste streams.
- Estimate diversion potential for other waste streams (such as those that have diversion programs) that could
 be diverted through depots such as household hazardous waste, construction waste, and textiles.
- Assess service level suitability (i.e., collection frequency and cart size) for SF residents.



This is the third sorting event that was undertaken from April 15 to April 26, 2024, inclusive. A sampling plan was prepared in conjunction with City staff. A total of 106 households were selected from ten neighbourhoods for the Spring 2024 sorting event and included the same households that were selected for the Fall 2023 and Winter 2023 sorting events. Table 1-1 summarizes the selected neighbourhoods, collection route number and code, number of households selected, cart set out location and description.

Table 1-1: Single Family Households Characterized

Neighbourhood	Collection Route	Route Code	Number of Homes	Set Out Location	Description
Eastview	1	EAS	10	Back Lane	10 homes in a row
Parkridge	2	PAR	11	Front Street	11 homes in a row
Rosewood	3	ROS	10	Front Street	10 homes in a row
Mount Royal	4	MOU	14	Front Street	14 homes in a row
Holliston	5	HOL	11	Back Lane	11 homes in a row
City Park	6	CIT	10	Back Lane	10 homes in a row
Nutana	7	NUT	10	Back Lane	10 homes in a row
Silverwood Heights	8	SIL	10	Front Street	10 homes in a row
Willowgrove	9	WIL	10	Front Street	10 homes in a row within a cul-de-sac and adjacent road
Dundonald	10	DUN	10	Front Street	10 homes in a row with one set-out around the corner
		106			

1.2 Project Limitations

The findings of this study may be limited by the following factors:

- Sampling Methodology: Results from this sampling methodology are directly correlated to the 10 to 14 households that were selected for collection in each neighbourhood. It was assumed that these households would be representative of the entire neighbourhood.
- Residential Behaviour: A few residents approached the collection crew and asked questions about the project
 or they may have recognized the collection crew from the previous sorting events. This may have affected
 resident's behaviour patterns with respect to waste disposal practices for other waste streams and future sorting
 events due to their awareness of the waste characterization study.
- Diversion Potential: The diversion potential is calculated based on an ideal scenario where residents are
 correctly utilizing all waste diversion options that were available at the time of the study. Diversion potential is
 considered a theoretical maximum and represents the upper boundary of what could be possible given the
 current waste composition and waste diversion programs.
- **Set-Out Rates:** The noted set-out rates for carts in back lane collection locations could potentially be skewed higher. Carts at these locations are not always returned to the resident's yard or property and are all placed on one side of the alley, increasing the potential of an extra collected cart if they were not labelled correctly.

Waste Produced Per Household Estimation: The amount of waste produced every two weeks per household
is calculated by dividing the total weight collected by the total number of possible households. It does not take
into account the set-out rate.

1.3 Overview of Garbage, Recycling, and Organics Collection

The following section provides an overview of the City's services for garbage, recycling, and organics collection for SF households.

Garbage (black cart) is collected on a bi-weekly basis year-round. The default cart size is 360 L; however, households have the option to request a smaller 240 L cart size. Collection operations are conducted by the City. In 2023, garbage collection was funded through property taxes; however, as of 2024, the City has implemented a utility fee and variable cart sizes for garbage collection. At the same time that the Spring 2024 audit was underway, new carts were concurrently being delivered to select SF households that requested a smaller cart size as part of the waste utility rollout. All carts that were included in the Spring 2024 audit were noted to still be the default 360 L cart size, however, for future waste audits, the cart size at some households may be smaller than what was observed in previous audits.

Recycling (blue cart) is collected on a bi-weekly basis year-round. The default cart size is 360 L. Collection operations are conducted under contract with a third-party service provider. Recycling collection is funded through a recycling utility fee and residents have the option to pay for an additional cart, if desired.

Organics (green cart) is collected on a bi-weekly basis year-round and includes yard and food waste. The default cart size is 360 L and collection operations are conducted by the City. Prior to 2023, the green cart program was a voluntary, subscription-based program; however, in the spring of 2023, the green cart program was expanded to a city-wide program for all SF households receiving cart collections. In 2023, organics collection was funded through property taxes; however, as of 2024, the City has implemented a utility fee for organics collection.

All three waste streams are collected on different days of the week (e.g., no more than one cart is placed out for collection on any given day). Set-out locations for carts vary depending on the location in the City but include both front street and back lane. Front street collections occur on both sides of the street; however, back lane collections occur on only one side of the lane. Overfilled carts and/or materials placed outside the carts are not collected.

2.0 METHODOLOGY

The following section describes the methodology that was undertaken to conduct this study. Appendix B includes photos that highlight some of the activities.

2.1 Health and Safety

A Health and Safety Plan was developed for this project to identify potential hazards in advance of the waste composition study. The Health and Safety Plan was reviewed and updated to account for seasonal changes (e.g., fluctuating weather conditions in the spring) as well as inputs and lessons learned from the fall and winter sorting events. Tetra Tech staff conducting field work for this study were required to have up-to-date safety certifications and training for waste sorting activities. Personal protective equipment, including face masks, safety goggles, gloves, steel toe boots, coveralls, and hi-vis vests, was worn by all field staff according to Tetra Tech's Health and Safety Plan.



As the waste sorting was conducted at the Saskatoon Regional Waste Management Centre (Landfill), all Tetra Tech staff completed a Landfill safety orientation required by the City, to understand site-specific hazards, controls, and expectations. A safe working location was selected and clearly demarcated. Safety meetings were conducted by Tetra Tech at the beginning of each day to review and identify key concerns and hazard mitigation strategies, including how to handle material hazards such as sharps or hazardous materials, safe lifting of heavy material, working around and driving vehicles.

2.2 Seasonal Weather Conditions

Table 2-1 documents an overview of the weather conditions in Saskatoon during the Spring 2024 sorting event. The Spring 2024 experienced higher-than-average temperatures and minimal snow prior to the waste characterization study; however, it snowed during the first week of the Spring 2024 sorting event and by the second week there were unseasonably warm temperatures and the snow cover had melted. This may have influenced the amount and types of waste in the carts (e.g., a potential increase in yard waste from some early-in-the-season yard cleanups, or lower volumes of leaf and yard waste from a late-in-the-season winter storm event).

Table 2-1: Weather Conditions - Spring 2024

D.O.	Temperature (°C) ¹			Precipitation	Max Wind Speed
Date	Average Min Max		(mm)¹	(km/hr) ⁱ	
April 15, 2024	11.8	6.0	17.6	0.0	62
April 16, 2024	4.3	0.1	8.5	5.5	49
April 17, 2024	-1.9	-4.0	0.1	0.9	70
April 18, 2024	-4.4	-6.0	-2.8	0.0	54
April 19, 2024	-2.0	-5.5	1.6	0.0	41
April 22, 2024	8.3	1.2	15.4	0.4	58
April 23, 2024	8.6	-1.4	18.5	0.0	32
April 24, 2024	13.8	4.7	22.8	0.0	44
April 25, 2024	12.6	4.6	20.7	0.0	40
April 26, 2024	8.9	2.9	14.9	0.0	45

Notes:

2.3 Sampling Plan - Selected Homes

Tetra Tech worked with City staff to select households for the study. During the Spring 2024 event, a total of 106 households were selected from ten neighbourhoods with different collection routes in the City. Table 2-2 summarizes the collection days, routes, waste streams, and notes from the Spring 2024 sorting event. It should be noted that garbage, recycling, and organics were each collected every other week.



¹ Obtained from Government of Canada Climate for the City of Saskatoon.

¹ Government of Canada. (2024, March 27). Daily Data Report for April 2024.
Daily Data Report for April 2024 - Climate - Environment and Climate Change Canada (weather.gc.ca)

Table 2-2: Collection Days and Waste Streams Sampled – Spring 2024

Collection Day	Neighbourhood	Waste Stream	Issues
	Nutana	Garbage	
Monday, April 15	Rosewood	Recycling	
	Holliston	Organics	
	Eastview	Garbage	
Tuesday, April 16	City Park	Recycling	
	Rosewood	Organics	
	Willowgrove	Garbage	
Wednesday, April 17	Mount Royal	Recycling	
,, I	City Park	Organics	Not collected/sampled by Tetra Tech due to carts already being collected by the hauler. Data not available.
	Silverwood Heights	Garbage	Three homes were not collected/sampled by Tetra Tech due to those three carts already collected by the hauler.
Thursday, April 18	Parkridge	Recycling	
	Mount Royal	Organics	
	Dundonald	Garbage	
Friday, April 19	Holliston	Recycling	
	Parkridge	Organics	
	Holliston	Garbage	
Monday, April 22	Eastview	Recycling	
	Nutana	Organics	
	Rosewood	Garbage	
Tuesday, April 23	Willowgrove	Recycling	
	Eastview	Organics	
	City Park	Garbage	
Wednesday, April 24	Silverwood Heights	Recycling	Three different homes were selected and sampled for the 2 nd week of the Spring study due to operational challenges.
	Willowgrove	Organics	
	Mount Royal	Garbage	
Th A	Dundonald	Recycling	
Thursday, April 25	Silverwood Heights	Organics	Three different homes were selected and sampled for the 2 nd week of the Spring study due to operational challenges.
	Parkridge	Garbage	
Friday, April 26	Nutana	Recycling	
	Dundonald	Organics	

2.4 Sample Collection Methodology

Each day, Tetra Tech arrived at the first collection location no earlier than 7:30 a.m. (note that carts are required to be placed out at the curb for collection by 7:00 a.m. as per the Waste Bylaw). Prior to material collection, Tetra Tech field staff recorded the number of garbage, organics, or recycling carts that were set out from the selected households as well as the estimated percent cart fullness. If there was a low number of carts set out (e.g., less than 50%), staff recorded this and returned at a later time that morning to collect materials from any additional carts set out. During collection, staff also recorded general observations and resident encounters. Recorded observations would include any additional materials placed outside of the garbage cart or if there was a large amount of contamination (e.g., building materials) in or around the cart. All carts recorded during the Spring 2024 sampling event were noted to be the default 360 L size (e.g., no smaller cart sizes were noted).

Tetra Tech field staff collected contents from each household's carts. Only materials that were placed inside the carts were collected and characterized. Materials collected from carts in each neighbourhood were mixed and represented a single sample. Tetra Tech labelled material while collecting to make sure samples were not mixed or co-mingled. All home addresses were confidential and were only provided to the field supervisor for coordination purposes. Measures were taken to ensure all data collected remained anonymous and results were aggregated.

Once the samples were collected, Tetra Tech staff transported the materials to the designated sorting area at the Landfill. Samples were then unloaded, and the sorting team organized the materials to make sure samples were not mixed or co-mingled.

2.5 Hand Sorting

For all three waste streams, staff weighed each sample to determine the pre-weight. For the garbage stream, the field team took a subsample that was approximately 100 kg for hand sorting, collecting material from each collection bag to minimize potential bias. For the recycling and organics streams, the entire samples were sorted. Each sample was then hand sorted into its respective material categories.

All samples were sorted as per the categories agreed upon with the City. Each categorized item was placed into respective bins. The contents of each bin were then weighed and recorded to determine the weight for each secondary category. Details of the sorting categories are included in Appendix C, along with their description, and preferred diversion/disposal method.

The waste streams were characterized into 13 primary categories which were then further divided into 67 secondary categories. Primary categories include the following:

- Paper.
- Metals.
- Food waste.
- Yard waste.
- Bulky waste.

- Paper packaging.
- Glass.
- Construction and demolition waste.
- Household hygiene.

- Plastics.
- Household hazardous waste.
- Waste Electrical and Electronic Equipment (WEEE).
- Other materials.

Note that the term "household hazardous waste" is an industry term that refers to household products that may be flammable, corrosive, or toxic under certain conditions, but are generally safe to handle under normal conditions.

The "household hygiene" category includes materials such as diapers, sanitary products, and pet waste.



The "other materials" primary category includes materials such as textiles, tires and other rubber, other waste, and wooden utensils.

2.6 Data Analysis

Data analysis was performed using Tetra Tech's spreadsheet analysis tool. Data was compiled into primary and secondary categories by weight. The composition for each stream was calculated as weighted averages.

The types of data analysis undertaken by Tetra Tech include the following:

- Set-out rates and fullness of curbside carts.
- Bi-weekly generation rates.
- Composition of materials by material type and weight.
- Diversion potential or contamination rate of materials.
- Capture rates of recyclable and organic materials.
- Counts of plastic film bags (non-packaging) and compostable/biodegradable bags.
- Notable items.

3.0 RESULTS

The following summarizes the waste composition results for the various streams investigated. Results are presented by primary category. Primary category percentages were calculated by aggregating all sample data for each stream. An average percentage by weight was determined for each stream. Waste composition results for all samples by material categories are presented in Appendix D. Selected photographs of samples are shown in Appendix B.

Following the waste composition results, the proportion of materials that could be diverted from disposal was estimated and presented as the diversion potential or contamination rate. Classifications for the diversion potential of each secondary category can be found in Appendix C. The materials were categorized as follows:

- Organics: materials accepted by the City's composting program (e.g., yard waste, food scraps, and food soiled paper).
- Recycling: materials accepted by the City's curbside collection services or at recycling depots.
- Depot: materials accepted for drop-off at a depot or other drop-off location for diversion (e.g., the Recycling Division of Saskatchewan Association of Rehabilitation Centres [SARCAN], Material Recovery Centre).
- No Program: materials that do not currently have a diversion program in the City but could theoretically be diverted from landfill with future diversion programs.
- Garbage: materials that do not fall within the above diversion options and would be landfilled.

The diversion potential is calculated based on an ideal scenario where residents are correctly utilizing all waste diversion options that were available at the time of the study. This is the theoretical maximum and represents the upper boundary of what is possible given the current waste composition and waste diversion programs.



3.1 Overview

3.1.1 Set-Out Rates

Table 3-1 summarizes the set-out rates from each stream in SF residential carts during the Spring 2024 sorting event. The average total percentage of carts set-out was 75% for all three streams and the average set-out rates in the garbage, recycling, and organics stream was 87%, 77%, and 60%, respectively. The range of set-out rates for all routes was between 60% and 93%.

Table 3-1: Cart Set-Out Rates - Spring 2024

Route	Set Out Location	Garbage (%)	Recycling (%)	Organics (%)	Average (%)
Eastview	Back Lane	100%	70%	80%	83%
Parkridge	Front Street	73%	73%	45%	64%
Rosewood	Front Street	70%	70%	50%	63%
Mount Royal	Front Street	79%	57%	43%	60%
Holliston	Back Lane	91%	73%	73%	79%
City Park	Back Lane	80%	70%	NA	75%
Nutana	Back Lane	100%	80%	70%	83%
Silverwood Heights	Front Street	83%	80%	40%	68%
Willowgrove	Front Street	100%	100%	50%	83%
Dundonald	Front Street	90%	100%	90%	93%
	Average	87%	77%	60%	75%

3.1.2 Material Collected

Table 3-2 summarizes the amount of material collected from each stream in SF residential carts during the Spring 2024 sorting event. The average total amount of materials collected was 368.64 kg from all three streams and the average amount of materials collected in the garbage, recycling, and organics stream was 206.44 kg, 51.31 kg, and 110.89 kg, respectively. The range for all three streams for a given route was 206.06 kg to 572.55 kg.

Table 3-2: Amount of Materials Collected by Waste Stream – Spring 2024

Route	Garbage (kg)	Recycling (kg)	Organics (kg)	Total (kg)
Eastview	190.10	28.00	143.70	361.80
Parkridge	128.10	66.20	114.00	308.30
Rosewood	231.85	34.20	64.25	330.30
Mount Royal	257.95	55.85	149.25	463.05
Holliston	263.70	57.35	118.65	439.70
City Park	198.75	49.35	NA	248.10
Nutana	120.45	59.05	43.70	223.20
Silverwood Heights	96.26	38.15	71.65	206.06

Route	Garbage (kg)	Recycling (kg)	Organics (kg)	Total (kg)
Willowgrove	258.15	65.15	99.10	422.40
Dundonald	319.05	59.75	193.75	572.55
Average	206.44	51.31	110.89	368.64

3.1.3 Waste Collected Per Household

Table 3-3 summarizes the amount of material collected per household from each stream in SF residential carts during the Spring 2024 sorting event. The average total amount of materials per household was 35.43 kg/household from all three streams and the average amount of materials collected per household in the garbage, recycling, and organics stream was 20.19 kg/household, 4.86 kg/household, and 10.38 kg/household, respectively. The generation rate range was between 22.32 kg/household and 57.26 kg/household per two-week period.

Table 3-3: Amount of Waste Materials Disposed per Household per Two Week Period – Spring 2024

Route	Garbage (kg/household)	Recycling (kg/household)	Organics (kg/household)	Total (kg/household)*
Eastview	19.01	2.80	14.37	36.18
Parkridge	11.65	6.02	10.36	28.03
Rosewood	23.19	3.42	6.43	33.03
Mount Royal	18.43	3.99	10.66	33.08
Holliston	23.97	5.21	10.79	39.97
City Park	19.88	4.94	NA	24.81
Nutana	12.05	5.91	4.37	22.32
Silverwood Heights	16.04	3.82	7.17	27.02
Willowgrove	25.82	6.52	9.91	42.24
Dundonald	31.91	5.98	19.38	57.26
Average	20.19	4.86	10.38	35.43

Note:

3.1.4 Cart Fullness

Table 3-4 summarizes the average cart fullness from each stream in SF residential carts during the Spring 2024 sorting event. The average fullness of carts was 65% for all three streams and the average fullness in the garbage, recycling, and organics streams were 70%, 73%, and 50%, respectively. The range of average fullness for all routes was between 52% and 76%.

^{*}Total kilograms collected divided by total number of houses per route (regardless of the number of carts set out).

Table 3-4: Cart Fullness - Spring 2024

Route	Set Out Location	Garbage (%)	Recycling (%)	Organics (%)	Average (%)
Eastview	Back Lane	74%	50%	55%	60%
Parkridge	Front Street	51%	71%	64%	62%
Rosewood	Front Street	81%	69%	40%	63%
Mount Royal	Front Street	65%	77%	78%	73%
Holliston	Back Lane	84%	70%	38%	64%
City Park	Back Lane	60%	80%	NA	70%
Nutana	Back Lane	48%	80%	27%	52%
Silverwood Heights	Front Street	76%	76%	76%	76%
Willowgrove	Front Street	76%	77%	22%	58%
Dundonald	Front Street	91%	83%	47%	73%
	Average	70%	73%	50%	65%

3.2 Single Family Garbage

The following summarizes the waste composition results and diversion potential for SF garbage in the City.

3.2.1 SF Garbage Waste Composition Results

Figure 3-1 illustrates the average waste composition of the garbage stream from the SF sector in Spring 2024. This is a snapshot of the types and relative quantities of materials that were discarded by residents at this time of the year.




Figure 3-1: Overall SF Garbage Composition

The overall SF garbage stream was primarily composed of food waste (24%), household hygiene (24%), plastics (11%), yard waste (9%), paper (7%), and construction and demolition wastes (7%). The remainder was comprised of other materials (6%), paper packaging (5%), metal (2%), glass (2%), electronics (2%), and household hazardous waste (1%).

The most prominent six primary categories represent 82% of the SF garbage stream and are broken down as follows:

- Food waste, composed of avoidable food waste (18.5%) and unavoidable food waste (5.1%). Avoidable food waste included edible food (e.g., whole fruits and vegetables, prepared meals, meat, and bread) and unavoidable food waste included inedible food (e.g., peels, bones, solidified fats, and coffee grounds).
- Household hygiene, which mainly included pet waste (17.8%) and diapers (5.9%). It is noted that pet waste
 may be higher at this time of year due to yard cleanups after the snowmelt and may not be representative of
 the amount of pet waste in the garbage stream on an annual basis.
- Plastics, including plastic laminates and other film packaging (2.8%), durable plastic products (1.5%), low-density polyethylene/high-density polyethylene (LDPE/HDPE) film products (non-packaging) (1.4%), and #5 polypropylene (1.0%).
- Yard waste, including yard and garden debris (8.0%) and brush and branches (1.3%).
- Paper, primarily composed of tissue/toweling (4.8%), mixed paper (1.0%), and food soiled paper (0.9%).
- Construction and demolition waste, primarily composed of mixed metals (2.7%), dimensional lumber treated (2.0%), and other construction and demolition waste (2.0%). Other construction and demolition waste included wallpaper, vinyl flooring, and rubble.

3.2.2 Diversion Potential

Figure 3-2 summarizes the diversion potential of the SF garbage stream. The diversion potential represents the percentage of materials that could be diverted from the garbage stream through the City's organics, recycling, and depot programs. The 'No Program' category represents the theoretical diversion potential of materials from the garbage stream, but no corresponding program or service is currently offered (e.g., construction and demolition wastes). The total diversion potential for the SF garbage stream was calculated to be 63% and consisted of 39% organic materials, 10% recyclable materials, 7% no program materials, and 7% depot materials. The diversion potential for the SF garbage stream based on existing programs and services is 63%.






Figure 3-2: Overall SF Garbage Diversion Potential

The diversion potential may be broken down as follows:

- Organic materials, primarily composed of avoidable food waste (18.5%), yard and garden debris (8.0%), unavoidable food waste (5.1%), and tissue/toweling (4.8%).
- Recyclable materials, which included boxboard/cores (1.5%), mixed paper (1.0%), glass non-beverage (1.0%), corrugated cardboard (1.0%), and #5 polypropylene (1.0%).
- No Program materials, which included mixed metals (2.7%), dimensional lumber treated (2.0%), and other construction and demolition waste (2.0%).
- Depot materials, primarily composed of textiles (3.6%), electronics (2.2%), and household hazardous waste (1.0%).

3.3 Single Family Recycling

The following summarizes the waste composition results and contamination rate for SF recycling in the City.

3.3.1 SF Recycling Waste Composition Results

Figure 3-3 illustrates the average waste composition of the recycling stream from the SF sector in Spring 2024. This is a snapshot of the types and relative quantities of materials that were discarded by residents at this time of the year.




Figure 3-3: Overall SF Recycling Composition

The SF recycling stream was primarily composed of paper packaging (56%), paper (15%), and plastics (14%). These three primary categories represent 85% of the SF recycling stream.

The primary categories in SF recycling are broken down as follows:

- Paper packaging, mainly including corrugated cardboard (33.9%) and boxboard/cores (15.5%).
- Paper, primarily composed of mixed paper (14.4%).
- Plastics, including #1 polyethylene terephthalate thermoform (3.1%), #5 polypropylene (2.1%), durable plastic products (2.1%), #2 HDPE non-beverage (1.9%), #1 polyethylene terephthalate bottles, jugs, and jars non-beverage (1.3%), and plastic laminates and other film packaging (1.1%).

3.3.2 Contamination Rate

Figure 3-4 summarizes the percent contamination of the SF recycling stream. The percent contamination represents the percentage of materials that are considered garbage, organic, or depot materials. The total percent contamination for the SF recycling stream was 14%, including garbage materials (9%), depot materials (3%), and organic materials (2%). The recycling stream contained 5% cross contamination and 9% contamination.




Figure 3-4: Overall SF Recycling Contamination

The contamination is broken down as follows:

- Garbage materials, including durable plastic products (2.1%), other glass (1.7%), plastic laminates and other film packaging (1.1%), laminated paper packaging (0.9%), spiral wound containers (0.5%), and plastic film (0.5%).
- Depot materials, primarily composed of textiles (2.0%) and electronics (0.6%).
- Organic materials, primarily composed of avoidable food waste (1.1%) and tissues/toweling (0.5%).

3.3.3 Capture Rate

Table 3-5 summarizes the amount of recyclable material found in the garbage, recycling, and organics streams; these values represent the average from the ten neighborhoods. The total amount of recyclable materials in the garbage, recycling, and organics streams was 20.28 kg, 43.98 kg, and 1.74 kg, respectively. Table 3-6 summarizes the capture rate of the recycling stream. The total amount of recyclables that could be diverted was 66.01 kg and the total amount of recyclable captured in the recycling stream was 43.98 kg. Therefore, the capture rate for recyclables was determined to be 66.6%.

Table 3-5: Recyclable Material in All Streams - Spring 2024

	Garbage	Recycling	Organics
Total Waste Generated (kg)	206.44	51.31	110.89
Percent Composition of Recyclable Material	9.8%	85.7%	1.6%
Recyclable Material (kg)	20.28	43.98	1.74

Table 3-6: Recyclable Material Capture Rate - Spring 2024

	Value
Total Recyclables in Garbage, Recycling, and Organics Streams (kg)	66.01
Total Recyclables Captured in the Recycling Stream (kg)	43.98
Capture Rate	66.6%

3.4 Single Family Organics

The following summarizes the waste composition results and contamination rate for SF organics in the City.

3.4.1 SF Organics Waste Composition Results

Figure 3-5 illustrates the average waste composition of the organics stream from the SF sector in Spring 2024. This is a snapshot of the types and relative quantities of materials that were discarded by residents at this time of the year.




Figure 3-5: Overall SF Organics Composition

The majority of the SF organics stream was composed of yard waste (50%) and food waste (37%). These two primary categories represent 87% of the SF organics stream.

The top primary categories in SF organics may be broken down as follows:

- Yard waste, including yard and garden debris (45.7%) and brush and branches (4.1%).
- Food waste, composed of avoidable food waste (22.2%) and unavoidable food waste (14.7%).

3.4.2 Contamination Rate

Figure 3-6 summarizes the percent contamination of the SF organics stream. The percent contamination represents the percentage of materials that are considered garbage or recyclable materials. The total contamination for the SF organics stream was 7%, including garbage materials (4%), recyclable materials (2%), and depot materials (1%). The organics stream contained 4% contamination and 3% cross contamination.




Figure 3-6: Overall SF Organics Contamination

The contamination may be broken down as follows:

- Garbage materials, including diapers (1.3%), plastic laminates and other film packaging (0.6%), and LDPE/HDPE film – products (non-packaging) (0.5%).
- Recyclable materials, primarily composed of boxboard/cores (0.6%), #5 polypropylene (0.3%), and #1 polyethylene terephthalate thermoform (0.2%).
- Depot materials, mainly composed of textiles (0.5%) and other metal (0.2%).

3.4.3 Capture Rate

Table 3-7 summarizes the amount of organic material found in the garbage, recycling, and organics streams; these values represent the average from the ten neighborhoods. The total amount of organic materials in the garbage, recycling, and organics streams was 79.60 kg, 1.11 kg, and 103.56 kg, respectively. Table 3-8 summarizes the capture rate of the organics stream. The total amount of organics that could be diverted was 184.27 kg and the total amount of organics captured in the organics stream was 103.56 kg. Therefore, the capture rate for organics was determined to be 56.2%.

Table 3-7: Organic Material in All Streams - Spring 2024

	Garbage	Recycling	Organics
Total Waste Generated (kg)	206.44	51.31	110.89
Percent Composition of Organic Material	38.6%	2.2%	93.4%
Organic Material (kg)	79.60	1.11	103.56

Table 3-8: Organic Material Capture Rate - Spring 2024

	Value
Total Organics in Garbage, Recycling, and Organics Streams (kg)	184.27
Total Organics Captured in the Organic Stream (kg)	103.56
Capture Rate	56.2%

3.4.4 Bag Count

Table 3-9 summarizes the number of bags found in the SF organics stream during the Spring 2024 sorting event. The average number of #7 biodegradable/compostable bags per kg of organics was 0.09 bags/kg. The range was between 0.00 and 0.25 bags/kg. The average number of LDPE/HDPE non-packaging bags per kg of organics was 0.0.12 bags/kg ranging between 0.00 and 0.46 bags/kg. LDPE/HDPE non-packaging included purchased film bags (e.g., garbage bags, kitchen catchers, sandwich and freezer bags, etc.).

Table 3-9: Number of Bags in SF Organics Samples - Spring 2024

Route	Weight of Organics (kg)	#7 Biodegradable/ Compostable (bags)	LDPE/HDPE Non-Packaging (bags)	#7 Biodegradable/ Compostable (bags/kg)	LDPE/HDPE Non-Packaging (bags/kg)
Eastview	143.70	7	0	0.05	0.00
Parkridge	114.00	1	52	0.01	0.46
Rosewood	64.25	16	13	0.25	0.20
Mount Royal	149.25	0	59	0.00	0.40
Holliston	118.65	21	6	0.18	0.05
City Park	NA	NA	NA	NA	NA
Nutana	43.70	10	0	0.23	0.00
Silverwood Heights	71.65	0	0	0.00	0.00
Willowgrove	99.10	4	0	0.04	0.00
Dundonald	193.75	19	3	0.10	0.02
Total		78	133		
Average	110.9	9	15	0.09	0.12

4.0 INTERESTING FINDS

Table 4-1 lists some of the notable, unexpected, or unusual materials found during the waste composition study. These materials will not necessarily skew the results as it is not atypical to have these types of materials present in the waste stream.

Table 4-1: Notable Materials - Spring 2024

Waste Stream	Sample ID	Description	Photo
Garbage	SP24-DUN-G	Wooden fence	
Garbage	SP24-EAS-G	Fluorescent tube lights	
Garbage	SP24-ROS-G	Electronics – toaster oven	
Garbage	SP24-ROS-G	Part of a children's bed	
Garbage	SP24-ROS-G	Vehicle brake discs	

Waste Stream	Sample ID	Description	Photo
Garbage	SP24-WIL-G	Printer	3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Recycling	SP24-MOU-R	Plastic sled	
Organics	SP24-HOL-O	Metal cable and dog ground spike	

5.0 RECOMMENDATIONS

The following are some initial comments and recommendations based on the findings from the Spring 2024 study:

- The bi-weekly collection frequency appears to be appropriate for garbage and recycling. On average, garbage and recycling carts were 70% and 73% full, respectively.
- The bi-weekly collection frequency and cart size appears to be sufficient for the amount of organics encountered during the Spring sampling period. On average, organics carts were only 50% full with a 60% set out rate.
- The 360 L cart worked well for most households, however:
 - There were 18 carts out of 306 total possible carts (approximately 6% of carts) that were overfilled (e.g., the lid did not fully close). This included 12 garbage and six recycling carts.
 - There were 65 carts out of 306 total possible carts (approximately 21% of carts) that were filled to half capacity or below. This included 25 garbage, 18 recycling, and 22 organics carts.
 - Future audits may yield different findings as a result of the smaller (variable) cart sizes now available to SF households.



- Additional education and communication on the new green cart program may be beneficial to:
 - Reduce the amount of food and yard waste in the garbage stream. In the Spring 2024 study, organics made up one third (33%) of the garbage stream (comprised of 24% food waste and 9% yard waste).
 - Remind residents that only biodegradable products institute (BPI) certified compostable bags are permitted
 in the green cart program. The total number of plastic bags (133) was greater than the total number of
 BPI-certified bags (78) in the Spring 2024 study.
 - Increase resident participation or set-out rates. On average, only 60% of residents set-out their green cart for the Spring 2024 study. Some residents may intentionally choose to not set their carts out when only a minimal amount of material is in the cart. This recommendation will be revisited after future sorting events in the summer season to better determine if the set-out trend is low overall or is dependent on seasonal considerations.
- Additional education and communication on the recycling program may be beneficial to:
 - Reduce the amount of contamination in the recycling stream. Approximately 9% of material in the recycling carts was garbage, mainly composed of durable plastic products, other glass, plastic laminates and other film packaging, and laminated paper packaging. The recycling stream also contained 2% organic material, mostly containing avoidable food waste and tissue/toweling.
- Additional diversion programs are recommended for materials that can be diverted from landfill, including
 construction and demolition waste (e.g., mixed metals, treated lumber). Approximately 7% of material in the
 garbage stream in the Spring 2024 study was construction and demolition waste.



6.0 CLOSURE

We trust this document meets your present requirements. If you have any questions or comments, please contact the undersigned.

Respectfully submitted, Tetra Tech Canada Inc.

Prepared by:

Mackenzie Aranas, EPt Environmental Technician

Solid Waste Management Practice

Direct Line: 306.659.6101

Mackenzie.Aranas@tetratech.com

FILE: 704-SWM.PLAN03291-07 FILE: 704-SWM.PLAN03291-07 FILE: 704-SWM.PLAN03291-07

Prepared by:

Kentson Yan, M.Sc., P.Eng.

Project Engineer

Solid Waste Management Practice

Direct Line: 403.723.1556 Kentson.Yan@tetratech.com

FILE: 704-SWM.PLAN03291-01 // FILE: 704-SWM.PLAN03291-01

Reviewed by:

Michelle Jelinski, P.Eng.

Project Engineer – Team Lead Solid Waste Management Practice

Direct Line: 587.460.3449 Michelle.Jelinski@tetratech.com

/as



APPENDIX A

TETRA TECH'S LIMITATIONS ON THE USE OF THIS DOCUMENT



LIMITATIONS ON USE OF THIS DOCUMENT

GEOENVIRONMENTAL

1.1 USE OF DOCUMENT AND OWNERSHIP

This document pertains to a specific site, a specific development, and a specific scope of work. The document may include plans, drawings, profiles and other supporting documents that collectively constitute the document (the "Professional Document").

The Professional Document is intended for the sole use of TETRA TECH's Client (the "Client") as specifically identified in the TETRA TECH Services Agreement or other Contractual Agreement entered into with the Client (either of which is termed the "Contract" herein). TETRA TECH does not accept any responsibility for the accuracy of any of the data, analyses, recommendations or other contents of the Professional Document when it is used or relied upon by any party other than the Client, unless authorized in writing by TETRA TECH.

Any unauthorized use of the Professional Document is at the sole risk of the user. TETRA TECH accepts no responsibility whatsoever for any loss or damage where such loss or damage is alleged to be or, is in fact, caused by the unauthorized use of the Professional Document.

Where TETRA TECH has expressly authorized the use of the Professional Document by a third party (an "Authorized Party"), consideration for such authorization is the Authorized Party's acceptance of these Limitations on Use of this Document as well as any limitations on liability contained in the Contract with the Client (all of which is collectively termed the "Limitations on Liability"). The Authorized Party should carefully review both these Limitations on Use of this Document and the Contract prior to making any use of the Professional Document. Any use made of the Professional Document by an Authorized Party constitutes the Authorized Party's express acceptance of, and agreement to, the Limitations on Liability.

The Professional Document and any other form or type of data or documents generated by TETRA TECH during the performance of the work are TETRA TECH's professional work product and shall remain the copyright property of TETRA TECH.

The Professional Document is subject to copyright and shall not be reproduced either wholly or in part without the prior, written permission of TETRA TECH. Additional copies of the Document, if required, may be obtained upon request.

1.2 ALTERNATIVE DOCUMENT FORMAT

Where TETRA TECH submits electronic file and/or hard copy versions of the Professional Document or any drawings or other project-related documents and deliverables (collectively termed TETRA TECH's "Instruments of Professional Service"), only the signed and/or sealed versions shall be considered final. The original signed and/or sealed electronic file and/or hard copy version archived by TETRA TECH shall be deemed to be the original. TETRA TECH will archive a protected digital copy of the original signed and/or sealed version for a period of 10 years.

Both electronic file and/or hard copy versions of TETRA TECH's Instruments of Professional Service shall not, under any circumstances, be altered by any party except TETRA TECH. TETRA TECH's Instruments of Professional Service will be used only and exactly as submitted by TETRA TECH.

Electronic files submitted by TETRA TECH have been prepared and submitted using specific software and hardware systems. TETRA TECH makes no representation about the compatibility of these files with the Client's current or future software and hardware systems.

1.3 STANDARD OF CARE

Services performed by TETRA TECH for the Professional Document have been conducted in accordance with the Contract, in a manner

consistent with the level of skill ordinarily exercised by members of the profession currently practicing under similar conditions in the jurisdiction in which the services are provided. Professional judgment has been applied in developing the conclusions and/or recommendations provided in this Professional Document. No warranty or guarantee, express or implied, is made concerning the test results, comments, recommendations, or any other portion of the Professional Document

If any error or omission is detected by the Client or an Authorized Party, the error or omission must be immediately brought to the attention of TETRA TECH.

1.4 DISCLOSURE OF INFORMATION BY CLIENT

The Client acknowledges that it has fully cooperated with TETRA TECH with respect to the provision of all available information on the past, present, and proposed conditions on the site, including historical information respecting the use of the site. The Client further acknowledges that in order for TETRA TECH to properly provide the services contracted for in the Contract, TETRA TECH has relied upon the Client with respect to both the full disclosure and accuracy of any such information.

1.5 INFORMATION PROVIDED TO TETRA TECH BY OTHERS

During the performance of the work and the preparation of this Professional Document, TETRA TECH may have relied on information provided by third parties other than the Client.

While TETRA TECH endeavours to verify the accuracy of such information, TETRA TECH accepts no responsibility for the accuracy or the reliability of such information even where inaccurate or unreliable information impacts any recommendations, design or other deliverables and causes the Client or an Authorized Party loss or damage.

1.6 GENERAL LIMITATIONS OF DOCUMENT

This Professional Document is based solely on the conditions presented and the data available to TETRA TECH at the time the data were collected in the field or gathered from available databases.

The Client, and any Authorized Party, acknowledges that the Professional Document is based on limited data and that the conclusions, opinions, and recommendations contained in the Professional Document are the result of the application of professional judgment to such limited data.

The Professional Document is not applicable to any other sites, nor should it be relied upon for types of development other than those to which it refers. Any variation from the site conditions present, or variation in assumed conditions which might form the basis of design or recommendations as outlined in this report, at or on the development proposed as of the date of the Professional Document requires a supplementary exploration, investigation, and assessment.

TETRA TECH is neither qualified to, nor is it making, any recommendations with respect to the purchase, sale, investment or development of the property, the decisions on which are the sole responsibility of the Client.

1.7 NOTIFICATION OF AUTHORITIES

In certain instances, the discovery of hazardous substances or conditions and materials may require that regulatory agencies and other persons be informed and the client agrees that notification to such bodies or persons as required may be done by TETRA TECH in its reasonably exercised discretion.



APPENDIX B

SELECTED PHOTOGRAPHS





Photo 1: Field Staff Collecting Materials



Photo 2: Example of a Typical 100 kg Garbage Sample



Photo 3: Example of a Typical Recycling Sample



Photo 4: Example of a Typical Organics Sample



Photo 5: Example of the Mixed Paper Category



Photo 6: Example of the Tissue/Toweling Category



Photo 7: Example of the Corrugated Cardboard Category




Photo 8: Example of the Boxes/Cores Category



Photo 9: Example of the Molded Pulp Category



Photo 10: Example of the Polycoat Beverage Cups Category



Photo 11: Example of the Spiral Wound Containers Category



Photo 12: Example of the Gable Top Containers – Beverage Category



Photo 13: Example of the Aseptic Containers – Beverage Category



Photo 14: Example of the Aseptic Containers – Non-Beverage Category



Photo 15: Example of the #1 Polyethylene Terephthalate Thermoform Category



Photo 16: Example of the #2 High-Density Polyethylene Beverage Category



Photo 17: Example of the #2 High-Density Polyethylene Non-Beverage Category



Photo 18: Example of the #5 Polypropylene Category



Photo 19: Example of the #6 Polystyrene – Expanded Category



Photo 20: Example of the Plastic Film Category



Photo 21: Example of the Low-Density Polyethylene/High-Density Polyethylene – Products (non-packaging) Category



Photo 22: Example of the Plastic Laminates and Other Film Packaging Category



Photo 23: Example of the Durable Plastic Products Category



Photo 24: Example of the Aluminum – Beverage Cans Category



Photo 25: Example of the Aluminum – Non-Beverage Category



Photo 26: Example of the Steel Food Cans Category



Photo 27: Example of the Avoidable Food Waste Category



Photo 28: Example of the Unavoidable Food Waste Category



Photo 29: Example of the Yard and Garden Debris Category



Photo 30: Example of the Dimensional Lumber – Treated Category



Photo 31: Example of the Diapers Category



Photo 32: Example of the Pet Waste Category



Photo 33: Example of the Textiles Category



Photo 34: Example of the Tires and Other Rubber Category

APPENDIX C

MATERIAL CATEGORIES



Table C-1: Material Category Descriptions – Garbage and Recycling Stream

	Category	Description and/or Examples	Diversion Potential	
01	Paper			
1	Mixed Paper	 Fine household papers, writing paper, office paper, copy paper, bills and statements, ad mail, etc. Includes glossy flyers and advertising that are not distributed with newspapers. Includes gift wrap, construction paper, puzzle books, e.g., sudoko or colouring books Glossy magazines, catalogues, calendars, annual reports (must be bound, i.e., stapled or glued) Telephone books and other directories such as the Yellow Pages Non Newspapers (e.g., television guides, Auto Trader, Real Estate News) plus inserts and flyers from newspapers made of newsprint Daily and weekly newspapers 	Recycling	
2	Tissue/Toweling	Paper napkins, towel, tissues	Organics	
3	Food Soiled Paper	 Plates, cups, muffin wrappers, coffee filters, teabags, bags, food packaging 	Organics	
4	Shredded Paper	Paper that has been shredded mechanically into thin strips	Recycling	
5	Other Paper – Non-Obligated	 Soft or hard covered literary books, academic journals, textbooks, photographs 	Garbage	
02	Paper Packaging			
6	Corrugated Cardboard	 Includes micro-flute corrugated containers, pizza boxes, waxed corrugated containers, electronic product boxes such as television and computer boxes, boxes used to direct mail for residential consumers 	Recycling	
7	Boxboard/Cores	 Boxboard, paperboard, cereal box, shoe box, frozen food box, cores from toilet paper/toweling/gift wrap, etc. Includes wet-strength boxboard, fast food cartons such as fry/onion ring boxes and paper plates 	Recycling	
8	Kraft Paper	 Kraft paper bags and wrap, grocery or retail bags, potato bags, some pet food bags, etc. Includes brown, white, and coloured kraft paper and bags. No bags with bonded plastic or foil liners/layers/coatings. Includes bags with a light grease coating 	Recycling	
9	Molded Pulp	 Egg cartons, drink trays, other trays, molded pulp flower pots/trays, etc. 	Recycling	
10	Polycoat Beverage Cups	 Hot beverage/food containers, with polycoat on inside only, including coffee cups, soup cups/bowls, chili cups etc. Cold beverage/food containers with polycoat on both sides including fountain drinks, take-out ice cream cups 	Garbage	
11	Ice Cream Containers and Other Bleached Long Polycoat Fibre	 Polycoated paper ice cream containers, typically with a lid, excluding boxboard folded ice cream boxes. Food containers with white fibre and a rolled or folded rim, includes Michelina's frozen food, KFC tubs 	Garbage	
12	Laminated Paper Packaging	 Paper based packaging (at least 85% paper) with foil or plastic liners/layers/coatings, pouches, cookie bags, microwave popcorn bags, fast food sandwich wraps, gift bags, paper based trays, etc. 	Garbage	
13	Spiral Wound Containers	 Spiral wound cans with paper walls and plastic or metal tops or bottoms; frozen juice, Pringles, raisins, etc. 	Garbage	

	Category	Description and/or Examples	Diversion Potential
14	Gable Top Containers – Beverage	 Polycoat containers with a gable shaped top, milk and milk substitutes like soy, almond and rice milk, and juices 	Recycling
15	Gable-Top Containers – Non-Beverage	 Polycoat containers with a gable shaped top that previously contained some foods or other products, e.g., sugar, molasses etc. 	Recycling
16	Aseptic Containers – Beverage	 Polycoat fibre and foil containers (e.g., Tetra Pak) for beverage e.g., soy, almond and rice milk, juice boxes 	Recycling
17	Aseptic Containers – Non-Beverage	 Polycoat fibre and foil containers (e.g., Tetra Pak) for soup, sauces etc. 	Recycling
03	Plastics		
18	#1 Polyethylene Terephthalate Bottles – Beverage	Soft drink/water bottles	Recycling
19	#1 Polyethylene Terephthalate Bottles, Jugs and Jars – Non-Beverage	Salad dressing bottles, peanut butter jars	Recycling
20	#1 Polyethylene Terephthalate Thermoform	#1 clamshells, #1 egg cartons, #1 trays, #1 blister packaging, #1 drink cups, etc.	Recycling
21	#2 High-Density Polyethylene Beverage	Milk jugs, juice containers and drinakble yogurt bottles	Recycling
22	#2 High-Density Polyethylene Non-Beverage	 Laundry detergent, bleach, vinegar, personal care products such as shampoos, conditioners, and body wash, winshield washing fluid containers, cleaning supplies. Other #2 containers such as margarine and yogurt containers and lids made from high-density polyethylene 	Recycling
23	#3 Polyvinyl Chloride	Tubs, condiment containers	Recycling
24	#5 Polypropylene	 #5 bottles and containers. plastic bottles includes nutritional supplement drinks, shampoos, etc. #5 containers such as margarine and yogurt containers and other containers made from polypropylene, including tubs and lids with resin codes #5 polypropylene 	Recycling
25	#6 Polystyrene – Expanded	 Foam take-out containers such as drink cups, large, white packaging foam, meat trays, coloured foam insulation 	Garbage
26	#6 Polystyrene – Non-Expanded	 Polystyrene clear clamshell containers such as berry and muffin containers, rigid polystyrene cups, plates, and bottles 	Recycling
27	#7 Biodegradable/Compostable Plastics	 Might not have #7 label; include Biodegradable Products Institute (BPI) certification 	Garbage
28	Plastic Film	 High-density polyethylene and low-density polyethylene film, dry cleaning bags, bread bags, milk bags, toilet paper and paper towel over-wrap, lawn seed bags 	Garbage
29	Low-Density Polyethylene and High-Density Polyethylene Film – Products (Non-Packaging)	 Non-packaging low-density polyethylene and high-density polyethylene film (e.g., kitchen catchers, sandwich and freezer bags, etc.) 	Garbage
30	Plastic Laminates and Other Film Packaging	 Laminated plastic film and bags that are at least 85% plastic (by weight). Includes chip bags, vacuum sealed bags, cereal liners, candy wraps, pasta bags, boil in a bag, plastic based food pouches, etc. 	Garbage

	Category	Description and/or Examples	Diversion Potential
31	Other Rigid Plastic Packaging	 Other rigid containers (#4 and #7), non-polyethylene terephthalate blister packaging, unmarked/coded packaging, plant pots and trays, pails etc. 	Garbage
32	Durable Plastic Products	 Non-packaging such as videocassette recorder tapes, compact discs, toys, games, tupperware, etc. Include multi-material items that are mainly plastic – e.g., a plastic toy truck with metal axles 	Garbage
04	Metals		
33	Aluminum Beverage Cans	Aluminum soft drinks, soda, juice, alcoholic beverages, beer cans	Recycling
34	Aluminum Non-Beverage	Food containers, aluminum foil wrap, pie plates, baking trays, etc.	Recycling
35	Aerosol Containers	 Mousse spray cans, air freshener spray cans, deodorant spray cans, hairspray cans, food spray cans for cheese or whipped cream, empty spray cans, cooking oil, etc. 	Garbage
36	Other Aluminum	Aluminum siding, baking trays etc.	Garbage
37	Steel Beverage Cans	Steel apple juice, alcoholic beverages, beer cans, Sapporo, etc.	Recycling
38	Steel Food Cans	Soup, beans, peaches, etc.No alcohol containers	Recycling
39	Other Metal	Wire, hardware, copper	Depot
05	Glass		
40	Glass Beverage Containers	Juice, beer, and wine bottles	Recycling
41	Glass Non-Beverage	Food containers	Recycling
42	Other Glass	 Window glass, plates, and glasses, light bulbs (fluorescent tubes and compact fluorescents go in Household Hazardous Waste) 	Garbage
06	Household Hazardous Waste		
43	Household Hazardous Waste	 Labelled CAUTION, WARNING, CORROSIVE, EXPLOSIVE, FLAMMABLE, POISONOUS or TOXIC Acid, adhesives, automotive, batteries, cleaners, cylinders, coorsives, fuels, light bulbs, mercury, oxidizing chemicals, paint, pesticides and fertilizers, pharmaceuticals, solvents 	Depot
07	Food Waste		
44	Avoidable Food Waste	 Whole fruits and vegetables, meat, bread, prepared meals, fruits and vegetables trimmings 	Organics
45	Unavoidable Food Waste	 Inedible food, such as peelings, bones, solidified fats, cooking oils, and food grease 	Organics
80	Yard Waste		
46	Yard and Garden Debris	 Grass clippings, leaves, weeds, plant parts, pumpkins, topsoil, and sod 	Organics
47	Brush and Branches	 Small twigs and tree trimmings that are no more than 60 cm in length and 2 cm in diameter, conifer cones and needles, wood chips and bark mulch 	Organics

	Category	Description and/or Examples	Diversion Potential
09	Waste Electrical and Electronic Equipment		
48	Electronics	• Laptop computers, notebooks, tablet PCs, TVs and computer monitors, printers, fax machines, photocopiers and scanners, personal, portable, or home DVD, Blu Ray, CD, MP3, record players; film or digital cameras/video recorders; digital picture frames; audio and video baby monitors; cable/satellite TV receivers; amps, receivers; speakers, headphones, microphones, coaxial, telephone, speaker wires, coffee makers, mixers, bread makers, toaster ovens, waffle, makers, crock pots, saw, drill, etc.	
10	Construction And Demolition W	astes	
49	Dimensional Lumber – Untreated	Unpainted or unstained lumber and pallets	No program
50	Dimensional Lumber – Treated	Painted, stained, or treated lumber	No program
51	Composite Wood	 Plywood, oriented strand board, medium-density fibreboard, particle board 	No program
52	Gysum Wallboard	Drywall	No program
53	Asphalt Roofing Shingles	Asphalt shingles and tarpaper	No program
54	Mixed Metals	Ferrous, non-ferrous, aluminum	No program
55	Concrete, Bricks	Concrete, paving stones, cement bricks	No program
56	Ceramics, Porcelain	Tiles, toilets, sinks	No program
57	Carpeting	Carpeting, underlay, mats	No program
58	Other Construction and Demolition Wastes	Vinyl siding, misc. conduits, ceiling tiles, plumbing pipes, insulation	No program
11	Bulky Waste		
59	Furniture or Fixtures	Chairs, sofas, cabinets, tables, garden furniture, etc.	No program
60	Other Large Bulky Items	Other large items not classified elsewhere	No program
12	Household Hygiene		
61	Diapers	Diapers	Garbage
62	Sanitary Products	Sanitary napkins, hygiene products, etc.	Garbage
63	Pet Waste	Animal feces, bedding, kitty litter	Garbage
13	Other Materials		
64	Textiles	 Clothing, shoes, mats, drapes, sheets, etc. Plastic rice sacks go in Other Rigid Plastic Packaging 	Depot
65	Tires and Other Rubber	Rubber tires and tubes, other rubber items such as hoses	Garbage
66	Other Waste	 Materials not classified elsewhere, wooden fruit basket, vacuum bags, wax candles, furnace filters, etc. 	Garbage
67	Wood Utensils	Chopsticks, wooden forks, toothpicks, etc.	Organics

Table C-2: Material Category Descriptions – Organics Stream

01	Paper Mixed Paper				
1	Mixed Paper				
		 Fine household papers, writing paper, office paper, copy paper, bills and statements, ad mail, etc. Includes glossy flyers and advertising that are not distributed with newspapers. Includes gift wrap, construction paper, puzzle books, e.g., sudoko or colouring books Glossy magazines, catalogues, calendars, annual reports (must be bound, i.e., stapled or glued) Telephone books and other directories such as the Yellow Pages Non Newspapers (e.g., television guides, Auto Trader, Real Estate News) plus inserts and flyers from newspapers made of newsprint Daily and weekly newspapers 	Organics		
2	Tissue/Toweling	Paper napkins, towel, tissues	Organics		
3	Food Soiled Paper	 Plates, cups, muffin wrappers, coffee filters, teabags, bags, food packaging 	Organics		
4	Shredded Paper	Paper that has been shredded mechanically into thin strips	Recycling		
5	Other Paper – Non-Obligated	 Soft or hard covered literary books, academic journals, textbooks, photographs 	Garbage		
02	Paper Packaging	Paper Packaging			
6	Corrugated Cardboard	 Includes micro-flute corrugated containers, pizza boxes, waxed corrugated containers, electronic product boxes such as television and computer boxes, boxes used to direct mail for residential consumers 	Organics		
7	Boxboard/Cores	 Boxboard, paperboard, cereal box, shoe box, frozen food box, cores from toilet paper/toweling/gift wrap, etc. Includes wet-strength boxboard, fast food cartons such as fry/onion ring boxes and paper plates 	Recycling		
8	Kraft Paper	 Kraft paper bags and wrap, grocery or retail bags, potato bags, some pet food bags, etc. Includes brown, white, and coloured kraft paper and bags. No bags with bonded plastic or foil liners/layers/coatings. Includes bags with a light grease coating 	Organics		
9	Molded Pulp	 Egg cartons, drink trays, other trays, molded pulp flower pots/trays, etc. 	Organics		
10	Polycoat Beverage Cups	 Hot beverage/food containers, with polycoat on inside only, including coffee cups, soup cups/bowls, chili cups etc. Cold beverage/food containers with polycoat on both sides including fountain drinks, take-out ice cream cups 	Garbage		
11	Ice Cream Containers and Other Bleached Long Polycoat Fibre	 Polycoated paper ice cream containers, typically with a lid, excluding boxboard folded ice cream boxes. Food containers with white fibre and a rolled or folded rim, includes Michelina's frozen food, KFC tubs 	Garbage		
12	Laminated Paper Packaging	 Paper based packaging (at least 85% paper) with foil or plastic liners/layers/coatings, pouches, cookie bags, microwave popcorn bags, fast food sandwich wraps, gift bags, paper based trays, etc. 	Garbage		
13	Spiral Wound Containers	 Spiral wound cans with paper walls and plastic or metal tops or bottoms; frozen juice, Pringles, raisins, etc. 	Garbage		

	Category	Description and/or Examples	
14	Gable Top Containers – Beverage	 Polycoat containers with a gable shaped top, milk and milk substitutes like soy, almond and rice milk, and juices 	Recycling
15	Gable-Top Containers – Non-Beverage	 Polycoat containers with a gable shaped top that previously contained some foods or other products, e.g., sugar, molasses etc. 	Recycling
16	Aseptic Containers – Beverage	 Polycoat fibre and foil containers (e.g., Tetra Pak) for beverage e.g., soy, almond and rice milk, juice boxes 	Recycling
17	Aseptic Containers – Non-Beverage	 Polycoat fibre and foil containers (e.g., Tetra Pak) for soup, sauces etc. 	Recycling
03	Plastics		
18	#1 Polyethylene Terephthalate Bottles – Beverage	Soft drink/water bottles	Recycling
19	#1 Polyethylene Terephthalate Bottles, Jugs and Jars – Non-Beverage	Salad dressing bottles, peanut butter jars	Recycling
20	#1 Polyethylene Terephthalate Thermoform	#1 clamshells, #1 egg cartons, #1 trays, #1 blister packaging, #1 drink cups, etc.	Recycling
21	#2 High-Density Polyethylene Beverage	Milk jugs, juice containers and drinakble yogurt bottles	Recycling
22	#2 High-Density Polyethylene Non-Beverage	 Laundry detergent, bleach, vinegar, personal care products such as shampoos, conditioners, and body wash, winshield washing fluid containers, cleaning supplies. Other #2 containers such as margarine and yogurt containers and lids made from high-density polyethylene 	Recycling
23	#3 Polyvinyl Chloride	Tubs, condiment containers	Recycling
24	#5 Polypropylene	 #5 bottles and containers. plastic bottles includes nutritional supplement drinks, shampoos, etc. #5 containers such as margarine and yogurt containers and other containers made from polypropylene, including tubs and lids with resin codes #5 polypropylene 	Recycling
25	#6 Polystyrene – Expanded	 Foam take-out containers such as drink cups, large, white packaging foam, meat trays, coloured foam insulation 	Garbage
26	#6 Polystyrene – Non-Expanded	 Polystyrene clear clamshell containers such as berry and muffin containers, rigid polystyrene cups, plates, and bottles 	Recycling
27	#7 Biodegradable/Compostable Plastics	 Might not have #7 label; include Biodegradable Products Institute (BPI) certification 	Garbage
28	Plastic Film	 High-density polyethylene and low-density polyethylene film, dry cleaning bags, bread bags, milk bags, toilet paper and paper towel over-wrap, lawn seed bags 	Garbage
29	Low-Density Polyethylene and High-Density Polyethylene Film – Products (Non-Packaging)	 Non-packaging low-density polyethylene and high-density polyethylene film (e.g., kitchen catchers, sandwich and freezer bags, etc.) 	Garbage
30	Plastic Laminates and Other Film Packaging	 Laminated plastic film and bags that are at least 85% plastic (by weight). Includes chip bags, vacuum sealed bags, cereal liners, candy wraps, pasta bags, boil in a bag, plastic based food pouches, etc. 	Garbage

	Category	Description and/or Examples	Diversion Potential
31	Other Rigid Plastic Packaging	 Other rigid containers (#4 and #7), non-polyethylene terephthalate blister packaging, unmarked/coded packaging, plant pots and trays, pails etc. 	Garbage
32	Durable Plastic Products	 Non-packaging such as videocassette recorder tapes, compact discs, toys, games, tupperware, etc. Include multi-material items that are mainly plastic – e.g., a plastic toy truck with metal axles 	Garbage
04	Metals		
33	Aluminum Beverage Cans	Aluminum soft drinks, soda, juice, alcoholic beverages, beer cans	Recycling
34	Aluminum Non-Beverage	Food containers, aluminum foil wrap, pie plates, baking trays, etc.	Recycling
35	Aerosol Containers	 Mousse spray cans, air freshener spray cans, deodorant spray cans, hairspray cans, food spray cans for cheese or whipped cream, empty spray cans, cooking oil, etc. 	Garbage
36	Other Aluminum	Aluminum siding, baking trays etc.	Garbage
37	Steel Beverage Cans	Steel apple juice, alcoholic beverages, beer cans, Sapporo, etc.	Recycling
38	Steel Food Cans	Soup, beans, peaches, etc.No alcohol containers	Recycling
39	Other Metal	Wire, hardware, copper	Depot
05	Glass		
40	Glass Beverage Containers	Juice, beer, and wine bottles	Recycling
41	Glass Non-Beverage	Food containers	Recycling
42	Other Glass	 Window glass, plates, and glasses, light bulbs (fluorescent tubes and compact fluorescents go in Household Hazardous Waste) 	Garbage
06	Household Hazardous Waste		
43	Household Hazardous Waste	 Labelled CAUTION, WARNING, CORROSIVE, EXPLOSIVE, FLAMMABLE, POISONOUS or TOXIC Acid, adhesives, automotive, batteries, cleaners, cylinders, coorsives, fuels, light bulbs, mercury, oxidizing chemicals, paint, pesticides and fertilizers, pharmaceuticals, solvents 	Depot
07	Food Waste		
44	Avoidable Food Waste	 Whole fruits and vegetables, meat, bread, prepared meals, fruits and vegetables trimmings 	Organics
45	Unavoidable Food Waste	 Inedible food, such as peelings, bones, solidified fats, cooking oils, and food grease 	Organics
80	Yard Waste		
46	Yard and Garden Debris	 Grass clippings, leaves, weeds, plant parts, pumpkins, topsoil, and sod 	Organics
47	Brush and Branches	 Small twigs and tree trimmings that are no more than 60 cm in length and 2 cm in diameter, conifer cones and needles, wood chips and bark mulch 	Organics

	Category	Description and/or Examples	Diversion Potential
09	Waste Electrical and Electronic Equipment		
48	Electronics	• Laptop computers, notebooks, tablet PCs, TVs and computer monitors, printers, fax machines, photocopiers and scanners, personal, portable, or home DVD, Blu Ray, CD, MP3, record players; film or digital cameras/video recorders; digital picture frames; audio and video baby monitors; cable/satellite TV receivers; amps, receivers; speakers, headphones, microphones, coaxial, telephone, speaker wires, coffee makers, mixers, bread makers, toaster ovens, waffle, makers, crock pots, saw, drill, etc.	
10	Construction And Demolition W	astes	
49	Dimensional Lumber – Untreated	Unpainted or unstained lumber and pallets	No program
50	Dimensional Lumber – Treated	Painted, stained, or treated lumber	No program
51	Composite Wood	 Plywood, oriented strand board, medium-density fibreboard, particle board 	No program
52	Gysum Wallboard	Drywall	No program
53	Asphalt Roofing Shingles	Asphalt shingles and tarpaper	No program
54	Mixed Metals	Ferrous, non-ferrous, aluminum	No program
55	Concrete, Bricks	Concrete, paving stones, cement bricks	No program
56	Ceramics, Porcelain	Tiles, toilets, sinks	No program
57	Carpeting	Carpeting, underlay, mats	No program
58	Other Construction and Demolition Wastes	Vinyl siding, misc. conduits, ceiling tiles, plumbing pipes, insulation	No program
11	Bulky Waste		
59	Furniture or Fixtures	Chairs, sofas, cabinets, tables, garden furniture, etc.	No program
60	Other Large Bulky Items	Other large items not classified elsewhere	No program
12	Household Hygiene		
61	Diapers	Diapers	Garbage
62	Sanitary Products	Sanitary napkins, hygiene products, etc.	Garbage
63	Pet Waste	Animal feces, bedding, kitty litter	Garbage
13	Other Materials		
64	Textiles	 Clothing, shoes, mats, drapes, sheets, etc. Plastic rice sacks go in Other Rigid Plastic Packaging 	Depot
65	Tires and Other Rubber	Rubber tires and tubes, other rubber items such as hoses	Garbage
66	Other Waste	 Materials not classified elsewhere, wooden fruit basket, vacuum bags, wax candles, furnace filters, etc. 	Garbage
67	Wood Utensils	Chopsticks, wooden forks, toothpicks, etc.	Organics

APPENDIX D

WASTE COMPOSITION RESULTS



Table D-1: Spring 2024 Waste Composition Results - by Stream

Category	Garbage	Recycling	Organics
01 Paper	6.7%	15.4%	4.4%
01. Mixed Paper	1.0%	14.4%	0.4%
02. Tissue/Toweling	4.8%	0.5%	3.2%
03. Food Soiled Paper	0.9%	0.1%	0.8%
04. Shredded Paper	0.0%	0.0%	0.0%
05. Other Paper – Non-Obligated	<0.1%	0.4%	0.0%
02 Paper Packaging	4.9%	56.0%	3.4%
06. Corrugated Cardboard	1.0%	33.9%	1.8%
07. Boxboard / Cores	1.5%	15.5%	0.6%
08. Kraft Paper	0.5%	2.1%	0.3%
09. Molded Pulp	0.1%	2.1%	0.1%
10. Polycoat Beverage Cups	0.3%	0.1%	0.2%
11. Ice Cream Containers and Other Bleached Long Polycoat Fiber	0.1%	0.1%	<0.1%
12. Laminated Paper Packaging	0.9%	0.9%	0.3%
13. Spiral Wound Containers	0.1%	0.5%	<0.1%
14. Gable Top Containers – Beverage	<0.1%	0.3%	<0.1%
15. Gable-top Containers – Non-Beverage	<0.1%	0.1%	0.0%
16. Aseptic Containers – Beverage	0.2%	0.4%	0.1%
17. Aseptic Containers – Non-Beverage	<0.1%	<0.1%	0.0%
03 Plastics	10.7%	13.8%	2.6%
18. #1 Polyethylene Terephthalate Bottles – Beverage	0.1%	0.4%	<0.1%
19. #1 Polyethylene Terephthalate Bottles, Jugs, and Jars – Non-Beverage	0.5%	1.3%	<0.1%
20. #1 Polyethylene Terephthalate Thermoform	0.8%	3.1%	0.2%
21. #2 High-Density Polyethylene Beverage	<0.1%	0.4%	<0.1%
22. #2 High-Density Polyethylene Non-Beverage	0.7%	1.9%	<0.1%
23. #3 Polyvinyl Chloride	<0.1%	<0.1%	0.0%
24. #5 Polypropylene	1.0%	2.1%	0.3%
25. #6 Polystyrene – Expanded	0.4%	0.1%	<0.1%
26. #6 Polystyrene – Non-Expanded	0.2%	0.2%	<0.1%
27. #7 Biodegradable/Compostable Plastics	0.1%	<0.1%	0.3%
28. Plastic Film	0.7%	0.5%	0.3%
29. Low-Density Polyethylene and High-Density Polyethylene Film – Products (Non-Packaging)	1.4%	0.2%	0.5%
30. Plastic Laminates and Other Film Packaging	2.8%	1.1%	0.6%
31. Other Rigid Plastic Packaging	0.5%	0.5%	0.1%
32. Durable Plastic Products	1.5%	2.1%	0.2%
04 Metals	1.8%	3.7%	0.4%
33. Aluminum Beverage Cans	0.1%	0.8%	0.1%
34. Aluminum Non-Beverage	0.6%	1.6%	0.1%
35. Aerosol Containers	0.1%	<0.1%	0.0%
36. Other Aluminum	0.1%	0.1%	<0.1%
37. Steel Beverage Cans	0.0%	0.0%	0.0%

Category	Garbage	Recycling	Organics
38. Steel Food Cans	0.2%	1.0%	<0.1%
39. Other Metal	0.7%	0.2%	0.2%
05 Glass	2.1%	6.0%	0.1%
40. Glass Beverage Containers	0.1%	1.7%	0.0%
41. Glass Non-Beverage	1.0%	2.6%	<0.1%
42. Other Glass	1.1%	1.7%	0.1%
06 Household Hazardous Waste	1.0%	0.1%	0.1%
43. Household Hazardous Waste	1.0%	0.1%	0.1%
07 Food Waste	23.5%	1.4%	36.9%
44. Avoidable Food Waste	18.5%	1.1%	22.2%
45. Unavoidable Food Waste	5.1%	0.3%	14.7%
08 Yard Waste	9.3%	0.2%	49.8%
46. Yard and Garden Debris	8.0%	0.1%	45.7%
47. Brush and Branches	1.3%	<0.1%	4.1%
09 Waste Electrical and Electronic Equipment	2.2%	0.6%	<0.1%
48. Electronics	2.2%	0.6%	<0.1%
10 Construction and Demolition Wastes	6.9%	0.4%	<0.1%
49. Dimensional Lumber – Untreated	0.0%	0.0%	0.0%
50. Dimensional Lumber – Treated	2.0%	0.0%	<0.1%
51. Composite Wood	0.2%	0.3%	0.0%
52. Gypsum Wallboard	0.0%	0.0%	0.0%
53. Asphalt Roofing Shingles	0.0%	0.0%	0.0%
54. Mixed Metals	2.7%	<0.1%	0.0%
55. Concrete, Bricks	0.0%	0.0%	0.0%
56. Ceramics, Porcelain	0.0%	0.0%	0.0%
57. Carpeting	0.0%	0.0%	0.0%
58. Other Construction and Demolition Wastes	2.0%	<0.1%	0.0%
11 Bulky Waste	0.5%	0.0%	0.0%
59. Furniture or Fixtures	0.5%	0.0%	0.0%
60. Other Large Bulky Items	0.0%	0.0%	0.0%
12 Household Hygiene	24.5%	0.2%	1.6%
61. Diapers	5.9%	<0.1%	1.3%
62. Sanitary Products	0.8%	<0.1%	0.1%
63. Pet Waste	17.8%	0.1%	0.2%
13 Other Materials	5.9%	2.3%	0.7%
64. Textiles	3.6%	2.0%	0.5%
65. Tires and Other Rubber	0.2%	<0.1%	<0.1%
66. Other Waste	2.0%	0.3%	0.1%
67. Wood Utensils	0.1%	<0.1%	<0.1%
or. Hood otoriolis	100.0%	100.0%	100.0%


APPENDIX E

SECTORS AND NAMING CONVENTIONS



Sectors & Naming Convention

The naming convention for samples should be as follows:



Route	Collection Route	Community
EAS	01	Eastview
PAR	02	Parkridge
ROS	03	Rosewood
MOU	04	Mount Royal
HOL	05	Holliston
CIT	06	City Park
NUT	07	Nutana
SIL	08	Silverwood Heights
WIL	09	Willowgrove
DUN	10	Dundonald