

Address	Land Use Designation	Current Zoning	Site Eligibility (based on available data)
1 Minto Pl	CSMU	CS1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
100 31st St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
100 32nd St W	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
100 33rd St E	CMU	B2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1001 7th St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1001 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
1001 Dufferin Ave	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1001 Lansdowne Ave	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1001 Moss Ave	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1002 22nd St W	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1002 8th St E	CSMU	B4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1002 9th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1002 Dufferin Ave	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1003 22nd St W	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1003 Dufferin Ave	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1005 Dufferin Ave	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1006 22nd St W	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1006 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
1006 9th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1006 Albert Ave	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1007 7th St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1007 Dufferin Ave	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1009 Dufferin Ave	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1009 Lansdowne Ave	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
101 27th St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
101 28th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
101 31st St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
101 32nd St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.

101 Ave E N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
101 Ave E S	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
101 Ave M S	CMU	RM1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
101 Ave N S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
101 Ave O S	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
101 Ave T S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1010 22nd St W	CMU	B4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1010 Dufferin Ave	CMU	CM1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1011 22nd St W	CMU	B4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1011 Dufferin Ave	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1011 Idylwyld Dr N	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1011 University Dr	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1012 22nd St W	CMU	B4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1012 Dufferin Ave	CMU	CM1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1012 Lansdowne Ave	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1013 22nd St W	CMU	B4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1013 Lansdowne Ave	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1014 22nd St W	CMU	B4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1014 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1014 Dufferin Ave	CMU	CM1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1015 Dufferin Ave	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1016 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1016 Albert Ave	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1016 Dufferin Ave	CMU	CM1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1016 Lansdowne Ave	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1017 22nd St W	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1018 22nd St W	CMU	B4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1018 Lansdowne Ave	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1019 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1019 Lansdowne Ave	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.

102 27th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
102 28th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
102 31st St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
102 32nd St W	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
102 Ave F S	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
102 Ave M S	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
102 Ave N S	CMU	RM1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
102 Ave O S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
102 Ave P S	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
102 Ave R N	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
102 Ave U S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
102 East Drive	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1020 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1020 Dufferin Ave	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1020 Lansdowne Ave	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1023 Idylwyld Dr N	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1024 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1024 Louise Ave	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
1025 8th St E	CMU	N/A	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1025 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1025 Louise Ave	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1026 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1026 College Dr	CSMU	CS1	Meets the minimum development standards for site width and area under CS1.
1027 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1027 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
103 27th St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
103 28th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
103 32nd St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
103 Ave M S	CMU	RM1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
103 Ave O S	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.

103 Ave T N	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
103 Ave T S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1030 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1032 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1036 College Dr	CSMU	CS1	Meets the minimum development standards for site width and area under CS1.
104 27th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
104 28th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
104 31st St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
104 33rd St E	CMU	B2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
104 Ave M S	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
104 Ave N S	CMU	RM1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
104 Ave U S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1047 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
105 27th St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
105 28th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
105 32nd St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
105 Ave B S	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
105 Ave F S	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
105 Ave M S	CMU	RM1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
105 Ave O S	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
106 27th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
106 28th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
106 31st St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
106 33rd St E	CMU	B2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
106 Ave B S	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
106 Ave M S	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
106 Ave N S	CMU	RM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
106 East Drive	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
107 27th St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
107 28th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.

107 32nd St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
107 Ave M S	CMU	RM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
108 27th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
108 31st St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
108 32nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
108 Ave D S	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
108 Ave M S	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1088 Clarence Ave S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
109 27th St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
109 28th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
110 27th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
110 28th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
110 29th St W	CSMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
110 31st St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
110 Ave F S	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
110 Ave M S	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1101 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1101 Munroe Ave S	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1102 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1103 Munroe Ave S	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1104 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1106 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
111 27th St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
111 29th St W	CSMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
111 Ave D N	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
111 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
111 Ave I S	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
111 Ave T S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
111 Witney Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1110 Grosvenor Ave	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

1111 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1111 Louise Ave	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1112 Morgan Ave	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1113 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1113 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1114 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1114 Campbell Ave	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
1115 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1115 Grosvenor Ave	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1115 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1116 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1117 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1118 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1119 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
112 25th St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
112 28th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
112 31st St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
112 Ave B N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1120 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1120 Morgan Ave	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1121 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1121 Louise Ave	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1123 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1123 Moss Ave	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1124 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1125 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1125 Louise Ave	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1127 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1128 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1128 McKercher Dr	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

1129 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
113 27th St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
113 Ave D N	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
113 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
113 Ave I S	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
113 Ave P N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1130 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1131 Idylwyld Dr N	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1132 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1132 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1134 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1136 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1137 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
114 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
114 31st St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
114 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
114 Ave T S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1140 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1145 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
115 29th St W	CMU	R2A	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
115 Ave D N	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
115 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
115 Ave H S	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
115 Ave P S	CSMU	R2	Meets the minimum development standards for site width and area under CS1.
115 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
115 Idylwyld Dr S	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
1157 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
116 31st St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
116 Ave B N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
116 Ave H N	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

116 Ave P S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
117 23rd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
117 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
117 Ave D N	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
117 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
117 Ave I S	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
117 Ave P N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
117 Ave P S	CMU	M2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1177 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
118 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
118 Ave B S	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
118 Ave P S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
119 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
119 Ave D N	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
119 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
119 Ave I S	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
120 25th St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
120 29th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
120 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
120 33rd St E	CMU	B2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
120 Ave C N	CMU	B5	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
120 Ave I S	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1200 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1201 Broadway Ave	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1201 Quebec Ave	CSMU	IL1	Meets the minimum development standards for site width and area under CS1.
1202 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1202 3rd Ave N	CMU	IL1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1202 College Dr	CSMU	CS1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1202 Emerson Ave	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1202 Quebec Ave	CSMU	IL1	Meets the minimum development standards for site width and area under CS1.

1204 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1204 College Dr	CSMU	CS1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1205 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1205 Arlington Ave	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1206 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1206 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1209 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1209 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
121 29th St W	CMU	R2A	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
121 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
121 Ave P S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1210 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1210 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1210 College Dr	CSMU	M2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1211 Broadway Ave	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1211 Idylwyld Dr N	CSMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1212 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1212 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1212 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1214 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1215 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1215 Idylwyld Dr N	CSMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1215 Louise Ave	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1216 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1216 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1216 Morgan Ave	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1217 Idylwyld Dr N	CSMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1218 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1219 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1219 Idylwyld Dr N	CSMU	B3	Meets the minimum development standards for site width and area under CS1.

1220 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1220 Broadway Ave	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1220 College Dr	CSMU	CS1	Meets the minimum development standards for site width and area under CS1.
1220 Morgan Ave	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1221 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1222 Quebec Ave	CMU	IL1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1224 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1224 Idylwyld Dr N	CSMU	CS1	Meets the minimum development standards for site width and area under CS1.
1225 Idylwyld Dr N	CSMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1226 22nd St W	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1226 College Dr	CSMU	CS1	Meets the minimum development standards for site width and area under CS1.
1228 Idylwyld Dr N	CSMU	CS1	Meets the minimum development standards for site width and area under CS1.
1229 Idylwyld Dr N	CSMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
123 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
123 Ave I S	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
123 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1231 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1231 Idylwyld Dr N	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
1232 Idylwyld Dr N	CSMU	CS1	Meets the minimum development standards for site width and area under CS1.
1236 College Dr	CSMU	CS1	Meets the minimum development standards for site width and area under CS1.
1236 Idylwyld Dr N	CSMU	CS1	Meets the minimum development standards for site width and area under CS1.
124 Ave B N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
124 Ave P S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1249 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
125 Ave B N	CMU	B5	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
125 Ave H N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
125 Ave P S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
125 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
125 Idylwyld Dr S	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
126 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.

126 Ave P S	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1265 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1269 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
127 Ave D N	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
128 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
128 Ave P S	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
129 22nd St W	CSMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
129 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
129 Ave I S	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
130 Ave B N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
130 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1301 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1301 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1302 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1302 College Dr	CSMU	M2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1302 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1303 Jackson Ave	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1304 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1306 College Dr	CSMU	M2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1306 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1307 Idylwyld Dr N	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1308 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1309 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
131 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
131 Ave P S	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1310 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1312 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1312 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1314 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1314 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

1315 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1316 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1316 College Dr	CSMU	M2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1317 Idylwyld Dr N	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1318 College Dr	CSMU	M2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
132 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
132 Ave P S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1320 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1320 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1321 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1322 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1322 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1322 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1323 Idylwyld Dr N	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1324 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1325 Idylwyld Dr N	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1326 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1326 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1327 Idylwyld Dr N	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
133 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1330 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1330 College Dr	CSMU	M2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1330 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1332 8th St E	CMU	M1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1333 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1334 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
1334 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1336 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1338 College Dr	CSMU	M2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
134 Ave B N	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.

134 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
134 Ave P S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1340 8th St E	CMU	M1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1342 College Dr	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
135 Ave H N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
135 Ave P S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
136 Ave H N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
137 Ave P S	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
137 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1401 Elliott St	CSMU	R2	Meets the minimum development standards for site width and area under CS1.
1402 22nd St W	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1402 8th St E	CSMU	M1	Meets the minimum development standards for site width and area under CS1.
1402 College Dr	CSMU	B2	Meets the minimum development standards for site width and area under CS1.
1402 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1403 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1404 22nd St W	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1406 22nd St W	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1406 8th St E	CSMU	M1	Meets the minimum development standards for site width and area under CS1.
1406 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1408 22nd St W	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1410 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1414 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1414 8th St E	CSMU	M1	Meets the minimum development standards for site width and area under CS1.
1414 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1418 College Dr	CSMU	B2	Meets the minimum development standards for site width and area under CS1.
1422 College Dr	CSMU	B2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
1422 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1426 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1428 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1435 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

146 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
1501 23rd St W	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1501 8th St E	CSMU	N/A	Meets the minimum development standards for site width and area under CS1.
1502 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
1502 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1504 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
1505 23rd St W	CMU	RM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1505 7th St E	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1511 23rd St W	CMU	RM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1514 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1515 23rd St W	CMU	RM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1528 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
1550 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
1601 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
1602 22nd St W	CSMU	N/A	Meets the minimum development standards for site width and area under CS1.
1602 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1604 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1605 7th St E	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1608 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
1608 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1609 22nd St W	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1612 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1615 7th St E	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1616 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1622 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1627 22nd St W	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1628 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1700 Main St	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1701 22nd St W	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1701 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

1702 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1705 22nd St W	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1709 22nd St W	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1710 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1718 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1721 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1800 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1801 22nd St W	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1802 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1802 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1805 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1805 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1806 Argyle Ave	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1807 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1810 Argyle Ave	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1814 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1816 22nd St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1817 22nd St W	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1821 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1822 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1840 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1850 Main St	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1901 22nd St W	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1902 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1902 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1904 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1906 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1909 22nd St W	CMU	RM4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1910 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1910 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

1912 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1916 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1916 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1918 22nd St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1919 22nd St W	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
1922 22nd St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
1924 22nd St W	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
200 Cumberland Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2002 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2002 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2006 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2008 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
201 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
201 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
2010 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2010 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2010 Main St	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2012 Main St	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2012 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2014 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2016 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2018 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
202 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
202 29th St W	CMU	R2A	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
202 33rd St E	CMU	B2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
202 Ave B N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
202 Ave P S	CMU	M2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
202 Lindsay Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2024 22nd St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
204 Ave D N	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

204 Lindsay Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
205 24th St W	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
206 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
206 Cumberland Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
206 Lindsay Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
207 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
208 Ave B N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
208 Ave B S	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
208 Lindsay Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
209 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
209 Ave D S	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
210 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
210 33rd St E	CMU	B2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
210 Ave D N	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
210 Cumberland Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
210 Lindsay Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2100 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2101 22nd St W	CMU	B2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2102 22nd St W	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2102 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2102 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2104 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2104 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2105 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2106 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2106 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2108 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2108 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
211 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
211 Ave D N	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

211 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
211 Idylwyld Dr N	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
2110 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2110 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2112 14th St E	CMU	R1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2112 Main St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2112 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2114 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2115 22nd St W	CMU	N/A	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2116 14th St E	CMU	R1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2116 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
212 Lindsay Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2124 22nd St W	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
213 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
213 East Place	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
213 Idylwyld Dr N	CMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
214 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
214 Ave D S	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
214 Cumberland Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
214 Lindsay Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
215 22nd St W	CSMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
215 23rd St W	CMU	B5	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
215 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
215 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
215 Idylwyld Dr S	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
216 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
216 Ave D N	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
217 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
217 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
217 East Place	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

218 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
219 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
219 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
219 Idylwyld Dr S	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
220 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
220 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
2201 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2202 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2202 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2202 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2204 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2206 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2208 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
221 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
221 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
221 Ave D S	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
221 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2210 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2216 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2218 20th St W	CMU	B2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
222 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
222 Ave B S	CSMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
222 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
222 Cumberland Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2220 20th St W	CMU	B2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2221 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2222 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2225 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
223 29th St W	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
224 Ave B N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

224 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
224 Cumberland Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
225 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
226 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
227 Ave D S	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
230 Ave C N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2301 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2301 Taylor St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2302 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2302 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2302 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2303 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2304 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2305 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2305 Taylor St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2306 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2308 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2309 Taylor St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2310 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2312 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2313 Taylor St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2314 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2316 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2317 Taylor St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2318 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2318 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
232 Ave C N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2320 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2321 Taylor St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2322 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

2323 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2324 Preston Ave S	CSMU	R2	Meets the minimum development standards for site width and area under CS1.
2326 Preston Ave S	CSMU	R2	Meets the minimum development standards for site width and area under CS1.
235 Ave D N	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
239 Ave W S	CMU	B2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
239 Idylwyld Dr S	CSMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
240 Ave C N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2400 Louise St	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
2401 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2401 Taylor St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2402 Preston Ave S	CSMU	R2	Meets the minimum development standards for site width and area under CS1.
2404 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2404 Preston Ave S	CSMU	R2	Meets the minimum development standards for site width and area under CS1.
2405 Taylor St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2406 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2408 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2408 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2410 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2410 Louise St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2410 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2412 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2413 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2414 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2414 Preston Ave S	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2415 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2417 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2421 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2426 Louise St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2427 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2429 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

2432 Louise St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2440 Louise St	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
250 Hunter Rd	CSMU	M3	Meets the minimum development standards for site width and area under CS1.
2501 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2501 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2501 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2502 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2504 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2505 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2506 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2507 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2508 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2508 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2509 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2510 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2512 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2513 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2517 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
252 Ave B S	CSMU	B3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
2521 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
253 Willis Cres	CSMU	M3	Meets the minimum development standards for site width and area under CS1.
256 Ave B S	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
2600 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2601 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2602 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2604 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2605 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2606 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2608 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2609 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

2928 Preston Ave S	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
2929 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2932 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2933 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2936 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2937 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2940 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2941 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
2941 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2944 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2945 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2948 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2949 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2952 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2953 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2956 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2957 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2960 Preston Ave S	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
2969 Preston Ave S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
301 24th St W	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3010 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
301A 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
302 Cumberland Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3020 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
3035 Preston Ave	CMU	R1A	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
305 Idylwyld Dr N	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3055 Preston Ave S	CMU	M3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
306 Cumberland Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3065 Preston Ave S	CMU	M3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
310 Cumberland Ave N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.

310 Hunter Rd	CMU	RMTN	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3100 Preston Ave S	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
3110 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
312 Cumberland Ave N	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
3124 8th St E	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
314 Cumberland Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
315 Idylwyld Dr N	CMU	M4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
316 Ave D N	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
319 Ave C N	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
320 21st St W	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
320 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
320 Cumberland Ave N	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3200 Preston Ave S	CSMU	B1B	Meets the minimum development standards for site width and area under CS1.
3201 Arlington Ave	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3203 Preston Ave S	CSMU	B1B	Meets the minimum development standards for site width and area under CS1.
323 21st St W	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
324 24th St W	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
324 Cumberland Ave N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
325 21st St W	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
327 21st St W	CMU	MX1	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
3311 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
3331 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
3333 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
3337 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
3401 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
3421 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
3501 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
3521 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
3601 Chaben Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3609 Chaben Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

3617 Chaben Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3625 Chaben Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3701 8th St E	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3715 8th St E	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3719 8th St E	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3809 Luther Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3819 Luther Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3825 Luther Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3833 Luther Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3837 Luther Pl	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
3929 8th St E	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
4 Salisbury Dr	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
401 Preston Ave S	CMU	R1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
402 21st St W	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
402 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
402 3rd Ave N	CSMU	B2	Meets the minimum development standards for site width and area under CS1.
402 Cumberland Ave N	CSMU	R2	Meets the minimum development standards for site width and area under CS1.
403 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
405 Bottomley Ave N	CSMU	R2	Meets the minimum development standards for site width and area under CS1.
405 Idylwyld Dr N	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
405 Preston Ave S	CMU	R1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
406 Cumberland Ave N	CSMU	R2	Meets the minimum development standards for site width and area under CS1.
409 Idylwyld Dr N	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
410 23rd St W	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
411 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
411 Bottomley Ave N	CSMU	R2	Meets the minimum development standards for site width and area under CS1.
411 Idylwyld Dr N	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
413 Idylwyld Dr N	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
414 Cumberland Ave N	CSMU	B2	Meets the minimum development standards for site width and area under CS1.
415 23rd St W	CMU	MX1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

415 Idylwyld Dr N	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
416 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
417 Bottomley Ave N	CSMU	M2	Meets the minimum development standards for site width and area under CS1.
417 Idylwyld Dr N	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
418 Cumberland Ave N	CSMU	B1B	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
419 Idylwyld Dr N	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
420 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
501 Idylwyld Dr N	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
502 8th St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
502 Idylwyld Dr N	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
503 Idylwyld Dr N	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
505 Idylwyld Dr N	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
506 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
507 Idylwyld Dr N	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
508 12th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
508 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
510 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
511 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
513 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
514 12th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
515 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
516 12th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
516 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
517 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
518 12th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
518 8th St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
520 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
520 Ave B N	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
521 8th St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
522 12th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

522 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
524 12th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
524 8th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
600 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
601 Eastlake Ave	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
610 Idylwyld Dr N	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
612 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
614 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
618 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
624 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
630 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
638 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
640 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
702 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
704 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
705 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
706 Idylwyld Dr N	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
710 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
710 Idylwyld Dr N	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
712 9th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
713 Idylwyld Dr N	CSMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
715 Idylwyld Dr N	CSMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
717 Idylwyld Dr N	CSMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
718 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
718 9th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
720 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
720 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
721 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
727 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
732 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

74 Dumont Cres	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
740 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
802 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
802 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
804 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
805 Idylwyld Dr N	CSMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
806 Idylwyld Dr N	CSMU	B5	Meets the minimum development standards for site width and area under CS1.
807 Idylwyld Dr N	CSMU	R2A	Meets the minimum development standards for site width and area under CS1.
808 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
809 Idylwyld Dr N	CSMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CS1.
812 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
813 Idylwyld Dr N	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
814 22nd St W	CSMU	B4	Meets the minimum development standards for site width and area under CS1.
815 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
815 Idylwyld Dr N	CMU	R2A	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
816 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
816 9th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
820 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
821 Idylwyld Dr N	CMU	R2A	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
824 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
825 22nd St W	CSMU	B3	Meets the minimum development standards for site width and area under CS1.
825 Idylwyld Dr N	CMU	R2A	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
827 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
828 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
832 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
833 Idylwyld Dr N	CMU	CM1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
836 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
838 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
840 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
840 Idylwyld Dr N	CMU	M3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.

86 33rd St E	CMU	IL1	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
901 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
901 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
901 Preston Ave S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
902 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
903 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
904 22nd St W	CMU	B4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
904 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
905 Preston Ave S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
907 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
909 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
909 Preston Ave S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
910 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
910 9th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
911 8th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
911 Preston Ave S	CMU	RM4	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
912 Idylwyld Dr N	CMU	M3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
914 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
915 Acadia Dr	CMU	M2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
916 8th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
916 9th St E	CMU	RM3	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
917 22nd St W	CMU	B3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
918 22nd St W	CMU	B4	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
920 9th St E	CMU	RM3	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
921 7th St E	CMU	R2	Meets the minimum development standards for site width and area under CM1 in the zoning bylaw.
921 8th St E	CSMU	N/A	Meets the minimum development standards for site width and area under CS1.
922 8th St E	CSMU	RM3	Meets the minimum development standards for site width and area under CS1.
927 7th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.
928 8th St E	CSMU	CS1	Meets the minimum development standards for site width and area under CS1.
931 7th St E	CMU	R2	Does not meet the minimum development standards for site width or area in the zoning bylaw for CM1.

