

Construction Materials Construction Materials – Corrosion Protection Revised Date: 2023-02-03

Division 15 Section 15005 Page 1 of 3

15005 Construction Materials – Corrosion Protection

Index

15005-1	Corrosion Protection	2
1.1	Anodes	2
1.2	Corrosion Prevention Tape	3



Construction Materials Construction Materials – Corrosion Protection Revised Date: 2023-02-03

Division 15 Section 15005 Page 2 of 3

15005-1 Corrosion Protection

1.1 <u>Anodes</u>

Product Description:

• Galvanic Zinc Anodes

Conforming to:

• ASTM B418

Product Use:

- Water main construction
- Installed to all valves, hydrants and cast iron fittings to provide corrosion protection

Standard Construction Specification Reference:

• 08000-4.4, 08025-8.2, 08030-11

Approved products: Manufacturer - Model

- Corrpro Canada Inc.
- Canada Metal Eastern Ltd.
- Interprovincial Corrosion Control
- Bren Technologies Ltd.

All products must meet specification. This section is intended as a guide to products that comply. The Specifications take precedence over this section. Products included in this section must still be proven to comply by the supplier. To have a product added or approved, see Sections 08000, 08001, 08002.



Construction Materials Construction Materials – Corrosion Protection Revised Date: 2023-02-03 Division 15 Section 15005 Page 3 of 3

1.2 Corrosion Prevention Tape

Product Description:

• Corrosion Prevention Primer and Tape

Conforming to:

• AWWA C217

Product Use:

• Water Main construction

Standard Construction Specification Reference:

• 08000-4.2

Approved products: Manufacturer - Model

- Denso North America Inc. Denso Paste and Tape
- Polyken 927 primer, 932 tape
- PetroWrap
- Petro Coating Systems Petrolatum Tape

All products must meet specification. This section is intended as a guide to products that comply. The Specifications take precedence over this section. Products included in this section must still be proven to comply by the supplier. To have a product added or approved, see Sections 08000, 08001, 08002.

End of Specification 15005