



ROLLED CURB AND SIDEWALK
1978 STYLE
EXCLUSIVELY FOR REPLACEMENTS



ROLLED CURB DETAIL
SCALE 1:5



NOTES:

1. CONCRETE STANDARD:
32 MPa DURA-MIX CONCRETE
5-8% AIR AS PER SPEC.
2. COMPACTION STANDARD:
98% STANDARD PROCTOR AS PER SPEC.
3. BROOM FINISH WALK AND CURB.
BROOM OVER ALL CONTROL JOINTS.
4. SPACING OF CONTROL JOINTS TO BE 1.5m.

PLAN DESCRIPTION/REVISION	DATE	BY		APPROVALS
1 ORIGINAL STANDARD DRAWING	1978-MAY-30	P.F.	ROLLED CURB & SIDEWALK 1978 STYLE FOR REPLACEMENT PURPOSES ONLY	 <small>Andy McMeekin (May 3, 2021 11:04 MDT)</small>
2 UPDATED DRAWING TO AUTOCAD	2015-NOV-26	HLO		<small>SIGNATURE</small>
3 UPDATED TO ALIGN WITH SIDEWALK BEST PRACTICES REPORT	2020-OCT-06	DLH		<small>NAME</small> Maciej Jurkiewicz
4 ADDED CONTROL JOINT	2021-FEB-03	AR		<small>DATE SIGNED</small> May 3, 2021
				<small>SCALE:</small> HOR. 1:15 VERT.
				<small>PLAN NO.</small> 102-0002-042r004