


PEDESTRIAN RAMP SCALE 1:100



- 1. CONCRETE STANDARD: 32 MPa DURA-MIX CONCRETE 5-8% AIR AS PER SPEC.
- COMPACTION STANDARD:
 98% STANDARD PROCTOR AS PER SPEC.
 BROOM FINISH WALK CURR FACE & GUTTE
- 3. BROOM FINISH WALK, CURB FACE & GUTTER.
 BROOM OVER ALL CONTROL JOINTS.
- 4. SPACING OF CONTROL JOINTS TO BE 1.5m.
- 5. SIDEWALK WIDTH VARIES ACCORDING TO STREET CLASSIFICATION REQUIREMENTS.

| Γ | PLAN DESCRIPTION/REVISION | DATE | BY | | APPROVALS | |
|---|-----------------------------|-------------|----|--|---|-------------------|
| E | ORIGINAL STANDARD DRAWING 2 | 2021-FEB-03 | AR | Cityof | 1. 1. 14.14.15 | |
| L | | | | City of Saskatoon | Andy McMeekin Andy McMeekin (May 3, 2021 11:03 MDT) | |
| ┢ | | | | 50 USB Striken vide National GB VIV Strike | SIGNATURE | SIGNATURE |
| Н | | | - | | Andy McMeekin | Maciej Jurkiewicz |
| H | | | - | PEDESTRIAN RAMP | NAME | NAME |
| h | | | | 1978 STYLE ROLLED CURB | May 3, 2021 | May 3, 2021 |
| h | | | | 1976 STILL ROLLED CORD | DATE SIGNED | DATE SIGNED |
| r | | | | FOR REPLACEMENT PURPOSES ONLY | SCALES: PLAN NO. | 0000 070 004 |
| | | | | | vert. 102- | -0002-079r001 |