



Saskatoon Light & Power Inventory Catalogue

Revised May 14, 2019

TABLE OF CONTENTS

Index iii

Supplier's Codes vii

Section 1 Pole Line Hardware 1 – 1

Anchors
Bolts
Braces And Brackets
Washers
Guy Wire

Section 2 Wire / Cable / Cutouts, etc. 2 – 1

Clamps & Grips
Lubricant
Cutouts and Arrestors
Insulators
Wire & Cable

Section 3 Distribution Poles 3 – 1

Wood Poles
Steel Poles
Fibreglass Poles

Section 4 Street Lighting 4 – 1

Refractors
Ballasts
Fixtures & Lamps
Streetlight Poles & Arms
Photo Electric Cells

Section 5 Connectors 5 – 1

Connectors
Compression Sleeves
Bolted Lugs

TABLE OF CONTENTS

Section 6	Transformers.....	6 – 1
	Padmount Transformers	
	Switching Cubicles	
	Concrete Bases	
	Elbows & Accessories	
	Overhead Transformers	
	Timber & Platform Material	
Section 7	Fusing & Splicing.....	7 – 1
	Transformer Bushings	
	Fuses	
	Tape	
	Markers	
	Solder	
	Kellems Grips	
	Stress Cone Kits	
	Underground – Splice Parts	
	Heat Shrink	
Section 8	Switchgear & Metering	8 – 1
	Relay	
	Meter Seals	
	Current Transformers	
	Test Blocks	
Section 9	Ducts, Grounding, Cable Injection & Miscellaneous.....	9 – 1
	Pipe Straps	
	Duct Pipe	
	Anchors	
	Capacitors	
	Locks	
	Bandit	
	Grounding	
	Ty-Wraps	
	Gloves & Mitts	

INDEX

ADAPTERS

Base Plate for Steel Pole	4-13
Interbase Low Profile	8-3
Socket	8-3
Steel Pole Tenon.....	4-13

AGS UNIT

2-5

AMPACTS

5-6-7

ANCHORS

Pole Key	1-2
Drop In.....	9-8
Helix	1-1
Rod.....	1-1

ARMS (see Street Lighting)

ARMOUR RODS.....

2-24

ARRESTORS.....

2-13

AQUASEAL

7-22

BALLASTS

4-34-35

BANDIT & BUCKLES

9-11

BANNER HARDWARE

4-37

BASES

Break Away Reaction Plates.....	4-14
Concrete.....	6-9-10
Decorative	4-1,8
Fiberglass.....	6-10,20
Mounting for Epoxy Crossarm.....	1-7
Precast Streetlight.....	4-1
Precast Switching Cubicle.....	6-10-11
Precast Transformer	6-9
Steel Anchor	4-1

BAYONET.....

1-8

BOLTS

Carriage.....	1-2-3
Double Arming.....	1-3
Lag	1-6
Machine.....	1-4-6

BRACES

Alley Arm	1-7
Angle Arm.....	1-7
Cross Arm	1-8

BRACKETS

Bullhorn	4-12
Cable Support	7-25
Decorative Backing	4-11
Kellems Grip Mounting.....	7-24

BRACKETS – continued

Mid-Span Triplex.....	1-9
Network.....	1-21-22
Standoff.....	1-8
Transformer Mounting	1-9

BRAID.....

7-20

BULL LINE

2-7

BUMPER POST.....

1-2

BUSHING WELL

6-22

BUSHING WELL INSERTS

6-17

BUSHINGS

Adapter.....	6-18
One Piece	6-22
Standoff.....	6-20
Transformer	7-1

CABINETS.....

6-20

CABLE.....

2-26-36

CABLE SUPPORTS

Kellems	7-26
---------------	------

CADWELD THERMITE CARTRIDGES

7-22

CAPACITOR BANKS.....

9-9-10

CAPACITOR UNITS.....

9-8-9

CAPS

Protective	6-21
Photo Cell Shorting	4-30

CINCH TIES & TY-WRAPS.....

9-14-15

CLAMPS

Bonding Jumper.....	5-6
Cable Cleats	2-20
Ground Rod	2-5
Guy.....	1-13
Hot Line.....	2-7
Deadend Strain	2-3
Service Wedge.....	2-2
Suspension	2-5

CLEVISES

1-9-10

COLD SHRINK

Splice	7-30
--------------	------

COMPOUNDS

Splicing.....	2-7
---------------	-----

CONNECTORS

Ampect.....	5-6-7
Bolted	5-18
Buchanan	5-14

INDEX

CONNECTORS – continued

Compression	5-16-17
GelCap	5-13
Parallel, Groove, Compression	5-1-4
Shearbolt	5-15
Sleeves	5-8-14
Split Bolt	5-4-5
Station	5-18-20
Stirrup	5-7
Two Bolt	5-5
Type "T"	5-18

CONTACTORS

Coils	4-31
-------------	------

COUPLINGS

Ground Rod	2-6
------------------	-----

COVERS

Meter Blankoff	8-2
----------------------	-----

CROSSARMS

CURRENT TRANSFORMERS

CUTOUTS

DAMPERS

DEADENDS

Automatic	2-2
Compression	2-1-2

DUCT

Bellend	9-4
Bends	9-3-4
Couplings	9-5
Pipe	9-2-3,7
Spacers	9-5-6

DUPLEX

DUXSEAL

ELBOWS & ACCESSORIES

EXTENSIONS

Steel Streetlight Pole	4-14
------------------------------	------

FAULT INDICATORS/DETECTOR

FEED-THROUGHS

FIBRE OPTIC CABLE

FITTINGS

Ball Clevis	1-12
Clevis – Clevis	2-1

FITTINGS – continued

Guy	1-14
Socket Eye	1-11
Clevis Socket	1-11
Y Clevis	1-12

FIXTURES

FUSES

Elbow	7-13
Ferrule	7-14
Knife Blade	7-15
Limiting	7-16-17
Network	7-17-19
Neutral Link	7-15
Padmount	7-5-10
Plug	7-14
Power	7-11-13
PT	7-15
Switching Cubicle	7-13
Type K	7-2-3
Type T	7-3-4
Types H, X, F	7-4-5

GEL CAPS

GLOBES

Washington Fixtures	4-36
---------------------------	------

GLOVES

GRIPS

Preformed Deadend	2-3-4
Preformed Guy	1-12

GROUND ROD

GROUNDING MATERIAL

GUARDS

HANDI-RING

HEAT SHRINK

Splice	7-29
--------------	------

HEATER CABINET

HOOKS

Cable Hangers	7-25
Hooks & Arms for U/G Cable Rack.	1-16-17

INSULATORS

Ball and Socket	2-16
Cable Rack	2-21

INDEX

INSULATORS – continued

Clevis.....	2-15
Epoxy Deadend	2-16
Fiberglass Guy Strain	1-26
Guy Strain.....	2-14
Indoor Switching Cubicle.....	2-22
Phase Conduction Spacing.....	2-17
Pin Type	2-14
Polymer	2-17
Post.....	2-18-19
Station Post.....	2-18-19
Suspension.....	2-15-17
Triplex Spreader Block	2-21

JUNCTION BOX..... 6-12

LAMPS..... 4-26-28

LENS FOR COBRAHEAD 4-36

LOCKS..... 9-10-11

LUBRICANTS

Cable Pulling	2-8
Switch Contact.....	2-8
Termi Kit.....	2-8

LUGS

Bolted	5-15
Compression	5-16-17

MAN HOLE..... 7-23

MARKERS

Cable Tags.....	7-21
Omni Balls Red	7-21
Phase	7-20

MITTS..... 9-17-18

MOULDING

Ground Wire	2-22
-------------------	------

NUTS

Galvanized	1-23, 25
Eye.....	1-17
Lock	1-18
Pisa.....	1-1
Thimble Eye.....	1-17-18

OIL SWITCHES..... 2-23 & 4-31

PADLOCKS..... 9-10-11

PEDESTALS 6-12-13

PHOTO ELECTRIC CELLS..... 4-29-30

Bracket.....	4-29
Shorting Cap	4-30

PINS

Insulator	1-18-19
-----------------	---------

PIPE

Cement/Primer.....	9-6
Duct.....	9-2-3
Galvanized.....	9-2
HDPE	9-2-3
Sceptacon	9-7
Spacers.....	9-5-6
Straps.....	9-1

PLASTIC LATCH 7-5

POLES (DISTRIBUTION)

Steel.....	3-1-2
Fiberglass	3-2
Wood	3-1

POTENTIAL TRANSFORMERS..... 8-5-6

PREFORMED

Armour Rod	2-24
Composite.....	2-25
Plastic Line	2-23
Super Top Ties	2-24

PRIMARY METERING UNIT..... 8-8

PYROTENAX CLIPS 9-1

QUADRIplex..... 2-29

RACKS..... 1-20

REFRACTORS

Wallpack Fixtures.....	4-36
------------------------	------

RELAY FEEDER..... 8-1

SEALS

Meter	8-1
Padlock	8-2

SLEEVES

Compression.....	5-8-14
Guy Wire Serving	1-13

SOCKETS

INDEX

Pig Tail	4-28
SPLICE KITS	
Grounding Sock	7-30
Underground	7-27
STAPLES	
Moulding	1-22
STARTERS	4-32-34
STREET LIGHTING	
Arms	4-3-6,8-12
Hand Hole Assembly	4-15
Poles.....	4-2-9
Pole & Fixture Combination.....	4-21-23
Relays	4-30
Shims	1-25
STRESS CONE KITS	7-23-24
SWITCHES	
Oil.....	2-23 & 4-30
Three Phase Group Operated.....	2-11-12
SWITCHING CUBICLES	6-8-9
TAPE	7-19-20
TEST BLOCKS	8-7-8
THIMBLE	
Eye.....	1-17-18
TRANSFORMERS	
Cluster Mount Assembly	1-9
Dry Type	8-7
Overhead	6-22-27
Padmount	6-1-8
TRIPLEX	2-28
TY-WRAPS & CINCH TIES	9-14-15
WASHERS	1-23-24
WIRE	
Guy	1-25
Metering	2-34
Streetlight.....	2-32

SUPPLIER CODES

AB.....	AB Chance	FAR.....	Fargo
ABB.....	ABB Inc.	FED-P.....	Federal Pioneer
AC.....	Acculite	FER.....	Ferraz
ACME.....	Acme	FER-P.....	Ferranti-Packard
AE.....	American Electric	FP.....	Fisher Pierce
AL.....	Aim Lite		
AMP.....	Ampact	GE.....	General Electric
ANSI.....	ANSI	GLD.....	Gould
AP.....	Atlas Power	GLP.....	GLP HiTech
		GRNL.....	Greenlee
B&T.....	Bearing & Transmission	GST&D.....	General Switchgear GST&D
BAND.....	Band-It		
BEL.....	Beline Manufacturing	HA.....	Hastings
BEM.....	Bemag	HCI.....	HCI Lighting
BET.....	Bethea	HEL.....	Helix
BEV.....	Bevro	HOL.....	Holophane
BLK.....	Blackburn	HOM.....	Homac
BM.....	Bren Maur	HU.....	Hughes Bros
BRO.....	Brooks	HUB.....	Hubbel
BUCH.....	Buchanan	HYD.....	Hydel
BUR.....	Burndy		
BUSS.....	Buss	IDI.....	Ideal Electric Industries
		ILS.....	ILSCO
CAD.....	Cadweld	INT.....	Intermatic
CAN.....	Canron	INV.....	Inventronics
CAB.....	Cablelim	IPEX.....	IPEX
CAR.....	Carlon		
CC.....	Cross Canada	JOS.....	Joslyn
CG.....	Condu-Grip		
CGE.....	Canadian General Electric	KAB.....	Kabar
CH.....	Cutler Hammer	KEE.....	Keene
CIM.....	CIM	KELL.....	Kellems
CLM.....	CLM Industries	KL.....	K-Line
CON.....	Continental(Maclean Power)	KRN.....	Kearney
COND.....	Condux International		
CP.....	Cooper Power	LAND.....	Landmark
		LAPP.....	LAPP
DG.....	DG Technologies Ltd.	LAR.....	Larson
DIV.....	Diversified	LED.....	LED Roadway Lighting
DIX.....	Dixie	LITH.....	Lithonia
DL.....	Dura-Line		
DULM.....	Dulmison	MAC P.....	Maclean Power
		MAR.....	Martec
EWC.....	Eastern Wire & Conduit	MARC.....	Marcus
EK.....	Ekstrom	MER.....	Mersen
EE.....	English Electric	MOL.....	Moloney
ELMD.....	Elasimold	MULT.....	Multicast
ENE.....	Enerscan		
EPAC.....	EPAC		
FAN.....	Fanner		

SUPPLIER CODES

NAT National
 NED Nedco
 NEX Nexans
 NGK NGK Insulators
 NOR Nordic

OB Ohio Brass (Hubbell Power)

P&C Patton & Cooke
 PAND Panduit
 PAY Payer
 PCL Prairie Central Line
 PE Perma Engineering Ltd.
 PEN Pencil
 PER Permali
 PHI Philips
 PLP Performed Lined Products
 POL Poltec
 POLE Polesystems
 PP Porcelain Product
 PREC Precision
 PRY Prysmian
 PTS PTS Potelco
 PU Penn Union
 PUR Pursley

R&M R & M Plastics
 RAY Raychem (RTE)
 RECK Recknell Industries
 REL Reliable
 RIC Richards
 RTE Raychem/Tyco

S&C S & C Electric
 SAFT Saft Nife Corp
 SAL Salisbury

SANG Sangamo
 SB Safety Base
 SCEP Sceptor
 SCT Structural Composite Technologies
 SDL SDL Lighting
 SED Sedivar
 SG Structural Glass (SCT)
 SHAW Shawmut
 SL Slater or Slacan
 SMW Saskatoon Machine Works
 SOLA Sola
 SQ D Square D
 SS Safety Supply
 STAN Standard Products
 STAR Star
 STERN Sternberg
 STO Stopaq
 SUPC Support Concepts
 SW Saskatoon Welding
 SYC Sycor
 SYL Sylvania

T&B Thomas & Betts
 TORK Tork
 TRANS Transelec
 TRIN Trinetics
 TRY Trydor

UD Underground Devices

VIS Visionaire

WEST Westinghouse

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Multi Helix Anchor 	1-01-48	Blade 8 Inch	AB E102-1636 JOS J25997CAB1 DIX D-84-2-6
Anchor Rod 	1-01-53	1" x 7'	AB 12334P KAB K156-23 JOS J12255R DIX D-101
Triple Eye Pisa Nut for Power Anchor 	1-01-63	1 Inch	AB 12585 JOS J12585 KAB K156-36 DIX D-6567



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Pole Key Anchor use 2 per pole (BOOK OUT SEPARATELY) 	1-01-72	7" x 27 1/4"	AB P4817
Bumper Post 	1-02-01	8" Helix, 3 1/2" OD 75" Shaft	AB T1120224
Carriage Bolt 	1-08-45	3/8" x 4 1/2"	HUB 8634 1/2 JOS J8634 1/2


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Double Arming Bolt 	1-09-18 1-09-20 1-09-22	5/8" x 18" 5/8" x 20" 5/8" x 22"	SL 9868 HUB 8868 JOS J8868 SL 9870 HUB 8870 JOS J8870 SL 9872 HUB 8872 JOS J8872
Double Arming Bolt 	1-09-24 1-09-26	5/8" x 24" 5/8" x 26"	SL 9874 HUB 8874 JOS J8874 SL 9876 HUB 8876 JOS J8876
Carriage Bolt for Steel Anchors 	1-10-04	1" x 4"	GB5HDG1.4


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Machine Bolt 	1-12-05	1/2" x 5"	HUB 8705 JOS J8705
	1-12-06	1/2" x 6"	HUB 8706 JOS J8706
	1-12-07	1/2" x 7"	HUB 8707 JOS J8707
Machine Bolt 	1-12-08	1/2" x 8"	HUB 8708 JOS J8708
	1-12-10	1/2" x 10"	HUB 8710 JOS J8710
	1-12-12	1/2" x 12"	HUB 8712 JOS J8712
Machine Bolt 	1-13-06	5/8" x 6"	HUB 8806 JOS J8806
	1-13-08	5/8" x 8"	HUB 8808 JOS J8808
	1-13-10	5/8" x 10"	HUB 8810 JOS J8810
	1-13-12	5/8" x 12"	HUB 8812 JOS J8812 T&B BM512



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Machine Bolt 	1-13-14	5/8" x 14"	HUB 8814 JOS J8814 T&B BM514
	1-13-16	5/8" x 16"	HUB 8816 JOS J8816
	1-13-18	5/8" x 18"	HUB 8818 JOS J8818
	1-13-20	5/8" x 20"	HUB 8820 JOS J8820
Machine Bolt 	1-13-22	5/8" x 22"	HUB 8822 JOS J8822
	1-13-24	5/8" x 24"	HUB 8824 JOS J8824
Machine Bolt 	1-14-08	3/4" x 8"	HUB 8908 SL 9908 JOS J8908
	1-14-10	3/4" x 10"	HUB 8910 SL 9910 JOS J8910
	1-14-12	3/4" x 12"	HUB 8912 SL 9912 JOS J8912
	1-14-14	3/4" x 14"	HUB 8914 SL 9914 JOS J8914



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Machine Bolt 	1-14-16	3/4" x 16"	HUB 8916 SL 9916 JOS J8916
Lag Bolt 	1-14-82 1-14-86	3/8" x 2" 1/2" x 4"	HYD 238LG HYD 412LG
Grounding Clip #4 For Composite Crossarms Bracket Kit For 8 Foot Tangent Composite Arm (1-28-28)	1-15-04 1-16-08	8 per crossarm, use with #8 x 1" self tapping screws kit c/w 1 plate, 2 ea - 4" bolts, washers and nuts	CLIP236 GEOTEK TMB-2

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Alley Arm Brace 	1-17-60 1-17-84	60" 84"	HUB 6979 KAB K14-1 HUB 6984
Angle Arm Brace 	1-18-60 1-18-72	60" 72"	SL 7953 HUB 6953 JOS J1510 HYD 3460AVB SL 7955 HUB 6955 JOS J1512
Mounting Base for 138 KV Epoxy Crossarm (Part of Crossarm 1-30-02) 	1-18-80		See 1-30-02

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Crossarm Brace 	1-19-24 1-19-30 1-19-32	24 " 30" 32"	SL 8024 SL 8030 HUB 7130 SL 8032 HUB 7132
Bayonet, Steel (Corner) 	1-20-04	84"	HU AS2613-F4
Standoff Bracket with 13/16" Diameter Centre Hole for 3/4" Steel Pin 	1-21-04	25 KV	PTS PA619H HUB 1SBM18CL MAC P G1MDA118AT

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Mid-Span Triplex Bracket 	1-21-06		Enerscan 2611 NO SUBS
Transformer Cluster Mount Assembly 	1-21-44	For 3-Single Phase Trf. from 25 KVA to 75 KVA	JOS J6980
Clevis - Spool Insulator Type  (2-18-13 Insulator)	1-25-09 1-25-10	1/2" Pin 3/4" Clevis Bolt Small Secondary 5/8" Pin 3/4" Clevis Bolt Large Secondary	HUB 0341 SL 1341 JOS J0313 SL 1340 HYD 517CL JOS J0342


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Clevis - Strain Insulator Type 5KV Primary 	1-25-14	5" x 2 1/2" 1/2" Clevis Bolt	SL 832 JOS J732 HUB 732
Crossarm Composite 8 Foot Tangent C/W Bracket Crossarm Composite 8 Foot Deadend C/W Bracket Crossarm Composite 8 Foot Accessory Arm	1-28-08 1-28-18 1-28-28	3 1/2" x 4 1/2" x 8' 3 Pin	Dwg. MS-149D Spec 1516 Dwg. MS-149E Spec 1516 Dwg. MS-149F Spec 1516
Fir Crossarm Penta Treated 	1-29-06 1-29-12	3 1/2" x 4 1/2" x 8' 3 Pin 3 3/4" x 4 3/4" x 10' 3 Pin	Dwg. MS-149A Dwg. ST-OH-047

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Epoxy Crossarm 138 KV (Includes Mounting Base 1-18-80) 	1-30-02	72"	PTS 7588-72TB
Suspension Insulator Fitting Clevis Socket 	1-32-11		SL 60157-C HUB 87603-2000
Suspension Insulator Fitting Socket Eye 	1-32-20	to use with 2-02-45	PLP SE5152

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Suspension Insulator Fitting Ball Clevis 	1-32-30 1-32-31		SL 60151-C BET CB55L HUB 70488-2000
Y-Clevis Eye	1-32-40	for use with 2-02-45	REL RYCE-65-625 PLP YC5207 HUB YCS-05
Preformed Guy Grip Dead-End 	1-33-00 1-33-03 1-33-07 1-33-11	5/16" 3/8" 7/16" 1/4"	SL 14066 FAN 5/16 GSBG PLP GDE-2106 HEL 40301-L SL 14055 FAN 3/8 GSBG PLP GDE-2107 SL 14056 FAN 7/16 GSBG PLP GDE-2108 SL 14052 FAN 1/4 GSBG PLP GDE-2104 HEL 40201-5L

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Clamp - 3 Bolt Curved Jaws 	1-33-13	For Poly Covered Messenger	ALLIED BOLT 4080 MAC P PA422
Guy Clamp - 3 Bolt 	1-33-14	5/8" Bolts	HYD 358.GU JOS J931 LAC 744 SL 7461 HUB 6461
Guy Clamp - Offset 	1-33-15	1/4" to 3/8" Strand	JOS J926 HUB 6409
	1-33-16	5/16" to 1/2" Strand	JOS J927 HUB 6410
Guy Wire Serving Sleeve 	1-33-17	1/4" Strand	SL 7452 HUB 6452
	1-33-18	5/16" Strand	SL 7453 HUB 6453
	1-33-19	3/8" Strand	SL 7454 KAB K49-2 HUB 6454
	1-33-20	7/16" Strand	SL 7458 HUB 6455
Guy Wire Splice	1-33-50	5/16" Strand	T&B ATSG516



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Guy Strut Pole Fitting 	1-33-90		SL 2056 CP DG9D1 KAB K43-4
Guy Strut Guy Fitting 	1-33-92		SL 2057 HUB 0512 KAB K43-3
Guy Fitting 	1-33-94		SL 7587




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Guy Guard PVC Plastic - Yellow 	1-34-02	6'	R&M RMYGG-U-7 IPEX 25602
Fibreglass Cable Guard - Single Riser Fibreglass Cable Guard - Double Riser 	1-34-07 1-34-08	Holes for Nails to be 3/16" Holes for Nails to be 3/16"	
Plastic Riser  Adapter 	1-34-20 1-34-25	2" 10 Foot U Guard Adapter 2" Riser	


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Hook for Underground Cable Rack (See 2-20-21 for insulators) 	1-37-07 1-37-10 1-37-13 1-37-21	7 1/2" 10" 13 1/4" 21"	SL 2132 CP DU5S2 SL 2133 CP DU5S3 MACP U625 SMW 96022-1 SMW 96022-2
Eye Nut 	1-50-00 1-50-01	5/8" Thread min. eye 1 1/4" x 1 5/8" 3/4" Thread min. eye 1 1/4" x 1 5/8"	SL 7502 CP DG3E1 JOS J1092 HUH EN60 T&B K58 SL 7503 CP DG3E3 JOS J1093
Thimble Eye 	1-50-03 1-50-04	5/8" Thread 3/4" Thread	SL 7510 JOS J6510 HUB 6510 SL 7511 JOS J6511 HUB 6511


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Twin Eye Double Thimble 	1-50-05	5/8" Thread	JOS J6515 HUB 6560
Lock Nut 	1-51-01	3/4" Thread	HUB 3513 JOS J8584 HUH MF70
Insulator Pin Steel c/w nylon pins 	1-53-02	For Insulator with 1" Pin Hole Pin 6" above Crossarm	MAC P J211Z NO SUBS

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Insulator Pin Steel - Long Shank c/w nylon pins 	1-53-04	For Insulator with 1 3/8" Pin Hole Pin 8" above Crossarm	JOS J608Z HUB 4328P
Insulator Pin Pole Top c/w nylon pins 	1-53-05 1-53-06	For Insulator with 1" Pin Hole For Insulator with 1 3/8" Pin Hole	JOS J26945Z JOS J26947Z
Insulator Pin Crossarm Corner 	1-53-09	For Insulator with 1" Pin Hole For 15 KV 8" height c/w nylon pin & locknut	PCL P402ZPCLSPL

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Three Spool Secondary Rack 	1-73-03		HUB C2070050
Underground Cable Rack 	1-73-15 1-73-24 1-73-30	15" 24" 30"	SL 2124 HUB C203-1124 SL 2125 HUB C203-1125 MACP U618 SL 2126 HUB C203-1126 MACP U619 JOS J5126
Aluminum Fibre Optic Bracket Z Bracket 	1-74-00		SW SW250AFOB2SLP DWG A1s-273

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Network Bus Insulator Bracket 	1-75-01		Dwg. A1S-104
Network Bus Insulator Bracket 	1-75-02		Dwg. A1S-105 Rev. 2
Network Bus Termination Bracket 	1-75-04		Dwg. A1S-137 Rev. 1


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Network Ground Wire Bracket (Stainless Steel) 	1-75-06		Dwg. A1S-134
Moulding Staples 	1-85-02 1-85-04 1-85-06	Galvanized 2" X 3/4" X 3/16" 3" X 1 1/16" X 1/4" 4" X 1 1/2" X 1/4"	LAR 340321 LAR 321312 HUB C205-0220 LAR 831050
Double Coil Lock Washer 	1-92-21 1-92-22 1-92-23	1/2" Bolt 5/8" Bolt 3/4" Bolt	JOS J176 AB C205-0185 JOS J177 AB C205-0186 JOS J178 AB C205-0187



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Nut Galvanized Square 	1-93-13	5/8"	MP J8563
	1-93-14	3/4"	MP J8564
Split Lock Washer 	1-93-20	3/8" Bolt	SL 22332 CP DF7W1
	1-93-21	1/2" Bolt	SL 22333 HUB 4035
	1-93-22	5/8" Bolt	SL 22335 HUB 4036 KAB K3-3
Round Flat Washer 	1-93-30	3/8" Bolt	SL 7801 HUB 6801
	1-93-31	1/2" Bolt	SL 7803 HUB 6803 KAB K20-2
	1-93-32	5/8" Bolt	SL 7805 HUB 6805 KAB K20-3

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Square Flat Washer 	1-93-39	2" x 2" x 3/16" 11/16" Hole 5/8" Bolt	SL 7811 HUB 6813 HYD 3622SW11
	1-93-40	2 1/4" x 2 1/4" x 3/16" 13/16" Hole 3/4" Bolt	SL 7814 JOS J1076 HUB 6814 HYD 3624SW13
	1-93-41	3" x 3" x 1/4" 11/16" Hole 5/8" Bolt	SL 7817
	1-93-42	3" x 3" x 1/4" 13/16" Hole 3/4" Bolt	CP DF2W7 SL 7817
Square Curved Washer Galvanized 	1-93-50	3" x 3" x 1/4" 11/16" Hole 5/8" Bolt	SL 7822 1/2 CP DF4W4 JOS J113 HYD 1433CW11
	1-93-52	3" x 3" x 1/4" 13/16" Hole 3/4" Bolt	SL 7825 CP DF4W5 JOS J6823
Nut Galvanized For Street Light Bases	1-94-01	1"	
	1-94-02	1 1/4"	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Washers Galvanized USS For Street Light Bases	1-94-11 1-94-12	1" 1 1/4"	
Shims For Street Lighting	1-94-21 1-94-22	1" 1 1/4"	
Guy Wire - Grade #110 (Hard) Guy Wire - Grade #160 (Crucible) 	1-95-15 1-95-16 1-95-17 1-95-18	1/4" 5/16" 3/8" 7/16"	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Fibreglass Guy Strain Insulators 	1-98-01 1-98-06	15,000 lb. use with 5/16" guy 21,000 lb. use with 3/8" guy	MAC P GCC15-36R2 AP APF136R2 MAC P GCC21-36R2 AP APF-236R2 KL KL-36PR

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Deadend One Piece with Eye Fitting 	2-01-05	477 MCM ALUM	BUR YDWE331AT
Compression Deadend Two Piece with Eye Fitting 	2-01-06 2-01-08 2-01-09	266.8 MCM ACSR 336 MCM ACSR ORIOLE 477 MCM ACSR	BUR YDWE30R BUR YDWE33R BUR YTW36R36REK
Fitting - Clevis - Clevis 	2-01-12		ALMAT A180-1

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Deadend Network Bus 	2-01-15	750 MCM Copper	Multicast Inc. Dwg. #A215-011
Automatic Deadend 	2-01-20	4/0 ALUM or ACSR	FAR GD449
Service Wedge Clamp 	2-02-14	#2 - #6	BLK W621 MACP 7195 NO SUBS

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Deadend Strain Clamp (Hot Line) Steel: (For copper conductor only) 	2-02-15	#4 STR - 2/0 STR(19) 0.204 - 0.563	MACP HDSO-47-F NO SUBS
	2-02-16	4/0 STR 0.250 - 0.730 0.300 - 0.630	CON SDE-73F EPAC MSC-62
Deadend Strain Clamp (Hot Line) Aluminum (For alum & ACSR conductor only) 	2-02-17	#2 STR - 2/0 STR (19) 0.250 - 0.447 0.250 - 0.460 0.160 - 0.460 0.180 - 0.520	BUR CUW26RE SL 62312 EPAC ASC50 CON SGA-52-23 MACP ASD 2L N
	2-02-18	4/0 ALUM - 477 MCM ALUM 0.522 - 0.813 0.460 - 0.860 0.522 - 0.811 0.310 - 0.880	MACP HDSO-88 HUB ADEZ88N NO SUBS
Preformed Deadend Grip For Quad & Triplex Only 	2-02-20	2/0 ACSR Messenger	AB CSG-080 PAY 21-SSG SL 15141 BM 21GSDE-401-450 HEL 60800
	2-02-21	4/0 ACSR Messenger	AB CSG-100 PAY 26-SSG SL 15143 BM 26GSDE-511-580 HEL 60910

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Preformed Deadend Grip 	2-02-22	2/0 ACSR Bare Dia .447 Range .410-.447 Coded Brown or Blue	SL 80004 AB 60AWCG PAY QUAIL-31-ADN HEL 31022
	2-02-24	2/0 AAC Poly SB Dia .502 Range .461-.516 Coded Orange	AB 70GCG PAY THORN32NADN BM DG-2516 HEL 30030
	2-02-25	2/0 ACSR Poly SB Dia .535 Range .517-.577 Coded Purple or Red	AB 80GCG PAY CORYPHA- 35NADN BM DG-2517 HEL 30033
Preformed Deadend Grip 	2-02-26	4/0 ACSR Bare Dia .563 Range .542-.563 Coded Black or Red	AB 80AWCG PAY PENGUIN37ADN HEL 31033
	2-02-27	4/0 ACSR Poly AAC Range .578 - .653 Coded Blue	BM DG-2100 HEL 30040 HXU 30040-BC
	2-02-29	336.4 MCM AAC Poly Dia- .791 Range .740-.837 Coded Brown Coded Pink/Green	AB 110GCG PAY ANONA-40- NADN BM DG-2102 HXU 36030-MH HEL 36030
Preformed Deadend Grip 	2-02-30	477 MCM AAC Poly Dia .951 Range .948-1.071 Coded Black	AB 130GCG PAY HUCKLE- BERRY-40-NADN HEL 36033



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Ground Wire Suspension Clamp 	2-02-33		SL 6455
AGS Unit c/w Clamp and Structural Rod Replacement Structural Rod 2-56-13 Replacement Structural Rod 2-56-15 	2-02-44 2-02-45	266.8 ACSR Range 0.620-0.645 477 ACSR Range 0.346-0.870	PLP AGS-5108 c/w Socket Eye SE-5150 PLP AGS-5118
Ground Rod Clamp 	2-02-50 2-02-51	Rod Diameter 5/8" 3/4"	AMP 81402-1 ILS BGRC-58 HYD 758C PP 8058 BUR GRC58 HUB GC-5/G5 AMP 81403-1 ILS BGRC-68 PP 8034 HYD 733C BUR GR3426

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Ground Rod Coupling Connector Bronze 	2-02-53	5/8"	BLK 60C SL 9534 JOS 9182 HYD 58.SC PP 8534
Ground Rod Driving Stud 	2-02-55		SL 29534 BLK 60DS JOS 9186 HYD 58.DS PP 19534
Copperclad Steel Sectional Ground Rod 	2-02-57	5/8" x 8'	SL 29438 JOS 9158 HYD 5808.SC PP 18438 BLK 6258S CAD 635880


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Hot Line Clamp For Alum/Cu Main Line Conductor With #4 AWG Cu Tap For Armoured Main Line Conductor With #4 AWG Cu Tap 	2-03-00 2-03-01 2-03-02	1/0 to #6 AWG 336.4 MCM to #6 AWG 266.8 MCM to #4 AWG	AB S1520AGP AB S1530AGP AB S1540AGP
Bull Line - Poly Pull Tape 	2-04-10	1800# X 900 Meter Box	DL WP18-3000 GRNL 4436
Aluminum Oxidation Inhibitor Splicing Compound (Penetrox) 	2-05-12	8 oz. Bottle	AMP 80665-3 BUR Pena 138 T&B CTB8 ILS DE-OX 8OZ

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Cable Pulling Lubricant 	2-05-14	1 Quart	POLYWATER J-35 NO SUBS
	2-05-16	5 Gallon	POLYWATER J-640 NO SUBS
	2-05-18	5 Gallon Winter Grade	POLYWATER WJ-640 NO SUBS
Switch Contact Lubricant 7 Release Compound 	2-05-19	150 Gram	Dow Corning Dow 7
Termi Kit Silicone Lubricant 	2-05-25	5 oz. Tube	ELMD SL5


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
STOPAQ Sealant 	2-05-30	.53 kg Tube	STO FN2100-2002
Solid Blade Cutout 	2-11-72	300 Amp 15 KV	ABB Y2JCBNVA32
Open Fuse Loadbreak Cutout 	2-11-84	100 Amp 15 KV 16,000 Interrupting	ABB Y1JCBNQA11 CP YS4BAP1
	2-11-88	200 Amp 15 KV	ABB Y1JCBNUA21 CP YS4B2P1A
	2-11-92	100 Amp 14.4 - 25 KV	ABB Y2JCBNQA12 CP YS9CAP1
	2-11-94	200 Amp 25 KV	ABB Y2JCBNFA22 CP YS9C1P1A

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Line Tension Disconnect 	2-12-34	600 Amp 25 KV	AB ALTD06200R
Three Phase Cluster Style Mounting Unit  Uses 7-41-40 fuses - Qty 3 per cluster	2-12-40	SMD-40	S&C 192342-E
Solid Blade Disconnect Three Phase Cluster c/w - Cypoxy insulators, 90 degree stop, clamp type terminals 	2-12-44	900 Amp 25 KV	Mindcore DHS327A7 Specification 1270


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Insulator Insert in Operating Shaft 	2-12-49	Critical Spare Only	
Three Phase Group Operated Switch Horizontal Mounting c/w Wildlife Protection 	2-12-50	600 Amp 15 KV	S&C 147422R4-P1W c/w ED-701R4-S2 Specification 100 No Alternates
	2-12-51	600 Amp 25 KV	S&C 147423R4-H Specification 104
Three Phase Group Operated Switch Vertical Mounting 	2-12-52	600 Amp 15 KV	S&C 147512 ED703R2-S2S15 Specification 102
	2-12-53	600 Amp 25 KV	S&C 147513 ED703R2-S2S15 Specification 106

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Indoor Fused Disconnect 	2-13-02	200 Amp 4.8 KV	S&C SM487360R1
Indoor Fused Cutout Type NX 	2-13-06	200 Amp 8.3 KV	CP FA1D1
Lightning Arrestor Distribution Class c/w Ground Lead Insulator Metal Oxide Type c/w Polymer Housing 	2-16-03 2-16-12 2-16-15 2-16-18	3 KV 12 KV 15 KV 18 KV	MACZHP003-0C00100 GE 9L23AXA403AH HUB 2137037324 CP UHS03030A1A1B1A HUB 2137107324 GE 9L23AXA412AH MACZHP012-0C00100 CP UHS12060A1A1B1A HUB 213713-7324 GE 9L23AXA415AH CP UHS15070A1A1B1A HUB 213715-7324 CP UHS18080A1A1B1A


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Pin Type Insulator Polymer 	2-17-20	15 - 25 KV 1" Hole	Hendrik HPI55501
Pin Type Insulator 	2-17-25	25 KV 1 3/8" Hole	LAPP 8248R-70 NGK HRAA-195B BM 3920-Q BEV ICB561 PTS PI43231RT
Guy Strain Insulator Colored 	2-18-01 2-18-03	4.4 KV 12000 lbs. 6.6 KV 20000 lbs.	NGK HCP-191 PP 504 OB 31504 BM 504 NGK HCP-192 PP 506 OB 31506 BM 506

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Large Clevis Type Insulator Spool Polymer Black  Light Grey 	2-18-11 2-18-13	Large Sec Volt 2500 lbs. 13/16" Hole Large Sec Volt 2500 lbs. 13/16" Hole	HUB C9091032P HENDRIX HPI-53-2
Small Clevis Type Insulator Colored White 	2-18-27 2-18-39	Small Sec Volt 2000 lbs. 11/16" Hole Small Sec Volt 2000 lbs. 11/16" Hole	SL 1608 NGK HRP-614 PP 5112 ANSI 53-1 SL 1608 NGK HRP-614 PP 5112 ANSI 53-1 White
Suspension Insulator Clevis Eye 	2-19-01	10000 lbs. 7.2 KV	NGK CA-15923A OB 32433 PP 86012 LAPP 6605-70


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Phase Conduction Spacing Insulator	2-19-44	25 KV Conductor range .20 - .858" c/w 2 clamps	EPAC EHCS-2-3545 45" Length
Polymer Insulator Suspension	2-19-50	10,000 lbs 138 KV	NGK 251-SN270-YT
Polymer Insulator Deadend	2-19-60	25,000 lbs. 138 KV	NGK 302-SS550-YC

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Station Post Insulator for S & C 600 Amp Loadbreak Switches 	2-20-05	15 KV	OB 231002 NGK DA-45006A
Polymer Line Post Insulator 	2-20-06 2-20-07	138 KV 1150 lbs. 138 KV 2150 lbs.	MACP H210065VX01
Station Post Insulator 650KV Bil	2-20-08	138 KV Height = 54"	NGK Locke PS06510 Specification 3304



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Corona Ring	2-20-09	138 KV	NGK 97004-RG
Cable Cleats Single Cable Clamp 	2-20-11 2-20-13	26 mm - 38 mm 36 mm - 52 mm	KOZ 26-38 KOZ 36-52
Cable Cleats Three Cable Clamp  Multi Cable Clamp 	2-20-15 2-20-17 2-20-19	25 mm - 40 mm 38 mm - 53 mm 30 mm - 47 mm	KOZ Triangle 25-40 3 Hole KOZ Triangle 38-53 3 Hole KOZ Universal 30-47


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Insulator Cable Rack Type 	2-20-21	Polymer	SL 2120 CP DE11U1 MACP U628 ENE 3003
Epoxy Insulator Split Spool Moulded for Network 	2-20-23	1 1/2"	MULT A215-009
Insulator Triplex Spreader Block 	2-20-25		SL 1750

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Insulator Indoor for Switching Cubicle	2-20-27	15.5 KV (95 KV BIL)	CP FM2A1 or FW14XC1
Black Plastic Moulding 	2-27-08	1/2" x 8'	LAC 755P NE 125 POL P128PM
Cable Guards	2-27-20	8' x 3/4" Steel	HYD 834UC
	2-27-25	8' x 1 1/8" Steel	HYD 8114UC MP J984
Guard Straps	2-27-30		MP J995

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Oil Switch Light Sensor Control (to be used with Oil Switch) 	2-52-01	200 Amp 14.4 KV	TRIN CSD6770/6743/ 6637
Single Pole Electric 	2-52-02	200 Amp 14.4 KV	GE 9F90DFC100 TRIN CSD-125
Preformed Plastic Line 1/2" Construction 	2-55-01 2-55-02 2-55-03	OD .270-.350 OD .257-.523 OD .644-.872 OD .522-.770 OD .724-1.030 OD .414-.644	PLP PSU-MS-2682 ENE 2711 PLP PSU-MS-2762 ENE 2730 ENE 2731 FAR GS-953 ENE 2742


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Structural Rod Replacement for AGS Unit Only Use with 2-02-44 Use with 2-02-45 	2-56-13 2-56-15	266.8 ACSR 477 ACSR	PLP 4000108 PLP 4000118
Armour Rod (Shield Wire)	2-56-20 2-56-25	5/16" Steel Range 0.309"-0.326" 7/16" Steel Range 0.416-0.436" (Use for #1/0 AWAC 5/2 Alumoweld)	PLP AR-1128 PAY Aster-52-A
Preformed Super Top Tie 	2-58-00 2-58-02 2-58-04 2-58-06	2/0 ACSR Bare Blue 4/0 ACSR Bare Pink 336.4 MCM Alum Bare & ACSR Bare Brown 477 MCM Alum Bare & ACSR Bare Purple	AB STT-70 AB STT-90 AB STT-110 AB STT-120


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Nonmetallic Composite Insulator Top Tie 	2-58-10	#2 & #4 Poly Copper "F" Neck Small White/Yellow (4KV & 15 KV Glass)	FAR GJ-611FC NO SUBS
	2-58-11	#2 & #4 Poly Copper "J" Neck Large White/Yellow (25 KV Glass)	FAR GJ-621FC NO SUBS
	2-58-12	2/0 ACSR Poly 2/0 Poly Copper "F" Neck Small Green/Yellow	FAR GJ-612FC NO SUBS
Nonmetallic Composite Insulator Top Tie 	2-58-13	4/0 Poly Copper "F" Neck Small Blue/Yellow	FAR GJ-613FC NO SUBS
	2-58-14	336 MCM Poly Alum "F" Neck Small Orange/Yellow	FAR GJ-614FC NO SUBS
	2-58-15	336 MCM Poly Alum "J" Neck Large Orange/Yellow	FAR GJ-624FC NO SUBS
Damper Spiral Shield Wire 	2-58-20	for 5/16" Steel	PLP 5050103
	2-58-26	for .416" Dia AWAC Conductor	PLP 5050104

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Copper Conductor Soft Bare (Coils) Stranded 	2-63-05	#4	Specification #1318 150 M Coils
Aluminum Conductor Poly Covered Stranded 	2-65-11	4/0	Specification #1312
	2-65-13	336 MCM	Specification #1312
	2-65-14	477 MCM	Specification #1312
Aluminum Conductor Solid Bare Tie Wire 	2-66-00	#4	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Aluminum Conductor Bare Stranded 	2-66-11 2-66-13 2-66-14	4/0 336 MCM 477 MCM Cosmos	Specification #1316 Specification #1316 Specification #1316
Aluminum Conductor Steel Reinforced Bare Stranded 	2-68-09 2-68-11 2-68-12 2-68-14	2/0 4/0 266.8 MCM 477 MCM Hawk	Specification #1320 Specification #1320 Specification #1320 Specification #1320
Duplex SB Stranded 	2-69-04	#6	Specification #1302 & Addendum

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Triplex SB Stranded 	2-70-05	#4	Specification #1304 & Addendum 150 M Coils
	2-70-06	#2	Specification #1304 & Addendum 100 M Coils
	2-70-09	2/0	Specification #1304 & Addendum 300 M Reel
	2-70-11	4/0	Specification #1304 & Addendum 300 M Reel
Quadriplex SB Stranded 	2-71-06	#2	Specification #1306 & Addendum 100 M Coils
	2-71-09	2/0	Specification #1306 & Addendum 300 M Reel
	2-71-11	4/0	Specification #1306 & Addendum 300 M Reel
Copper Cable 25 KV Concentric Neutral Stranded 	2-73-07	#1	Specification #2316 & Addendum
	2-73-14	500 MCM 33%	Specification #2316 & Addendum



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Copper Cable 15 KV Shielded 1 Conductor Stranded 	2-74-16	1000 MCM	Specification #2322 & Addendum
Copper Cable 15 KV Concentric Neutral Stranded 	2-75-07 2-75-12 2-75-14 2-75-15	#1 250 MCM 33% 500 MCM 33% 4.025 kg/m 750 MCM 33% 5.630 kg/m	Specification #2316 & Addendum Specification #2316 & Addendum Specification #2316 & Addendum Specification #2316 & Addendum
Copper Cable 600 Volt XLPE Concentric Neutral Stranded	2-83-04	#6 1 Conductor	Specification #2306 & Addendum


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Copper Cable 600 Volt XLPE Concentric Neutral Stranded 	2-84-04	#6 2 Conductor & Neutral	Specification #2308 & Addendum
	2-84-06	#2 2 Conductor & Neutral	Specification #2308 & Addendum
	2-84-09	2/0 2 Conductor & Neutral	Specification #2308 & Addendum
	2-84-11	4/0 2 Conductor & Neutral	Specification #2308 & Addendum
Copper Cable 600 Volt XLPE Twisted Individual Conductors USEI90 	2-85-02	#6 3 Conductor	Specification #2312 & Addendum
	2-85-03	#6 4 Conductor	Specification #2312 & Addendum
	2-85-04	#2 3 Conductor	Specification #2312 & Addendum
	2-85-05	#2 4 Conductor	Specification #2312 & Addendum
Copper Cable 600 Volt XLPE Twisted Individual Conductors USEI90 	2-85-06	2/0 3 Conductor	Specification #2312 & Addendum
	2-85-08	4/0 3 Conductor	Specification #2312 & Addendum
	2-85-14	500 MCM 4 Conductor	Specification #2312 & Addendum

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Network Cable 1000 Volt XLPE Stranded	2-85-21	500 MCM Red 1 Conductor	Specification #2310 & Addendum
	2-85-22	500 MCM Yellow 1 Conductor	Specification #2310 & Addendum
	2-85-23	500 MCM Blue 1 Conductor	Specification #2310 & Addendum
	2-85-31	750 MCM	Specification #2314 & Addendum
Copper Cable 1000 Volt RWU 90, XLPE Stranded 	2-87-04	#6	Specification #2304 & Addendum
	2-87-06	#2	Specification #2304 & Addendum
	2-87-09	2/0	Specification #2304 & Addendum
	2-87-11	4/0	Specification #2304 & Addendum
Copper Cable 600 Volt RW90 or Equivalent -40 degrees C. Rated, Standard Stranded Street Light Wire 	2-87-51	#12 Black	
	2-87-52	#12 White	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Control Cable 90 degrees C. PVC Jacket 600 Volt	2-88-07	#12 7 Conductor	Specification #3306
Control Cable 90 degrees C. PVC Jacket 600 Volt	2-88-16	#20 6 Pair	Specification #3308
	2-88-22	#20 12 Pair	Specification #3308
Communication Cable RS - 485	2-88-40	CAT 6 Ethernet Cable	


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Switchgear Cable	2-88-60	#12 AWG 65 Str	SIS 12-65 STR
Metering Coded Wire 600 Volt TWH 7 Strand 	2-89-00	#12 Yellow	NEX 12CU STR YEL
	2-89-01	#12 Red	NEX 12CU STR RED
	2-89-02	#12 Blue	NEX 12CU STR BLU
	2-89-03	#12 Green	NEX 12CU STR GRN
Metering Coded Wire 600 Volt TWH 7 Strand 	2-89-05	#12 Red/Black Stripe	SYC 12CU STR R/B
	2-89-06	#12 Red/White Stripe	SYC 12CU STR R/W
	2-89-07	#12 Yellow/Black Stripe	SYC 12CU STR Y/B
	2-89-08	#12 Yellow/White Stripe	SYC 12CU STR Y/W
	2-89-09	#12 Blue/Black Stripe	SYC 12CUSTRBLU/B
	2-89-10	#12 Blue/White Stripe	SYC 12CUSTRBLU/W

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Copper Conductor Soft Bare (Reels) Stranded 	2-90-04	#6	Specification #2302 & Addendum
	2-90-05	#4	Specification #2302 & Addendum
	2-90-06	#2	Specification #2302 & Addendum
	2-90-09	2/0	Specification #2302 & Addendum
	2-90-13	350 MCM	Specification #2302 & Addendum
	2-90-14	500 MCM	Specification #2302 & Addendum
Copperclad Steel Groundwire Copperweld 7 Stranded 	2-91-00	2/0	
Fibre Optic Cable Single Mode, Indoor/Outdoor, Riser Rated 	2-92-00	48 Fibres	Specification #2350 2000 M Reels
	2-92-10	96 Fibres	Specification #1350 2000 M Reels

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Fibre Optic Cable Single Mode, Outdoor Non-Armoured Fig-8 	2-93-00 2-93-10	48 Fibres 96 Fibres	Specification #1350 2000 M Reels Specification #1350 2000 M Reels
Fibre Optic Cable Multi Mode Outdoor Drop 	2-94-00	6 Fibres	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Wood Pole 	3-07-35 (3-07-72) 3-07-40 (3-07-73) 3-07-45 (3-07-74) 3-07-50 (3-07-75)	35 Feet Approx. 750 lbs 40 Feet Approx. 970 lbs 45 Feet Approx. 1145 lbs 50 Feet Approx. 1365 lbs	As per Specs
Wood Pole 	3-07-55 (3-07-76) 3-07-60 (3-07-77) 3-07-65 (3-07-78) 3-07-70 (3-07-79)	55 Feet Approx. 1540 lbs 60 Feet Approx. 1935 lbs 65 Feet Approx. 2200 lbs 70 Feet Approx. 2640 lbs	As per Specs
Steel Pole - Distribution, Tapered, Buck Arm	3-08-55 (3-07-56) 3-08-60 (3-07-57)	55 Feet Approx. 3280 lbs 60 Feet	Dwg Ts-193A, Ms-425 Specification 1520, 5350 Dwg Ts-229 Plus General Specifications

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Pole - Support	3-09-40 (3-07-82)	40 Feet	Dwg #MS419 Specification 1524
Fibreglass Distribution Pole	3-10-40 (3-07-88)	40 Feet	Shakespeare

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Precast Concrete Base for Steel Streetlight Pole Multiport Up to 25 Foot Single Davit Up to 35 Foot Single Davit Up to 35 Foot Double Davit Up to 40 Foot Single Davit Up to 60 Foot 18 Meter and Highway	4-01-25 (3-05-03) 4-01-35 (3-05-23) 4-01-40 (3-05-15) 4-01-60 (3-05-17)	<u>Bolt Spacing</u> 7 1/16" (179 mm) O.C. Approx. 1000 lbs 8 1/8" (206 mm) O.C. Approx. 1500 lbs 9 3/16" (233 mm) O.C. Approx. 1900 lbs 10" (254 mm) O.C. Approx. 2300 lbs	Dwg. L2s-176 Dwg. L2s-124 Dwg. L2s-130 Dwg. L2s-173
Decorative Base Includes Two Interchangeable Halves 	4-02-10 (3-04-51) 4-02-20 (3-04-60) 4-02-30	Broadway - 30" Octagon Spadina Promenade - 36" (For Shaft 4-15-21) Octagon Brighton (For Shaft 4-15-70) Round	Dwg. L2s - 135 Dwg. L2s - 162
Steel Anchor Base for Steel Street Light Pole 18' Pathway 25' & 30' Single Overbraced 30' & 35' Single Davit 35' Single Overbraced 30' Double Overbraced 35' Double Davit 50' Two Fixtures	4-03-18 4-03-30 4-03-35 4-03-50	6 3/8" to 8 1/2" OC (162mm to 216mm) 48" Long, 6.63" Diameter 6 3/8" to 9 7/8" OC (162mm to 252mm) 84" Long, 6.63" Diameter 7 3/4" to 12" OC (198mm to 305mm) 84" Long, 8.6" Diameter 9 7/8" to 11 5/8" OC (252mm to 296mm) 120" Long, 10.75" Diameter	HUB SA1122305 RED LEAF 04-06-12 HUB T1121051 RED LEAF 7612 HUB C11242QG4VP RED LEAF 7-08-14 HUB T1121083 RED LEAF 10-10-16

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Pole For Single or Double Davit Arm 	4-10-20 (3-06-20)	Shaft - 11 ft. long 20 ft. (6m) fxt height Galvanized	Specification 5200, 5350 Dwg L2s-191
	4-10-24 (3-06-21)	Shaft - 15 ft. long 24 ft. (7m) fxt height Green	Specification 5200, 5350, 5365, 5390 Dwg L2s-184
	4-10-25	Shaft - 15 ft. long 24 ft. (7m) fxt height Galvanized	Specification 5200, 5350 Dwg L2s-184
Steel Streetlight Pole For Single or Double Davit Arm 	4-10-30 (3-06-29)	Shaft 30 ft (9m) fxt. height 7 5/8" to 9 1/4" Blt Sp 19.7' (6m) long Green	Specification 5200, 5350, 5365, 5390 Dwg L2s-138 Dwg L2s-197 Specification 5350
	4-10-31	Black	
	4-10-32	Grey	
	4-10-33	Galvanized	
Steel Streetlight Pole For Single or Double Davit Arm 	4-10-35 (3-06-31)	Shaft 35 ft (11m) fxt. height 7 5/8" to 9 7/8" Blt Sp 26.2' (8m) long Green	Specification 5200, 5350, 5365, 5390 Dwg L2s-139 Dwg L2s-198 Specification 5350
	4-10-36	Black	
	4-10-37	Red	
	4-10-38	Grey	
	4-10-39	Galvanized	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Pole For Single or Double Davit Arm 	4-10-43 (3-06-45)	Shaft 40 ft (12m) fxt. ht 7 1/2" to 9 1/4" Blt Sp 30.2' (9.2m) long Galvanized	Specification 5200 5350 Dwg L2s-174 Specification 5350
Steel Streetlight Pole For Single or Double Davit Arm 	4-10-60 (3-06-49)	Shaft 59 ft (18m) fxt. ht 9 3/4" to 10 1/4" Blt Sp 49.2' (15m) long Galvanized	Specification 5200 Dwg L2s-155 Specification 5350
Steel Streetlight Arm Single Davit 	4-10-70 (3-06-38) 4-10-71 4-10-73	Arm 8 ft (2.5m) overhang Green Black Galvanized	Specification 5200, 5350, 5365, 5390 Dwg L2s-137 Specification 5350

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Arm Single Davit 	4-10-75 (3-06-40) 4-10-79	Arm 10 ft (3m) overhang Green Galvanized	Specification 5200, 5350, 5365, 5390 Dwg L2s-136 Specification 5350
Steel Streetlight Arm Double Davit 	4-10-80 (3-06-66) 4-10-81 4-10-83 4-10-85	Arm 10 ft (3m) overhang Green Black Galvanized Arm 15 ft (3m) overhang Galvanized	Specification 5200, 5350, 5365, 5390 Dwg L2s-227 Specification 5200, 5350 Dwg L2s-234
Steel Streetlight Arm For Use in Evergreen	4-10-90	Galvanized	Specification 5200 Dwg L2s-199



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Pole For Single or Double Overhead Wired Arm 	4-11-25 (3-07-15) 4-11-30 (3-07-19) 4-11-35 (3-07-25)	Galvanized Shaft 25 ft (7.6m) fxt. ht. 7" to 7 3/4" Blt Sp 25' (7.8m) long Shaft 30 ft (9m) fxt. ht. 7 1/2" to 8 1/4" Blt Sp 30' (9.1m) long Shaft 35 ft (11m) fxt. ht. 7 1/2" to 9 1/4" Blt Sp 35' (10.7m) long	Specification 5200, 5350 Dwg L2s-220-01 Dwg L2s-220-02 Dwg L2s-220-03
Steel Streetlight Arm Overhead Wired NOT FOR WOOD POLES  Old Style	4-11-75 (3-07-26) 4-11-85 (3-07-48)	Galvanized Arm 10 ft (3m) overhang Arm 15 ft (4.5m) overhang	Specification 5200, 5350 Dwg L2s-220-04 Dwg L2s-220-05
Steel Streetlight Pole For Double Elliptical Arm	4-13-37 (3-07-30)	Shaft 34 ft (10.4m) fxt. ht. 8 1/2" to 9 1/2" Blt Sp 27.3' (8.3m) long Red	Specification 5200, 5350, 5365, 5390 Dwg L2s-149-01


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Arm Double Elliptical	4-13-76 4-13-77 (3-07-32)	Arm 10 ft (3m) overhang Black Red	Specification 5200, 5350, 5365, 5390 Dwg L2s-149-02
Steel Streetlight Pole For Vector or Mongoose Lighting Bottom Section Top Section	4-14-25 (3-07-50) 4-14-50 (3-07-51)	Galvanized 7.874 m 25' 10" 7.38 m 25' 8" 50' (15.24m Pole)	Specification 5200, 5350 Dwg L2s-160
Steel Streetlight Pole For PTL, Washington, Marine & Shoebox Fixtures 	4-15-11 4-15-12 4-15-13	<u>Bolt Spacing</u> 6 3/4" to 8 1/8" 12 ft (3.66m) Base 6" Black Red Brown	Specification 5200, 5350, 5365, 5390 Dwg. L2s-148


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Pole For Washington Fixture Only 	4-15-21 (3-06-06)	<u>Bolt Spacing</u> 6 3/4" to 8 1/8" 12 ft (3.66m) Base 4.75" Black For Ornamental Base	Specification 5200, 5350, 5365, 5390 Dwg. L2s-169
Steel Streetlight Pole For PTL & Marine Fixture 	4-15-30 (3-06-07) 4-15-31 4-15-33 4-15-35	<u>Bolt Spacing</u> 6 3/4" to 8 1/8" 18 ft (5m) Green Black Brown Grey	Specification 5200, 5350, 5365, 5390 Dwg. L2s-165
Steel Streetlight Pole For Use in Evergreen	4-15-50	<u>Bolt Spacing</u> 6 3/4" to 8 1/8" 18 ft (5m) Galvanized	Specification 5200 & 5350 Dwg L2s-200


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Pole Brighton Subdivision	4-15-70	Black	
Steel Streetlight Arm Brighton Subdivision	4-15-80	Black	
Steel Streetlight Pole For Invue Fixture	4-16-10 (3-15-40) 4-16-12 (3-15-42) 4-16-16 (3-15-44) 4-16-23 (3-15-46)	Graphite Metallic 10 Foot 12 Foot 16 Foot 23 Foot	Specification 5200, 5350, 5365, 5390 Dwg L2s-185-02 Dwg L2s-185-01 Dwg L2s-185-03 & Dwg L2s-185-04 Dwg L2s-185-05



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streelight Arm For Invue Fixture Flite Style  Slide Style 	4-16-30 (3-15-30) 4-16-32 (3-15-32) 4-16-34 (3-15-34)	Graphite Metallic Arm Flite Style Arm Slide Style Arm Slide Style 250 Watt Only	CP FLS-ARM-GM CP SLS-ARM-GM CP SDM1-ARM-GM
Invue Decorative Base	4-16-50 (3-15-50) 4-16-51	4" Hole 5" Hole	CP 1000D49H01GM
Invue 18" Pole Extension & Cap	4-16-52 (3-15-52)	Graphite Metallic For use with 4-16-30 @ 12' Mounting height	Dwg L2s-185-01

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Icon Style Streetlighting Pole Arm	4-17-16 4-17-30	16' Stone Grey Upsweep	Specification 5174 Dwg L2s-215 CP VA1006 Specification 5174 Dwg L2s-215
Streetlight Elliptical Arm FOR WOOD POLES 	4-20-02 (3-04-31) 4-20-06 (3-04-33) 4-20-10 (3-04-37) 4-20-12 (3-04-39) 4-20-18 (3-04-40)	1 1/2" x 2' 2" x 6' 2" x 10' 2" x 12' 2" x 18'	Specification 5200, 5350 Dwg L2s-196-01 Dwg L2s-196-02 Dwg L2s-196-03 Dwg L2s-196-04 Dwg L2s-161-01&02
Streetlight Arm For Marine Fixtures 	4-21-30 (3-04-41) 4-21-31 4-21-32 4-21-33	30" Green Red Blue Black	Specification 5390 Dwg L2s-154 Colour as per Application

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Streetlight Arm For Marine Pendant Fixture 	4-22-30 (3-04-42)	Black	Specification 5390 Dwg L2s-188
Streetlight Arm Steel For use on 3rd Avenue For use in Kensington LED Floodlight Arm Attachment to wood pole	4-22-40 4-22-50 4-23-15	6' Straight Graphite Metallic Decorative Black	Specification 5200, 5350, 5390 Dwg L2s-219 Dwg L2s-230 Dwg L2s-228
Streetlight Arm & Bracket For Washington Fixtures 	4-23-30 (3-04-43) 4-23-31 (3-04-45)	Black	Dwg L2-202 or L2-203

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Streetlight Arms			
For Washington Fixtures on Wood Poles	4-23-40 (3-04-70)	Black	Dwg L2s-168
For Floodlights - Double Bullhorn	4-24-10 (3-04-75)	Green	Dwg L2s-186-02
For Offset Lighting - Double Bullhorn Mongoose/Vector	4-24-20 (3-04-76)	Galvanized	Dwg L2s-186-01
For Offset Lighting - Triple Bullhorn Mongoose/Vector	4-24-21	Galvanized	Dwg L2s-186-03
Arm Shoebox LED - Brown	4-25-05	Sepia Brown	Dwg L2s-226-02
			
Steel Extensions For Combination Traffic and Streetlight Poles	4-26-04	Graphite Metallic Extension 4' Octagonal Pole	Dwg L2s-193
	4-26-06 (3-04-90)	Galvanized Extension 6' Octagonal Pole	Dwg L2s-170
	4-26-08 (3-04-92)	Extension 8' Octagonal Pole	Dwg L2s-178
	4-26-12 (3-04-94)	Extension 12' Octagonal Pole	Dwg L2s-179
Black - For use in Kensington	4-26-13	Extension 13' Octagonal Pole	Dwg L2s-229

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Pole Tenon Adapter For Washington, Marine & PTL Fixtures	4-27-01 (3-08-01)	Small Round (4") Grey	Dwg L2s-158-01
	4-27-04 (3-08-06)	Octagonal (4 5/8") Black	Dwg L2s-147
	4-27-05 (3-08-02)	Small Round (5") Black	Dwg L2s-158-01
	4-27-06 (3-08-03)	Medium Round (6") Black	Dwg L2s-158-01
	4-27-07 (3-08-04)	Large Round (7") Blue	Dwg L2s-158-01
	4-27-09 (3-08-05)	Large Round (9") Blue	Dwg L2s-158-01
Steel Pole Tenon Adapter For Mongoose Fixture	4-27-20		Dwg L2s-158-02
Base Plate Adapter for Steel Pole  (Electronic Shop also use these)	4-28-07 (3-08-61) 4-28-12 (3-08-63)	Galvanized 1" Dia. Bolt <u>Bolt Spacing</u> 6 3/4" to 8 1/8" Height 7" 1" Dia. Bolt <u>Bolt Spacing</u> 6 3/4" to 8 1/8" Height 12"	POLE Dwg L2s-133 POLE Dwg L2s-133

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Pole Extension 	4-29-12	Galvanized Bolt Spacing 7 11/16" to 10" Height 12"	Dwg L2s-195
Reaction Plates - Breakaway Base Small Medium & Large 	4-33-35 4-33-50	Use on New Installs With 4-36-35 With 4-36-40 & 4-36-50	Dwg L2S-232-04 Dwg L2S-232-05
Couplers - Breakaway Base For Repairs 35 Foot Single Davit 35 Foot Double Davit 40 Foot Single Davit 50 Foot Highway	4-36-35 (3-08-64) 4-36-40 (3-08-66)	1" Dia. Bolt Round 1 1/4" Dia. Bolt Round	SB C-5 SB C-14

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Shroud - Breakaway Base 35 Foot Single Davit 35 Foot Double Davit 40 Foot Single Davit 50 Foot Vector Lighting 	4-37-35 (3-08-70) 4-37-40 (3-08-72) 4-37-50 (3-08-73)	Stainless Steel For 8 1/8" On Square For 9 3/16" On Square For 10 1/4" On Square	Dwg L2S-232-01 SB S-3C Dwg L2S-232-02 SB S-5C Dwg L2S-232-03 SB S-8C
Hand Hole Assembly 	4-38-01 (3-07-58) 4-38-21 4-38-30 4-38-40	Bolt to be cadmium 6" - Primed 12" - Galvanized 12" Rectangle- Primed 12" For 4" Round Pole Graphite Metalic	CIM Dwg L2s 194-01 Dwg L2s 194-02 Dwg L2s 194-03 Dwg L2s 194-04
Backer Bar for Handhole 	4-38-50	14" x 1.5" x .25" c/w Threaded Insert	
Tamper Proof Bolts	4-39-01	3/8" x 4" SS	BRYCE 3GMRR37400
Bit Driver for Tamper Proof Bolt	4-39-02		BRYCE 1GBRX50

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Cobra Head Fixture - HPS Flat Lens 	4-50-10 (3-02-91)	100 Watt 120/240 Volt w/o receptacle	AE 11510SCTDTIR2 FGM2UPCSNRECHP CP OVH10SCW2DU Spec 5105
	4-50-11 (3-02-92)	100 Watt 120/240 Volt with receptacle	AE 11510SCTDTIR2 FGM2UPCSECHP CP OVH10SCW2DU4 Spec 5105
Cobra Head Fixture - HPS Flat Lens 	4-50-15 (3-02-93)	150 Watt 120/240 Volt w/o receptacle	AE 11515SCTDTIR2 FGM2UPCSNRECHP CP OVH115SCW2DU Specification 5105
	4-50-16 (3-02-94)	150 Watt 120/240 Volt with receptacle	AE 11515SCTDTIR2 FGM2UPCSECHP CP OVH15SCW2DU4 Specification 5105
Cobra Head Fixture - HPS Flat Lens 	4-50-25 (3-02-95)	250 Watt 120/240 Volt w/o receptacle	AE 12525SCTDTIR3 FGM2UPCSNRECHP CP OVH25SCW3DU Specification 5105
	4-50-26 (3-02-96)	250 Watt 120/240 Volt with receptacle	AE 12525SCTDTIR3 FGM2UPCSECHP CP OVH25SCW3DU4 Specification 5105
	4-50-27	250 Watt 347 Volt w/o receptacle	AE 12525SCT347R3 FGM2UPCSNRECHP CP OVH25SC93DUA
	4-50-40 (3-02-97)	400 Watt 120/240 Volt w/o receptacle	AE 12540SCTDTIR3 FGM2UPCSNRECHP CP OVH40SCW2DU Specification 5105

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Cobra Head Fixture - LED Local Roadway 	4-51-05	34 Watt 120/277 Volt w receptacle	Leotek GCJ1-20H-MV-WW- 2R-GY-530-PCR7
Cobra Head Fixture - LED Collector Roadway 	4-51-10	58 Watt 120-277 Volt w receptacle	Leotek GCJ2-20H-MV-WW- 2R-GY-900-PCR7
Cobra Head Fixture - LED Arterial Roadway 	4-51-15 4-51-18 4-51-20	65 Watt 120-277 Volt w receptacle 65 Watt 347 Volt w receptacle 100 Watt 120-277 Volt w receptacle	LED ROADWAY LH-16S-5-7-2ES-W- S-GY-3-UL-2-S-A LED ROADWAY LH-16S-6-7-2ES-W- S-GY-3-UL-2-S-A LED ROADWAY L0-60M-5-7-2ES-5- S-GY-3-UL-2-S-A


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Mongoose Fixture - HPS Low Angle (0° - 18°)	4-55-20 (3-02-66)	200 Watt 120/240 Volt	HOL G200HP40LNFVG
High Angle (27° - 45°)	4-55-21 (3-02-67)	200 Watt 120/240 Volt	HOL G200HP40HWCVG
Mongoose Fixture - HPS High Angle (27° - 45°)	4-55-22 (3-02-68)	200 Watt 347 Volt	HOL G200HP34HWCVG
Low Angle (0° - 18°)	4-55-23	200 Watt 347 Volt	HOL G200HP34LNFVG
Mongoose Fixture - HPS Low Angle (0° - 18°) Horizontal Tenon	4-55-25 (3-02-70)	250 Watt 120/240 Volt	HOL G250HP40LWCAG
Mongoose Fixture - HPS High Angle (27° - 45°)	4-55-41	400 Watt 120/240 Volt	HOL G400HP40HWCVGC
High Angle (27° - 45°)	4-55-43	400 Watt 347 Volt	HOL G400HP34HWCVGC
	4-56-41	4COB/168W 120/240 V	HOL MGLED- 43KASWLVGNL
	4-56-42	4COB/168W 347/600 V	HOL MGLED- 43KAHWLVGNL
	4-56-62	6COB/245W 347/600 V	HOL MGLED- 63KAHWLVGNL
	4-56-91	9COB/367W 120/240 V	HOL MGLED- 93KASWLVGNL

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Mongoose Fixture - LED High Angle 	4-56-92 4-56-93	9COB/367W 347/600 V 9COB/367W 120/240 V	HOL MGLED-93KAHWLVGNL HOL MGLED-93KASWHVGNL
Galleon Fixture - LED 	4-57-51 4-57-52 4-57-54	5 Square/162W 120/240 V 5 Square/162W 347/600 V 5 Square/162W 120/240 V Horizontal Tenon	CP GLEON-AF-05-LED-E1-T2R-AP-ADJS-8030-600-PER7 CP GLEON-AF-05-LED-347-T2R-AP-ADJS-8030-600-PER7 CP GLEON-AF-05-LED-E1-T2R-AP-MA-8030-600-PER7
Galleon Fixture - LED 	4-57-81 4-57-82 4-57-91 4-57-92	8 Square/257W 120/240 V 8 Square/257W 347/600 V 10 Square/323W 120/240 V 10 Square/323W 347/600 V	CP GLEON-AF-08-LED-E1-T2R-AP-ADJS-8030-600-PER7 CP GLEON-AF-08-LED-347-T2R-AP-ADJS-8030-600-PER7 CP GLEON-AF-10-LED-E1-T2R-AP-ADJS-8030-600-PER7 CP GLEON-AF-10-LED-347-T2R-AP-ADJS-8030-600-PER7

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Washington Fixture 	4-60-05 (3-03-00) 4-60-25 (3-03-02)	Black 35 Watt LED 120/240 Volt 120 Watt LED 120/240 Volt	STERN PT-A850SRLED 5P-2ARC27T3R- MDL03-A-BK No Substitutes STERN PT-A850S RLED-5P-24L27T4- MDL018-A-BK No Substitutes
Fixtures - For use on 2nd Ave Pathway Fixture LED  Roadway Fixture LED	4-61-05 4-61-10	Charcoal Grey 20 Watt 120/277 Volt 100 Watt 120/277 Volt	CYCLONE CLE17T4C-FGC-4- 20W-3K-240-R30- RAL7026-TX CYCLONE CLE17T4C-FGC-4- 100W-3K-240-R30- RAL7026-TX
Euro Series Fixture 	4-62-03	For Central Avenue 31 Watt LED	STERN E250LEDFLD/ PT/1RND35T5-ML/ BKT

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Marine Fixture LED 	4-65-01 (3-03-60) 4-65-02 (3-03-63)	35 Watt 120/277 Volt 23" Brim Blue 35 Watt 120/277 Volt 23" Brim Black Currant	HCI SF130-S-CPC-LED35W-3000K-120-277V-TYPEIII-DIM-RAL5015 HCI SF130-S-CPC-LED35W-3000K-120-277V-TYPEIII-DIM-RAL3005
Marine Fixture LED 	4-65-07 (3-03-71) 4-65-08 (3-03-72)	35 Watt 120/277 Volt 23" Brim Green 35 Watt 120/277 Volt 23" Brim Red	HCI SF130-S-CPC-LED35W-3000K-120-277V-TYPEIII-DIM-RAL6035 HCI SF130-S-CPC-LED35W-3000K-120-277V-TYPEIII-DIM-RAL3022
Marine Fixture LED 	4-65-10 (3-03-81) 4-65-11	55 Watt 120/277 Volt 23" Brim Green 35 Watt 120/277 Volt 23" Brim Black	HCI SF130-S-CPC-LED55W-3000K-120-277V-TYPEIII-DIM-RAL6035 HCI SF130-S-CPC-LED35W-3000K-120-277V-TYPEIII-DIM-RAL9017

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Marine Fixture HPS 	4-65-27 (3-03-90)	250 Watt 120/240 Volt 32" Brim Blue	SDL SLF985-RD3- 250S-120/240-CC Specification 5150, 5390 Dwg L2s-153
Pendant Marine Fixture - HPS 	4-66-10 (3-03-95) 4-66-25 (3-03-96)	Black 100 Watt HPS 250 Watt HPS	Specification 5152 Dwg L2s-187 DIV OR4-SPM-C024- 100HPS-3-120/240- CWI-BLK HCI F172-L-MOD- CPC-100HPS-CWI 120V-TT-SR3-HSS- RAL9011 DIV OR4-SPM-C024- 250HPS-3-120/240- CWI-BLK HCI F172-L-MOD- CPC-250HPS-CWI 120V-TT-SR3-HSS- RAL9011
Fixtures & Poles - For use on 3rd Avenue Pedestrian Pole & Fixture Historical Pendant Fixture	4-67-05 4-67-25	Graphite Metallic 12' & 50 Watt MH 250 Watt HPS	Specification 5111 Dwg L2s-218 HCI CF44L-CTG- 250HPS-SR3 Specification 5155 Dwg L2s-224


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Fixtures - For use in Kensington Historical Pendant Fixture LED Local Roadway Historical Pendant Fixture LED Collector Roadway 	4-68-05 4-68-10	Black 120 Watt 120-277 Volt 4000K	HCI F302-MOD-L- LTG-120W-LED- 4000K-120-277V-IES3- MOD-FINIAL- RAL9017
Fixture Brighton Pendant LED 	4-69-05	Black 140 Watt 120/277 Volt	CYCLONE CO12P1B-FGC-4- 140W-3K-240-R30- RAL7026-TX
PTL Fixture - HPS 	4-70-10 (3-02-13) 4-70-11 (3-02-15)	Grey 100 Watt 120/240 Volt w/o receptacle 100 Watt 120/240 Volt with receptacle	AE 24510SCTDT1R 2AYCSNREC Specification 5110 AE 24510SCTDT1R 2AYCSEC Specification 5110

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Pathway Fixture  	4-71-05 4-71-10 (3-02-23) 4-71-11 (3-02-25)	14 Watt 120/277 V, 3000K with receptacle RAL8014-Sepia Brown Brown 100 Watt 120/240 V w/o receptacle 100 Watt 120/240 V with receptacle	LED Roadway NXT-12S-0-7-2HB-3- CC-4-UL-X-2H-0375 CP TRU-10-SCF-2F- BZ-PT-U-TR/VS- OA1064-MA1010 Specification 5130 CP TRU-10-SCF-2F- BZ-4-PT-U-TR/VS- OA1064-MA1010 Specification 5130
Wallpack Fixture  	4-72-07 4-72-08 4-72-10 (3-02-89) 4-72-11	70 Watt MH 120/240 Volt Fail Safe 70 Watt MH 347 Volt Fail Safe Bronze 40 Watt LED 120/277 Volt, 3000K w/o receptacle 40 Watt LED 347 Volt, 3000K w/o receptacle	CP MHEC-70H-120V- F1-DBZ CP MHEC-70H-347V- F1-DBZ ECOLED WPG40WWV4 ECOLED WPG40WWV5
Floodlight Fixture - LED Traffic Bridge Pedestrian 	4-73-00 4-73-25 (3-02-41) 4-73-26	Bronze 25 Watt LED Order Slipfit knuckle 129 Watt LED 120/277 Volt, 3000K Top & Side Visor	HUB FSL-10L-25-3K- RM-U-K-DB S-302-M51 CP NFFLD-C40-E- UNV-66-S-CB-7030 No alternates CP TS2/NFFLD-CB


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Invue Style Bollard - MH 	4-75-07 (3-15-11)	Graphite Metallic 70 Watt MH	CP PDR19839-VXB-36-70-MH-120/240-GM-F Specification 5172 Dwg L2s-185-06
Invue Fixture - LED  	4-76-05 (3-15-20) 4-76-10 (3-15-22) 4-76-25 (3-15-24)	Graphite Metallic 25 Watt LED 50 Watt LED 125 Watt LED	CP ICS-E01-LED-E1-T3-GM CP ICS-E02-LED-E1-T3-GM CP ICM-E05-LED-E1-T3-GM
Icon Fixture - LED 	4-77-10	Stone Grey 50 Watt LED	CP ICS-E02-LED-E1-T3-RAL7030 (VA1006-xx) Specification 5174 Dwg Ls-215



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
LED Fixture - For Use In Evergreen			
Pathway	4-78-05	22 Watt LED w/o Receptacle	LED SAT-24S-280mA-T2
Roadway	4-78-10	55 Watt LED w/o Receptacle	LED SAT-48S-0-S-T2-350- GY-1-A-NS-XX
Roadway (Wide)	4-78-15	107 Watt LED 120/240 Volt w/o Receptacle	LED SAT-72M-450mA-T3
			
High Pressure Sodium Vapor Lamp Mogul Base, 30,000 Hour Non-cycling	4-80-05 (3-03-43)	30,000 Hour Non-cycling 50 Watt	SYL LU50/Plus/Eco
	4-80-07 (3-03-44)	70 Watt	SYL LU70/Plus/Eco GE LU70/Eco/NC
	4-80-10 (3-03-45)	100 Watt	SYL LU100/Plus/Eco GE LU100/Eco/NC
	4-80-15 (3-03-46)	150 Watt	SYL LU150/Plus/Eco GE LU150/Eco/NC
High Pressure Sodium Vapor Lamp Mogul Base	4-80-20 (3-03-48)	60,000 Hour Non-cycling 200 Watt	SYL LU200/Plus/ XL/Eco
	4-80-25 (3-03-47)	250 Watt	SYL LU250/Plus/ XL/Eco
	4-80-40 (3-03-49)	400 Watt	SYL LU400/Plus/ XL/Eco
	4-80-90 (3-03-50)	30,000 Hour Non-cycling 1000 Watt	PHI C1000S52/Alto/ Plus

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
High Pressure Sodium Vapor Lamp Mogul Base, 24,000 Hour 	4-80-91 (3-03-51)	1000 Watt Compact	PHI C1000S52/ED37
Metal Halide Lamp Medium Base 	4-81-05 4-81-07 4-81-10 4-81-25 4-81-40	50 Watt 70 Watt 100 Watt 250 Watt Mogul Base 400 Watt Mogul Base	PHI MHC50/U/M/4K/ ELITE PHI MHC70/U/M/4K/ ELITE PHI MHC100/U/M/4K/ ELITE PHI CDM205/U/O/4K PHI CDM330/U/O/4K/ ED28
LED Lamp - Warm White LED Lamp - Cool White LED Lamp - Red LED Lamp - Green LED Lamp - Blue	4-82-01 4-82-02 4-82-04 4-82-05 4-82-06	C7	Specifications 5430

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
LED Lamp - Warm White	4-82-11	C9	Specifications 5430
LED Lamp - Cool White	4-82-12		
LED Lamp - Yellow	4-82-13		
LED Lamp - Red	4-82-14		
LED Lamp - Green	4-82-15		
LED Lamp - Blue	4-82-16		
Pigtail Socket 	4-83-01 (3-08-09)	120 Volt Only	Leviton 55
In-Line Fuse Holder Breakaway For 240 & 347 V 	4-83-05 (3-08-25) 4-83-06 (3-08-26)	600 Volt 30 Amp 100 kA #12 to #12 600 Volt 30 Amp 100 kA #2 to #6	AM 65U (No Subs) SHAW FEB-41-41-BA BUSS HEB-DW- RLC-B


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Photo Electric Cell  Latitude IQ	4-83-10 (3-08-11) 4-83-11 (3-08-13) 4-83-12	120 Volt 1000 Watt 120 Volt 1800 Watt 120 Volt Green	FP 7760 SS9 PREC EXDV-AP-TD INT LED4536SC INT LC4536
Photo Electric Cell 	4-83-15 (3-08-14)	208/277 Volt 1000 Watt c/w Prismascope	HOL X-3896
Photo Electric Cell Bracket 3 Prong Type 	4-83-20 (3-08-21)		FP S476-71 PREC M2A

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Photo Electric Cell Shorting Cap 	4-83-25 (3-08-15)	Min 15A Max 480V	FP FPS1039 PREC JP275
Street Light Relay Double Pole 	4-83-30 (3-08-33)	100 Amp 120/240 Volt	Dwg L2-210
Contactor - Three Pole 	4-83-35 (3-08-35) 4-83-36 (3-08-37)	60 Full Amp 75 Resistance Load Amps 90 Full Amp 120 Resistance Load Amps Coil 120 Volt	Sq D 8910DPA63V02 Sq D 8910DPA93V02

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Coils  For 60A Contactor For 90A Contactor	4-83-40 4-83-41 4-83-42 4-83-43	120 Volt 240 Volt 120 Volt 240 Volt	Sq D 9998DA2V02 Sq D 9998DA2V09 Sq D 9998DA3V02 Sq D 9998DA3V09
Primary Oil Switch Single Phase (Solenoid operated) 	4-83-50 (3-08-41)	70 Amp 2400 Volt	
Circuit Breaker 1 Pole 	4-83-55	120/240 Volt 15 Amp	SQ D QOU115

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Circuit Breaker 2 Pole	4-83-60	120/240 Volt 60 Amp	SQ D QOU 260
	4-83-65	120/240 Volt 100 Amp	SQ D QOU 2100
Power Distribution Block  	4-84-10	3 Pole/460 Amps	ILS PDB-212-4/0-3
Starter for HPS Fixture 	4-85-01 (3-01-16)	35 - 150 Watts	Sola BMS-006 Sola BVS-006
	4-85-03 (3-01-18)	200 - 400 Watts	Sola BMS-005

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Starter for HPS Fixture Plug in type for Cooper Fixture	4-85-10 (3-01-12)	70 - 150 Watt 120/240 Volt	CP YCY339 #220C173G01
	4-85-12 (3-01-14)	250 Watt	CP 220C173G05
Starter for HPS Fixture Plug in Type for American Electric Fixtures	4-85-15 (3-01-15)	35 - 400 Watt	AE IGN 2L14 EC DUAL
Protected Starter for Mongoose Fixture	4-85-20 (3-01-17)	200 Watt 347 Volt	HOL IG-7
Starter for High Mast Fixture	4-85-25 (3-01-19)	1000 Watt 347 Volt	HOL EC-3030-KIT

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Starter for Invue Fixture	4-86-10	50 - 100 Watt	CP 220C173G15
Ballast High Pressure Sodium Vapor Internal - CWI 	4-87-05 (3-01-20)	50 Watt 120/240 Volt	CP KIT50S14ALSASK
	4-87-10 (3-01-22)	100 Watt 120/240 Volt	CP KIT10S14ALSASK
	4-87-25 (3-01-24)	250 Watt 120/240 Volt	CP KIT25S14ALSASK
	4-87-40 (3-01-25)	400 Watt 120/240 Volt	SYL 47366
Ballast Internal Assembly	4-88-25 (3-01-26)	250 Watt 347 Volt HPS	SYL 47348

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Ballast for Wall Pack Fixtures	4-91-07	70 Watt 347 Volt	HOL CK070HP34AP
Ballast for Mongoose Fixture	4-91-20 (3-01-27)	200 Watt 347 Volt	HOL RC200HP34A-P
	4-91-21	200 Watt 120/240 Volt	SOLA E-SIAFRM200
Ballast for Highway Mast Fixture	4-91-90 (3-01-28)	1000 Watt 347 Volt	HOL CKC10HP34A
LED Retro Fit Kit for Invue Fixture	4-92-05	25 Watt replaces 50 Watt MH 120/240 Volt	CP PDR64597-FLS- E01-LED-E1-T3- GM-RETRO
	4-92-10	50 Watt replaces 100 Watt MH 120/240 Volt	CP PDR60272-SDS- E02-LED-E1-T3- GM-RETRO
	4-92-25	125 Watt replaces 250 Watt MH 120/240 Volt	CP PDR60271-SDM- E05-LED-E1-T3- GM-RETRO
Ballast for Pedestrian Fixture	4-92-45	50 Watt MH 120/277/347 Volt	STAN 10067
	4-92-50	100 Watt MH 120/277/347 Volt	STAN 10069


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Banner Hardware			
Bracket Black	4-95-01	Black	BannerFlex D3
Arm	4-95-02	31" Black Casting Fibreglass Rod	BannerFlex D3

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Parallel Groove Copper Compression Connector 	5-00-01	4 STR - 6 STR	BUR Crimpit YC4C6 ILS ULT-4-Z T&B BC46
	5-00-02	4 STR - 4 STR	BUR Crimpit YC4C4 ILS ULT-5-Z T&B BC44
	5-00-04	2 STR - 4 STR	BUR Crimpit YC2C4 ILS ULT-6-Z T&B BC24
	5-00-05	2 STR - 2 STR	BUR Crimpit YC2C2 ILS ULT-7-Z T&B BC22
Parallel Groove Copper Compression Connector 	5-00-06	1/0 2/0 STR - 1/0 2/0 STR	BUR Crimpit YC26C26 T&B BC2020 ILS ULT-9-Z
	5-00-07	3/0-4/0 - #6-#2	T&B CC402 HOM CC402 BUR Crimpit YC28C2 ILS ULT-10-Z
	5-00-08	3/0 4/0 - 1/0 2/0 STR	BUR Crimpit YC28C26 HOM CC4020 T&B BC4020 ILS ULT-11-Z
Parallel Groove Copper Compression Connector 	5-00-09	3/0 4/0 - 3/0 4/0 STR	BUR Crimpit YC28C28 ILS ULT12-Z T&B BC4040



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Copper Compression Connector - Grounding 	5-00-12	#2 2/0 STR 5/8" Rod	BUR YGHR 26C58 ILS RLT3 T&B GR58-202
	5-00-14	300 500 MCM 5/8" Rod	BUR YGHR 34C58 ILS RLT8 T&B GR58-300500
Copper Compression Connector - Grounding 	5-00-16	2/0 to #8, #2	BUR YC26C2 T&B BC202
	5-00-17	300 - 500 MCM Run to 300 - 500 MCM Tap	BUR YGHC34C34 T&B CTP500500
Copper Compression Connector - Grounding 	5-00-18	1/0, 2/0 STR 250, 500 MCM	BUR YGHP 34C26 ILS GGC-6 T&B 54890
	5-00-19	350 MCM Run to 350 MCM Tap	BUR YGHP 34C34 ILS GGC-8 T&B 54900


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Parallel Groove Aluminum Compression Connector for Copper, Aluminum, ACSR, AAAC & 5005 	5-00-31	St. Ltg. Trp. 6, 4 ACSR 2, 4 ACSR Comp. 6, 4, 2 STR Alum & Cu 14 SOL 8 STR Alum & CU	BLK WR9 NO SUBS
	5-00-32	6, 4, 3, 2 SOL - 6, 4, 3, 2 SOL 6, 4, 3 STR - 6, 4, 3 STR 6, 4 ACSR - 6, 4 ACSR	BLK WR159 NO SUBS
Parallel Groove Aluminum Compression Connector for Copper, Aluminum, ACSR, AAAC & 5005 	5-00-33	2, 1, 1/0, 2/0 STR - 6, 4, 3, 2 1 STR 2, 1, 1/0 2/0 ACSR - 6, 4 3, 2, 1 ACSR	BLK WR189 NO SUBS
	5-00-34	1/0, 2/0 STR - 1/0, 2/0 STR 1/0, 2/0 ACSR - 1/0, 2/0 ACSR	BLK WR259 NO SUBS
Parallel Groove Aluminum Compression Connector for Copper, Aluminum, ACSR, AAAC & 5005 	5-00-35	2/0, 3/0 STR - 3, 2, 1 STR 1/0, 2/0, 3/0 ACSR - 4, 3, 2, 1 ACSR	BLK WR289 NO SUBS
	5-00-36	4/0, 250 STR - 3/0, 4/0 250 STR 3/0, 4/0 ACSR - 3/0, 4/0 ACSR	BLK WR419 NO SUBS

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Parallel Groove Aluminum Compression Connector for Copper, Aluminum, ACSR, AAAC & 5005 	5-00-37	4/0, 250 STR - 1/0, 2/0, 3/0 STR 4/0 ACSR - 1/0 2/0 ACSR	BLK WR399 NO SUBS
	5-00-38	4/0, 250 STR - 3, 2, 1 STR 4/0 ACSR - 4, 3, 2, 1 ACSR	BLK WR379 NO SUBS
	5-00-39	477 MCM STR - 4, 2/0 STR 477 MCM ACSR - 6, 1/0 ACSR	BLK WR815 NO SUBS
Parallel Groove Aluminum Compression Connector for Copper, Aluminum, ACSR, AAAC & 5005 	5-00-41	336, 477 ACSR - 250, 500 STR 2/0, 4/0 ACSR - 2/0, 4/0 STR	BLK WR835 NO SUBS
	5-00-43	336, 477 ACSR 250, 500 STR - 336 ACSR 250, 350 STR	BLK WR875 NO SUBS
	5-00-45	477 ACSR/Alum - 477ACSR/Alum	BLK WR885 NO SUBS
Split Bolt Connector For Copper to Copper 	5-01-01	MAIN Max-6 SOL Min-10 SOL TAP Max-6 SOL Min-12 SOL	BLK 6H BUR KS-17 ILS IK-6
	5-01-02	MAIN-#2 STR TAP Max-#2 STR Min-#14 STR	BLK 1H BUR KS23 ILS IK-2
	5-01-04	MAIN-#4 STR TAP Max-#4 STR Min-#14 STR	BLK 2H BUR KS22 ILS IK3

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Split Bolt Connector For Copper to Copper 	5-01-06 5-01-07 5-01-08	MAIN-#6 STR TAP Max-#6 STR Min-#14 STR 2/O MAIN Max-250 Min-2/O TAP Max-250 Min-8 SOL	BLK 4H BUR KS20 ILS IK-4 BLK 20H BUR KS26 ILS IK-2/O BLK 40H ILS IK-250
Split Bolt Post Connector for Cable to Flat Bar 	5-01-12 5-01-13	10, 3 STR - 10, 2 SOL 3/8" - 16 Stud 2/O	BUR KC22 T&B SP3SL PU SSS-3A1 BUR KC26B1 T&B SP6SL PU SSS-6A1
Two Bolt Connector  	5-01-22	Up to 800 MCM	BUR KVSU40 ILS IKB-800

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Bonding Jumper Clamp 	5-01-30	#6 CU - 1/4"STR	BLK K1
Ampact Connector 	5-02-05	2/0-2/0, 3/0-1/0, 4/0-2	AMP 600411
	5-02-07	4/0 - 2/0	AMP 600459
	5-02-09	4/0 - 4/0	AMP 600466
	5-02-13	336 - 4/0	AMP 602004
	5-02-15	336 - 336	AMP 602007
Ampact Connector 	5-02-17	477 - 2/0	AMP 1-602031-8
	5-02-19	477 - 4/0	AMP 1-602031-6
	5-02-21	477 - 336	AMP 1-602031-4
	5-02-22	477 - 477	AMP 1-602031-3
	5-02-24	750 - 336	AMP 602121-7
	5-02-27	750 - 4/0	AMP 602121-9
	5-02-29	750 - 477	AMP 602121

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Ampact Shell Blue Red Yellow White 	5-02-41 5-02-42 5-02-44 5-02-46		AMP 69338-1 AMP 69338-2 AMP 69338-4 AMP 69338-5
Ampact Insulated Cover 	5-02-52 5-02-53	Medium Large	AMP 602107 AMP 602284 HOM PT-COVER-C
Connectors Stirrup Aluminum Tap System 	5-02-69 5-02-70 5-02-72 5-02-74 5-02-76 5-02-78	#6, #4 #2 1/0 - 2/0 3/0 - 4/0 336 477	AMP 602585 AMP 602586 AMP 600464 AMP 600469 AMP 600474 AMP 602047

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Sleeve Copper and Copperweld Full Tension 	5-04-02	2/0 (7, 19) STR	BUR Hysplice YDS26
	5-04-03	4/0 (7, 19) STR	BUR Hysplice YDS28
Compression Sleeve Copper & Copperweld Full Tension 	5-04-07	#4 - #6 SOL Copper	SL Nico Press 1-204X162P
	5-04-08	#6 SOL Copper	BUR YDS6W
	5-04-09	#4 SOL Copper	BUR YDS4W
	5-04-10	#2 SOL #4 STR Copper	BUR YDS2W
	5-04-11	3/0 SOL 2/0 STR Copper	SL Nico Press 1-365/7G3
	5-04-12	#2 SOL to #4 SOL	SL Nico Press Reducer 1-258X204X
Compression Sleeve Copper Repair 	5-04-22	4/0 STR	BUR YCU28

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Sleeve Aluminum Full Tension 	5-04-34	2/0 Alum	BUR YDS26AT
	5-04-35	4/0 Alum	BUR YDS28AT
	5-04-36	336 MCM	BUR YDS301AT HOM 2176
	5-04-37	477 MCM	BUR YDS331AT
Compression Sleeve Aluminum Jumper 	5-04-41	4/0 Alum	BUR YCS28RL
	5-04-42	336 MCM Alum	BUR YCS321R
	5-04-43	477 MCM Alum	BUR YCS35R HOM 874
	5-04-44	477 MCM ACSR	BUR YCS36R
Compression Sleeve ACSR Repair	5-04-47	4/0 ACSR	BUR YVU28R




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Sleeve Aluminum Repair 	5-04-50	336.4 MCM	BUR YCU301A
	5-04-51	477 MCM	BUR YOU331A
Compression Sleeve Combination Aluminum & ACSR Full Tension 	5-04-62	2/0	BUR Unisplice YDS26RL
	5-04-63	4/0	BUR Unisplice YDS28RL
Compression Sleeve ACSR Full Tension 	5-04-75	477 MCM Alum Section	BUR YDS37RP1
	5-04-76	477 MCM Steel Section	BUR YDS36RP2
	5-04-77	266 MCM Alum Section	BUR YDS30RP1
	5-04-78	266 MCM Steel Section	BUR YDS30RP2
	5-04-79	336 MCM Oriole Steel Section	BUR YDS33R

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Automatic Splice 	5-04-84	2/0 ACSR	REL 7654AP
	5-04-86	2/0 Copper	REL 207
	5-04-88	4/0 ACSR	REL 7656
	5-04-89	4/0 Copper	REL 407
	5-04-90	336 ALUM	REL 7658AP FAR GL410
	5-04-92	477 ALUM	MP 7659 BLK ATS397477 HUB GLSF412 HUB GLSF412KR
	5-04-94	477 ACSR 26/7 Strand	HUB GLT1319A NO SUBS
Compression Sleeve Steel Guy Strand Full Tension 	5-04-98	3/8 Steel Wire	SL 5-7/120G92
	5-04-99	5/16" Grade 110	SLNico Press 5-7/104W
Compression Sleeve Insulated Service Entrance 	5-05-02	6 ACSR - 6 ACSR Blue-Blue	BLK ICS64 BUR ES6R6R PU P1K44
	5-05-05	4 ACSR - 6 ACSR Orange-Blue	BLK ICS67 BUR ES4R6R PU P1K24
	5-05-06	4 ACSR - 4 ACSR Orange-Orange	BLK ICS68 ILS P1K22
	5-05-07	2 ACSR - 6 ACSR Red-Blue	BLK ICS71 BUR ES2R6R PU P1K14

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Sleeve Insulated Service Entrance 	5-05-08	2 ACSR - 4 ACSR Red-Orange	BUR ES2R4R BLK ICS72 PU P1K12
	5-05-09	2 ACSR - 2 ACSR Red-Red	BUR ES2R2R BLK ICS73 PU P1K11
Compression Sleeve Insulated Service Entrance 	5-05-10	1/0 - #2 Yellow-Red	BLK IKL35 PU P1K01
	5-05-11	2/0 - #2 Grey-Red	BLK IKL45 PU P1K201
	5-05-12	2/0 - 2/0 Grey-Grey	BLK IKL47 PU PIK2020
	5-05-13	3/0 - #2 Black-Red	BLK IKL55 PU PIK301
Compression Sleeve Insulated Service Entrance 	5-05-14	4/0 - #2 Pink-Red	BLK IKL65 PU PIK401
	5-05-15	4/0 - 2/0 Pink-Grey	BLK IKL67 PU PIK4020
	5-05-16	4/0 - 4/0 Pink-Pink	BLK IKL69 PU PIK4040



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Sleeve Noninsulated Service Entrance 	5-05-33	6 ACSR	BUR YSS6RG2 HOM SNG66 NO SUBS
	5-05-34	4 ACSR or ALUM	HOM SNG44
	5-05-35	2 ACSR or ALUM	HOM SNG22
GelCap c/w Connector For Streetlight Connections 	5-05-70	600 V #14-2/0	RAY GelCap SL 2/0-3 hole
	5-05-74	600 V #14-2/0 4 Conductor	TYCO GTap-2
Tinned Copper Compression Sleeve 	5-06-29	#6 STR	BUR YS-6C ILS CTL-6
	5-06-31	#4 STR	BUR YS-4C ILS CTL-4
	5-06-32	#2 STR	BUR YS-2C PAND SCL2-Q ILS CTL-2
	5-06-33	#1 STR	BUR YS-1C ILS CTL-1
	5-06-35	2/0 STR	BUR YS-26 PAND SCL2/0X ILS CTL-2/0





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Tinned Copper Compression Sleeve 	5-06-37	4/0 STR	BUR YS-28 ILS CTL-4/0
	5-06-38	250 MCM	BUR YS-29 ILS CTL-250
	5-06-39	350 MCM	BUR YS-31 ILS CTL-350
	5-06-40	500 MCM	BUR YS-34 ILS CTL-500
	5-06-42	750 MCM	BUR YS-39 ILS CTL-750
	5-06-50	500 - 750 MCM Transition	3M2000T 500-750 cu/al
Buchanan Splice Sleeve 	5-07-01	Small	BUCH 2006S 100 pieces/box
	5-07-03	Large	BUCH 2011S 50 pieces/box
Buchanan Insulator Cap 	5-07-05	Small	BUCH 2007
	5-07-07	Large	BUCH 2014



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Bolted Lug - 1 Hole 	5-08-01	1/0 - 2/0	BUR Qiklug QA-26-B
	5-08-02	3/0 - 4/0	BUR Qiklug QA-28-B
	5-08-03	250 - 350	BUR Qiklug QA-31-B
	5-08-04	400 - 500	BUR Qiklug QA-34-B
Bolted Lug 	5-08-54	Min #14 Max #8	T&B L35
	5-08-55	Min #14 Max #4	T&B L70
	5-08-56	Min #4 Max 2/0	T&B Cone Screw Lug 71010
Shearbolt Connector   For Use with 6-70-50, 6-70-55	5-08-65	#2 - 250 MCM For use with 7-92-13	3M USMF-1 PRY CUS53821
	5-08-70	4/0 - 500 MCM For use with 7-92-15	3M USMF-2 PRY CUS53783
	5-08-75	500 MCM - 1000 MCM For use with 7-92-16 & 7-92-17	PRY CUS53919
	5-08-80	#3 AWG - 300 MCM 15/16" Threaded Hole Bimetal	RICHARDS/3M P6AL-R1-15/16
	5-08-85	350 - 750 MCM 15/16" Threaded Hole Bimetal	RICHARDS/3M P6AL-R4-15/16

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Type Lug for ACSR, Aluminum or Copper - 2 Hole Nema 	5-09-00 5-09-01 5-09-02	#2 2/0 4/0	BLK AL4 BLK AL8 T&B SA 2/0 N BLK AL12 T&B SA 4/0-N
Compression Type Lug for ACSR or Aluminum 2 Hole Nema 	5-09-03 5-09-05 5-09-06	336 ALUM 477 ALUM 477 ACSR	BUR Hylug YCA321R-2N HOM SAB400N BUR Hylug YCA35R-2N HOM AL500NTN BLK AL24 BUR Hylug YCA37R-2N HOM AL600NTN
Compression Type Lug Copper - 1 Hole  	5-09-07 5-09-08 5-09-09	1/2" #4 #2 Short Barrel 2/0	PAND LCA4-12-L ILS CSWS-4-12 PAND LCA2-12-Q T&B X54145 T&B 54951BE

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Type Lug for Copper - 2 Hole 	5-09-10	2/0	BUR Hylug YA26-2N ILS CLND-2/0-12-134 T&B 54862BE
	5-09-11	4/0	BUR Hylug YA28-2N PAND LCC4/0-12 ILS CLND-4/0-12-134 T&B 54866BE
	5-09-12	250 MCM	BUR Hylug YA29-2N PAND LCC250-12 ILS CLND-250-12-134 T&B 54868BE
	5-09-13	350 MCM	BUR Hylug YA31-2N PAND LCC350-12 ILS CLND-350-12-134 T&B 54872BE
Compression Type Lug for Copper - 2 Hole 	5-09-14	500 MCM	BUR Hylug YA34-2N PAND LCC500-12 ILS CLND-500-12-134 T&B 54876BE
	5-09-15	750 MCM	BUR Hylug YA39-2N PAND LCC750-12 BLK LCN-75 ILS CLND-750-12-134 T&B 54880BE
	5-09-16	1000 MCM	BUR Hylug YA44-2N PAND LCC1000-12 ILS CLND-1000-12-134
Compression Type Lug for Copper - 1 Hole Type  Compression Type Lug for Copper - Universal Rod 	5-09-17	1/2" Size #1	PAND LCA1-12-E T&B 54150 3M 40029 BUR YA1CL6
	5-09-18	4/0	BUR YA28 T&B 54970BE
	5-09-20	#1	ELMD 16-TCA-0230-4


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Bolted Type "T" Connector 	5-11-02	750 MCM Run - 500 MCM Tap for Network	RIC MT23-18 NO SUBS
Station Connector Bar Tap 	5-13-01	3" IPS 4 N	BUR WAB20A4N
Station Connector Bus Support 	5-13-02	3" IPS 5" B.C.	BUR WOH20A5


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Station Connector End Terminal Centre Formed 	5-13-03	3" IPS 4N	BUR WAC20A4N
Corona Bell 	5-13-04	3" IPS	BUR LB20A
Station Connector Bus Coupler 	5-13-05	3" IPS 12"	Dwg. Gs-249
Station Connector Expansion Bus Support Coupler 	5-13-06	3" IPS 5" B.C.	BUR WXHP20A5




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Station Connector Expansion Terminal Center Formed 	5-13-07	3" IPS 4 N	BUR WXA20A4N
Station Connector Separator for 477 Cosmos 	5-13-08	477 ALUM 3"	Dwg. Gs-248


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Single Phase - Livefront 4160/2400 - 120/240	6-10-13	167 KVA	Specification 17 & Addendum
Padmount Transformer Single Phase - Deadfront Dual Voltage 2400 - 120/240 8320 - 120/240 200 Amp Bushings	6-10-25 6-10-27	50 KVA 75 KVA	Specification 2138 & Addendum Specification 2138 & Addendum
Padmount Transformer Single Phase - Deadfront Dual Voltage 2400 - 120/240 8320 - 120/240 600 Amp Bushing 	6-11-05 6-11-07 6-11-09 6-11-13	50 KVA 75 KVA 100 KVA 167 KVA	Specification 2131 & Addendum Specification 2131 & Addendum Specification 2131 & Addendum Specification 2131 & Addendum


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Single Phase - Deadfront Dual Voltage 2400 - 240/480 8320 - 240/480 	6-12-05	50 KVA	Specification 2132 & Addendum
Padmount Transformer Single Phase - Deadfront 8320 - 120/240 	6-13-05 6-13-07 6-13-09 6-13-13	50 KVA 75 KVA 100 KVA 167 KVA	Specification 2104 & Addendum Specification 2104 & Addendum Specification 2104 & Addendum Specification 2104 & Addendum
Padmount Transformer Single Phase - Deadfront 14400 - 120/240 	6-14-03 6-14-05 6-14-07 6-14-09 6-14-13	37.5 KVA 50 KVA 75 KVA 100 KVA 167 KVA	Specification 2104 & Addendum Specification 2104 & Addendum Specification 2104 & Addendum Specification 2104 & Addendum Specification 2104 & Addendum


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Livefront 4160 - 120/208	6-22-07	75 KVA	Specification 21 & Addendum
Padmount Transformer Three Phase - Deadfront 4160 - 120/208 Radial Feed 	6-24-13	150 KVA	Specification 2114 & Addendum
	6-24-15	225 KVA	Specification 2114 & Addendum
	6-24-17	300 KVA	Specification 2114 & Addendum
	6-24-19	500 KVA Approx. 4890 lbs (2222 kgs)	Specification 2114 & Addendum
Padmount Transformer Three Phase - Deadfront 4160 - 347/600 Radial Feed	6-28-15	225 KVA	Specification 2114 & Addendum
	6-28-17	300 KVA	Specification 2114 & Addendum
	6-28-19	500 KVA	Specification 2114 & Addendum
	6-28-21	750 KVA	Specification 2114 & Addendum

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 14.4 KV - 240 Loop Feed	6-29-13	150 KVA	Specification 2134 & Addendum
Padmount Transformer Three Phase - Deadfront 14.4 KV - 120/208 Radial Feed	6-30-19	500 KVA	Specification 2114 & Addendum
	6-30-21	750KVA	Specification 2114 & Addendum
	6-30-23	1000 KVA Approx. 9020 lbs (4100 kgs)	Specification 2114 & Addendum
Padmount Transformer Three Phase - Deadfront 14.4 KV - 120/208 Loop Feed 	6-31-07	75 KVA	Specification 2116 & Addendum
	6-31-13	150 KVA	Specification 2116 & Addendum
	6-31-17	300 KVA	Specification 2116 & Addendum

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 14.4 KV - 120/208 Loop Feed 600A 	6-31-67	300 KVA	Specification 2136 & Addendum
Padmount Transformer Three Phase - Deadfront 14.4 KV - 347/600 Loop Feed 	6-33-13 6-33-17 6-33-19 6-33-21 6-33-23	150 KVA c/w 4 Pos Switch 300 KVA 500 KVA 750 KVA 1000 KVA	Specification 2116 & Addendum Specification 2116 & Addendum Specification 2116 & Addendum Specification 2116 & Addendum Specification 2116 & Addendum
Padmount Transformer Three Phase - Deadfront 14.4 KV - 347/600 Loop Feed 	6-33-25 6-33-27	1500 KVA Approx. 11000 lbs 2000 KVA	Specification 2116 & Addendum Specification 2116 & Addendum

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 14.4 KV - 347/600 Radial Feed	6-34-13	150 KVA	Specification 2116 & Addendum
	6-34-23	1000 KVA	Specification 2116 & Addendum
Padmount Transformer Three Phase - Deadfront 14.4 KV - 4160 Radial Feed	6-36-19	500 KVA	Specification 2118 & Addendum
	6-36-27	2000 KVA Approx. 13000 lbs (5909 kgs)	Specification 2118 & Addendum
Padmount Transformer Three Phase - Deadfront 24940 - 120/208 V Loop Feed 	6-40-13	150 KVA	Specification 2124 & Addendum
	6-40-15	225 KVA	Specification 2124 & Addendum
	6-40-17	300 KVA	Specification 2124 & Addendum

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 24940 - 347/600 V Radial Feed	6-42-15	225 KVA	Specification 2120 & Addendum
	6-42-17	300 KVA	Specification 2120 & Addendum
	6-42-19	500 KVA	Specification 2120 & Addendum
Padmount Transformer Three Phase - Deadfront 24940 - 347/600 V Loop Feed 	6-43-15	225 KVA	Specification 2126 & Addendum
	6-43-19	500 KVA	Specification 2126 & Addendum
	6-43-23	1000 KVA	Specification 2126 & Addendum
	6-43-27	2000 KVA	Specification 2126 & Addendum
Padmount Transformer Three Phase - Deadfront 24940 - 4160 V Radial Feed	6-44-17	300 KVA	Specification 2122 & Addendum
	6-44-23	1000 KVA	Specification 2122 & Addendum




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 24940 - 4160 V Loop Feed 	6-45-15	225 KVA	Specification 2128 & Addendum
15 KV Switching Cubicle 2 Way - c/w Interrupter 3 Way 321, (600A LI), (200A 3PH FI) 321, (600A LI), (600A 3PH FI) 422, (200A LI), (200A 3PH FI)x2 413, (600A LI), (200A 3PH FI)x3 switch type/sources/interrupter	 6-53-01 6-53-06 6-53-07 6-53-08 6-53-11 6-53-12	NOTE: Joslyn Fuses Load Interrupter = LI, Fault Interrupter = FI 600 Amp 600 Amp 600 Amp S&C 933212-M1P103T1-E243 S&C 853212-L2M10P94P103-E135 S&C 934222-M4P94P103ST2-S356 S&C 924132-L2M10P94P103	6-72-06 + 7-51-20 Specification 2220 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210
15 KV Switching Cubicle 440, (600A LI) 422, (600A LI), (200A 1PH FI)x2 431, (600A LI), (200A 3PH FI) 422, (600A LI), (200A 3PH FI)x2 532, (600A LI), (200A 3PH FI), (200A 1PH FI) 532,(600A LI), (200A 3PH FI)x2 6 Way - c/w Interrupter - 624	 6-53-14 6-53-15 6-53-16 6-53-17 6-53-19 6-53-21 6-53-31	S&C 934402-M1P103P94-S243 S&C 934222-L2M10P94P103T0-S411 S&C 934312-M1P103T1-E151 S&C 924222-L2M10P94P103 S&C 935322-L2M10P94P103T1-S175 S&C 925322-L2M10P94P103-S175 600 Amp 200 Amp	 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
25 KV Switching Cubicle			
3 Way - c/w Interrupter - 321	6-55-03	200 Amp 200 Amp	Spec 2200 & 2210
3 Way - 330	6-55-06	600 Amp	Spec 2200 & 2210
321, (600A LI), (200A 3PH FI)	6-55-07	S&C 933213-L2M10P94P103T1-E139	Spec 2200 & 2210
321, (600A LI), (200A 1PH FI)	6-55-09	S&C 933213-L2M10P94P103T0-E140	Spec 2200 & 2210
4 Way - 440	6-55-10	200 Amp	Spec 2200 & 2210
25 KV Switching Cubicle			
4 Way - c/w Interrupter - 422	6-55-11	200 Amp 200 Amp	Spec 2200 & 2210
422, (600A LI), (200A 1PH FI)x2	6-55-15	S&C 934223-M1P94T0-E203	Spec 2200 & 2210
422, (600A LI), (200A 3PH FI)x2	6-55-17	S&C 934223-M1P94T2-E203	Spec 2200 & 2210
6 Way - c/w Interrupter - 624	6-55-31	600 Amp 200 Amp	Spec 2200 & 2210
switch type/sources/interrupter			
Precast Concrete Base for Padmount Transformer			
Three Phase Box Pad	6-58-06	500 KVA & Up 1.630 x 1.895 x 1.150 m - Pad (64" x 74" x 45") Appr 6650 lbs	Dwg WS-263


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Fibreglass Pad for Padmount Transformers			
Single Phase Short	6-59-01	42" x 48" x 15" Top opening 26"x 12"	Dwg. WS-421
Single Phase Standard 4500 kg/9900 lb	6-59-02	38" x 50" x 28" Top opening 30"x 20"	SCT 02902
	6-59-05	66" x 58" x 28" Top opening 39"x 15"	Dwg. WS-420
Three Phase Large (Can be used S&C 2, 3, & 4 Way Sw Cub) 8200 kg/18,040 lb	6-59-06	69" x 63" x 28" Top opening 45" x 16" (10,000 lbs)	SCT 02903
S&C 2 Way Interrupter	6-59-08	63" x 69" x 28"	SCT 02911
Fibreglass Pad for Dry Type Transformers	6-59-10	31" x 25" x 28" No Cut Out	SCT 02909
Precast Concrete Box Base for Switching Cubicle	6-61-03	1.524 x 2.222 x .991m 60" x 87" x 39" Approx. 3660 lbs	Dwg. WS-241
3 Way Switch	6-61-05	1.498 x 1.664 x .990m 59" x 66" x 39" Approx 3270 lbs	Dwg. WS-257
	6-61-07	1.498 x 1.981 x .990m 79" x 60" Approx. 3620 lbs	Dwg WS-264
4 Way Switch	6-61-09	1.905 x 2.007 x .990m 75" x 79" x 39" Approx. 4080 lbs	Dwg. WS-266




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Precast Concrete Box Base for Switching Cubicle Canada Power Products 6 Way	6-61-11	2.310 x 1.752 x .991m 90" x 69" x 39" Approx. 4420 lbs	Dwg WS-298
Precast Concrete Box Base for Switching Cubicle For S & C 2, 3 & 4 Way For S & C 3 & 4 Way (old) For S & C 5 & 6 Way For S & C 4 Way	6-61-14 6-61-15 6-61-16 6-61-18	1.930 x 1.651 x .990m 76" x 65" x 39" 1.930 x 1.752 x .990m 76" x 69" x 39" Approx. 4713 lbs 2.692 x 1.752 x .990m 106" x 69" x 39" Approx. 5972 lbs 87" x 54.25" x 39" Approx. 4000 lbs	Dwg Ws-365 Dwg Ws-361-2 Dwg Ws-362-2 Dwg Ws-422
Precast Concrete Box Base for 150 to 500 KVA Transformer	6-61-23	64" x 56" x 39" 1.626 x 1.422 x .991m	Dwg Ws-383

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Pedestal - Metering	6-63-10		Dwg L2-209-01
Pedestal - Base (for above pedestal)	6-63-12		Dwg L2-209-01
Pedestal - Metered	6-63-14	200 AMP 240/480 V	Dwg L2s-235
Fault Indicator 	6-66-10	100 Amp Adaptive trip LED, 4 hour reset	FP 1548FH-BNC3-L- N-A-A
Test Tool 	6-66-20	Test & Reset Tool	FP AT2186-10
	6-66-30	Lithium Battery	FP A615
	6-66-40	Battery Renewal Sticker	FP H2403-10
Fault Indicator Fits Test Point on Elbow 	6-67-01	200 Amp Elbow 400 Amp Trip	ELMD TPMVF-LT CP STLO
	6-67-02	600 Amp Elbow 800 Amp Trip	ELMD TPMVF-HT CP STHI
Fits on Cable 	6-67-03	800 Amp Trip	CP SDHI-4 (Cooper Only)


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Elbow 200 Amp 	6-70-04 6-70-05 6-70-07	200 AMP 25 KV #1 STR. Posi-break 200 AMP 15KV 2/0 5 KV XLPE 200 AMP 15 KV #1 STR UD Cable	CP PLE 225D05T0 ELMD 166LRR-FA-250 RTE2604600-B-05-2/0 ELMD 166LR-B-5230 RTE LE215A05T
Elbow 600 Amp c/w Copper Compatible Connector 	6-70-08 6-70-09 6-70-12 6-70-15 6-70-17 6-70-20	25 KV 500 MCM 25 KV 350 MCM 15 KV 250 MCM 15 KV 500 MCM 15 KV 750 MCM 5 KV 500 MCM	T&B K656 LRTP-L-0330-DRG 3M 62LCT2L18AD-JB T&B K656 LRTP-L-0300-DRG 3M 62LCT2L15AD-JB T&B 656 LRTP-J-0280-DRG 3M 62LCT2H13AC-JB T&B 656 LRTP-K-0330-DRG 3M 62LCT2K18AD-JB T&B 656 LRTP-L-0380-DRG 3M 62LCT2M23AD-JB T&B 656 LRTP-H-0330-DRG 3M 62LCT2H18AC-SLP-JB
Elbow 600 Amp c/w Copper Compatible Connector  Elbow Kit Components • T-Body - K656BLR • Lug – 037000230 • Plug & Cap – K650BIP • Cable Adapter – 655CA-F	6-70-40	15 KV #1	T&B K656 LR-F-0230 3M 62LCT2J8AC-JB




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Elbow 600 Amp Cold Shrink T-Body Kit  Kit Components T-Body, 15/16" Threaded Shear-Bolt Lug, Stud, Silica Gel LRTP & Cap OR Insulating Plug & Cap are separate from T-Body Kit	6-70-50 6-70-55	15 KV #1AWG (6-70-40) 15 KV 250 MCM (6-70-12) 5 KV 500 MCM (6-70-20) 15 KV 500 MCM (6-70-15) 15 KV 750 MCM (6-70-17) 25 KV 350 MCM (6-70-09) 25 KV 500 MCM (6-70-08)	RICHARDS/3M 62CSHT1OR1-15/16-JB RICHARDS/3M 62CSHT1PR4-15/16-JB
LRTP 200 Amp 15/16" Threaded  Protective Cap is not included and needs to be ordered separately Will only fit onto T-Bodies that are equipped with 15/16" lugs	6-70-60 6-70-65	15 KV Protective Cap 6-81-00 25 KV Protective Cap 6-81-04	3M P615LRTP CP LRTP615 HUB LRTP615 T&B 650LRTPA3 3M P625LRTP CP LRTP625 HUB LRTP625 T&B K650LRTPA2
Insulating Plug & Cap Assembly 11/16" Non-Threaded 	6-70-70	15 - 25 KV	3M 625HIP CP DIP625A HUB 625BIP T&B K650BIP

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Compression Lug 	6-71-01 6-71-05 6-71-06 6-71-07	#1AWG 11/16" Non- Threaded Bimetal 250 MCM 15/16" Non- Threaded Bimetal 500 MCM 15/16" Non- Threaded Bimetal 750 MCM 15/16" Non- Threaded Bimetal	RICHARDS/3M P7ALCU-08 RICHARDS/3M P7ALCU-13-15/16 RICHARDS/3M P7ALCU-18-15/16 RICHARDS/3M P7ALCU-23-15/16
Bushing Well Insert 	6-72-00 6-72-02	200 Amp 15 KV 200 Amp 25 KV	ELMD 1601A4 RTE LBI215X ELMD 2701A4 RTE LBI225X
Feed Y-Bushing 	6-72-03 6-72-04	200 Amp 15 KV 200 Amp 25 KV	ELMD 1602A3 RTE 2637869C01 ELMD 2702A1 RTE 2637881-C01MC
Bushing Well Insert - Fused use 7-51-20 fuse fuse holder 200 amp bushing use with 7-51-21 fuse	6-72-06 6-72-08	15 KV 25 KV	ELMD FH15 ELMD FH27




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Feed-Through c/w Universal Mount 15/25 KV 600 Amp 	6-74-32 6-74-33 6-74-34	2 Position 3 Position 4 Position	RIC 625JD62B ELMD 650J2-U RIC 625JD63B ELMD K650J3-U RIC 625JD64B ELMD 650J4-U
Feed Through Connectors c/w U-Straps 15/25 KV Compatible with 6-77-05  	6-75-01 6-75-03 6-75-05	1 200 A Well, 2 600 A Bushings 3 200 A Well 3 600 A Bushings	Eaton JBI25C1W2BU Eaton JBI25C3WPS Eaton JBI25C3BU
Portable Feed-Through 	6-76-01 6-76-02	2 Position 200 Amp 15 KV 2 Position 200 Amp 25 KV	CP LPF215H ELMD 164FT RTE 2637167C01M ELMD 271FT



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Cabinet for Mounting Feed Through Connectors 	6-77-05	3 Position Compatible with: 6-75-01 & 6-75-05	Eaton SEC34823F0000MGG
Base Fiberglass for Feed Through Connector Cabinet	6-77-10		GS304822
Standoff Bushing 	6-78-01 6-78-03 6-78-05	200 Amp 15 KV 600 Amp 15 KV or 25 KV 200 Amp 25 KV	ELMD 161S0P CP ISB215 ELMD K650S0P RTE 2604791B01 ELMD 272S0P RTE 2625064B01-MC

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Fused Elbow 200 Amp 15 KV 	6-79-01 6-79-03	#1 - 15 KV CN 3 - 45 Amp Fuse #1 - 15 KV CN 65 - 80 Amp Fuse	ELMD 168FLR1-B0230 ELMD 168FLR3-B0230
Arrestor Elbow 200 Amp 	6-79-11 6-79-12	15 KV 25 KV	ELMD 167ESA-10 RTE 323811C10M ELMD 273ESA-18 RTE 3238019C18M
Protective Cap 	6-81-00 6-81-02 6-81-04	200 Amp 15 KV 600 Amp 15 KV or 25 KV 200 Amp 25 KV Posi-break	CP LPC215 HUB 215ICI T&B 160DRG 3M 21LBICG CP 2625041A01 ELMD 656 DR CP PLPC225 HUB 9U01BEW500 T&B 273DRG 3M 22LBICG


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Bushing Well 	6-84-01	200 Amp 15 KV or 25 KV	ELMD K1601PCC
One Piece Bushing with Clamping Plate 	6-85-03	600 Amp 15 KV or 25 KV	RTE Body-2637019B04 Clamp-2637023B01 Gasket-0501517A20 Stud-2638100B03
Single Phase Overhead Distribution Transformer 2400 - 120/240 	6-90-05 6-90-07 6-90-10 6-90-16	50 KVA 75 KVA 100 KVA 167 KVA	Spec 1100 & Addendum Spec 1100 & Addendum Spec 1100 & Addendum Spec 1100 & Addendum

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Single Phase Overhead Distribution Transformer 4160 - 347 	6-90-33	333 KVA SPECIAL ORDER	Spec 1100 & Addendum PARKTOWN HOTEL
Single Phase Overhead Distribution Transformer 2 HV Bushings 14.4 KV - 120/240 	6-91-05	50 KVA	Spec 1100 & Addendum
	6-91-07	75 KVA	Spec 1100 & Addendum
	6-91-10	100 KVA	Spec 1100 & Addendum
	6-91-16	167 KVA	Spec 1100 & Addendum
Single Phase Overhead Distribution Transformer Single HV Bushing 14.4 KV - 120/240 	6-91-23	37 KVA	Spec 1100 & Addendum
	6-91-25	50 KVA	Spec 1100 & Addendum
	6-91-27	75 KVA	Spec 1100 & Addendum
	6-91-30	100 KVA	Spec 1100 & Addendum
	6-91-31	167 KVA	Spec 1100 & Addendum




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Three Phase Overhead Distribution Transformer 4160 - 240 	6-92-07	75 KVA	Spec 1101 & Addendum
	6-92-11	112 KVA	Spec 1101 & Addendum
	6-92-15	150 KVA	Spec 1101 & Addendum
	6-92-22	225 KVA	Spec 1101 & Addendum
Three Phase Overhead Distribution Transformer 4160 - 120/208 	6-93-07	75 KVA	Spec 1101 & Addendum
	6-93-11	112 KVA	Spec 1101 & Addendum
	6-93-15	150 KVA	Spec 1101 & Addendum
	6-93-22	225 KVA	Spec 1101 & Addendum
Three Phase Overhead Distribution Transformer 4160 - 347/600 	6-94-11	112 KVA	Spec 1101 & Addendum
	6-94-15	150 KVA	Spec 1101 & Addendum
	6-94-22	225 KVA	Spec 1101 & Addendum




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Three Phase Overhead Distribution Transformer 14.4 KV - 120/208 	6-95-07	75 KVA	Spec 1101 & Addendum
	6-95-11	112 KVA	Spec 1101 & Addendum
	6-95-15	150 KVA	Spec 1101 & Addendum
	6-95-22	225 KVA	Spec 1101 & Addendum
Three Phase Overhead Distribution Transformer 14.4 KV - 347/600 	6-96-11	112 KVA	Spec 1101 & Addendum
	6-96-15	150 KVA	Spec 1101 & Addendum
	6-96-22	225 KVA	Spec 1101 & Addendum
Single Phase Overhead Distribution Transformer Single HV Bushing 8320 - 120/240 	6-97-03	37 KVA	Spec 1100 & Addendum
	6-97-05	50 KVA	Spec 1100 & Addendum
	6-97-07	75 KVA	Spec 1100 & Addendum
	6-97-10	100 KVA	Specification 1 & Addendum
	6-97-12	167 KVA	Spec 1100 & Addendum




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Single Phase Overhead Distribution Transformer Single HV Bushing 8320 - 240/480 	6-97-15	50 KVA	Spec 1100 & Addendum
Single Phase Overhead Distribution Transformer 2 HV Bushings 8320 - 120/240 	6-97-25 6-97-27	50 KVA 75 KVA	Spec 1100 & Addendum Spec 1100 & Addendum
Three Phase Overhead Distribution Transformer 14.4 KV - 240 	6-98-09	112 KVA	Spec 1101 & Addendum

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Three Phase Overhead Distribution Transformer 24940 - 240 	6-98-17 6-98-25	75 KVA 150 KVA	Spec 1101 & Addendum Spec 1101 & Addendum
Three Phase Overhead Distribution Transformer 24940 - 120/208 	6-98-27 6-98-31 6-98-35 6-98-42	75 KVA 112 KVA 150 KVA 225 KVA	Spec 1101 & Addendum Spec 1101 & Addendum Spec 1101 & Addendum Spec 1101 & Addendum
Three Phase Overhead Distribution Transformer 24940 - 347/600 	6-98-51 6-98-62	112 KVA 225 KVA	Spec 1101 & Addendum Spec 1101 & Addendum


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Secondary Terminal Block	7-04-20	6 Position C/W Cover	HOM FS6-125
Rubber Sleeve	7-04-30		CP CSN-2011
Transformer Bushing Primary Voltage	7-05-06	14.4 KV	FER-P B101024180
	7-05-20	25 KV	WEST Dwg. POB DL25A
SMU-40 Fuse Unit Standard 	7-41-40	200 AMP 15 KV 25,000 Interrupting	S&C SMU-40-144 No Subs

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
EE1-Nema Universal Screw 23" Button Link Type "K" Fast 	7-42-06	6 Amp	AB M6KA23 CP FL3K6 KRN 31006
	7-42-08	8 Amp	AB M8KA23 CP FL3K8 KRN 31008
	7-42-10	10 Amp	AB M10KA23 CP FL3K10 KRN 31010
	7-42-12	12 Amp	AB M12KA23 CP FL3K12 KRN 31012
EE1-Nema Universal Screw 23" Button Link Type "K" Fast 	7-42-15	15 Amp	AB M15KA23 CP FL3K15 KRN 31015
	7-42-20	20 Amp	AB M20KA23 CP FL3K20 KRN 31020
	7-42-25	25 Amp	AB M25KA23 CP FL3K25 KRN 31025
	7-42-30	30 Amp	AB M30KA23 CP FL3K30 KRN 31030
EE1-Nema Universal Screw 23" Button Link Type "K" Fast 	7-42-40	40 Amp	AB M40KA23 CP FL3K40 KRN 31040
	7-42-50	50 Amp	AB M50KA23 CP FL3K50 KRN 31050
	7-42-65	65 Amp	AB M65KA23 CP FL3K65 KRN 31065
	7-42-80	80 Amp	AB M80KA23 CP FL3K80 KRN 31080


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
EE1-Nema Universal Screw 23" Button Link Type "K" Fast 	7-42-81	100 Amp	AB M100KA23 CP FL3K100 KRN 31100
	7-42-83	140 Amp	AB M140KA23 CP FL3K140 KRN 31140
	7-42-85	200 Amp	AB M200KA23 CP FL3K200 KRN 31200
EE1-Nema Universal Screw 23" Button Link Type "T" Slow 	7-43-06	6 Amp	AB M6TA23 CP FL3T6 KRN 51006
	7-43-08	8 Amp	AB M8TA23 CP FL3T8 KRN 51008
	7-43-12	12 Amp	AB M12TA23 CP FL3T12 KRN 51012
	7-43-15	15 Amp	AB M15TA23 CP FL3T15 KRN 51015
EE1-Nema Universal Screw 23" Button Link Type "T" Slow 	7-43-20	20 Amp	AB M20TA23 CP FL3T20 KRN 51020
	7-43-25	25 Amp	AB M25TA23 CP FL3T25 KRN 51025
	7-43-30	30 Amp	AB M30TA23 CP FL3T30 KRN 51030
	7-43-40	40 Amp	AB M40TA23 CP FL3T40 KRN 51040

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
EE1-Nema Universal Screw 23" Button Link Type "T" Slow 	7-43-50	50 Amp	AB M50TA23 CP FL3T50 KRN 51050
	7-43-65	65 Amp	AB M65TA23 CP FL3T65 KRN 51065
	7-43-80	80 Amp	AB M80TA23 CP FL3T80 KRN 51080
	7-43-81	100 Amp	AB M100TA23 CP FL3T100 KRN 51100
EE1-Nema High Surge 23" Button Link Type "H" 	7-45-01	1 Amp	CP FL3H1
	7-45-02	2 Amp	CP FL3H2
	7-45-03	3 Amp	CP FL3H3
	7-45-05	5 Amp	CP FL3H5
Distribution Fuse Link Type "X" 	7-46-67	250X Amp 7.5 KV	PUR UAX 75250
	7-46-68	300X Amp 7.5 KV	PUR UAX 75300
	7-46-76	200X Amp 15 KV	PUR SX 15200

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Distribution Fuse Link Type "F"	7-46-87	250F Amp 7.5 KV	PUR UAF 75250
	7-46-88	300F Amp 7.5 KV	PUR UAF 75300
	7-46-98	300F Amp 15 KV	PUR UAF 15300
Padmount Fuse Unit 8 KV	7-47-12	12K Amp	S&C 511012R1
	7-47-15	15K Amp	S&C 511015R1
	7-47-20	20K Amp	S&C 511020R1
	7-47-25	25K Amp	S&C 511025R1
Padmount Fuse Unit 8 KV	7-47-30	30K Amp	S&C 511030R1
	7-47-40	40K Amp	S&C 511040R1
	7-47-50	50K Amp	S&C 511050R1

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Plastic Latch 	7-48-01	For NX Hinged Fuses 7-48-xx	CP FM2E1C
Indoor Current Limiting Fuse Type NX - 4.3 KV 	7-48-12 7-48-18 7-48-25 7-48-35	12 Amp 18 Amp 25 Amp 35 Amp	CP FA2A12 CP FA27A18 CP FA27A25 CP FA27A35
Indoor Current Limiting Fuse Type NX - 4.3 KV 	7-48-50 7-48-75 7-48-81	50 Amp 75 Amp 100 Amp	CP FA27A50 CP FA27A75 CP FA27A100

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Indoor Current Limiting Fuse Type NX - 15.5 KV	7-49-12	12 Amp	CP FA30A12
	7-49-18	18 Amp	CP FA30A18
	7-49-25	25 Amp	CP FA30A25
	7-49-40	40 Amp	CP FA30A40
Outdoor Current Limiting Fuse 8.3 KV 	7-49-43	25 Amp	Specification 1 AB K-Mate-25 C70L31KABO
	7-49-45	40 Amp	Specification 1 AB K-Mate-40 C70L21KABO
Indoor Loadbreak Switchblade Type NX - 8.3 KV 	7-49-50	200 Amp	CP FA7B1 CP FA1B1


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Fuse Holder for Wet Well Assembly Side Wall Mounted 	7-49-56	14.4 KV	RTE 4001030B52M
Fuse Cartridge With End Plug 	7-49-58	14.4 KV	RTE 4001686-A-53
Padmount Bayonet Fuse Dual Sensing 	7-49-60	8 Amp	RTE 4000358C05
	7-49-61	15 Amp	RTE 4000358C08
	7-49-62	25 Amp	RTE 4000358C10
Padmount Bayonet Fuse Current Sensing 	7-49-65	40 Amp	RTE 4000353C12
	7-49-66	65 Amp	RTE 4000353C14
	7-49-67	100 Amp	RTE 4000353C16
	7-49-68	140 Amp	RTE 4000353C17

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Padmount Oil Immersible Bayonet Fuse 15.5 KV Current Limiting Clip Style Current Limiting Back-Up Screw Type Current Limiting Back-Up Clip Style 	7-49-70 7-49-78 7-49-79	8 Amp 100 Amp 100 Amp	RTE 3534008M11 RTE 3544100M51 RTE 3544100M11
Padmount Dry Canister Clip Style Fuse Type NX 4.3 KV 	7-49-82 7-49-83	50 Amp 75 Amp	CP FA1H50 CP FA1H75
Padmount Dry Canister Clip Style Fuse Type NX 15.5 KV 	7-49-86 7-49-87 7-49-88 7-49-89	6 Amp 8 Amp 10 Amp 12 Amp	CP FA4H6 CP FA4H8 CP FA4H10 CP FA4H12


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Padmount Dry Canister Clip Style Fuse Type NX 15.5 KV 	7-49-91	18 Amp	CP FA4H18
	7-49-92	25 Amp	CP FA4H25
	7-49-93	40 Amp	CP FA4H40
Padmount Dry Canister Clip Style Fuse Type CX 15.5 KV 	7-49-95	8C Amps	CH 5980C19G07
Drywell Canister	7-49-97	14.4KV	


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Current Limiting Fuse Holder for Drywell Canister 	7-49-98 7-49-99	14.4 KV 14.4 KV	CGE 7559ZB1099 CGE 7559ZB3199
Refill Power Fuse Unit Type SM-4 - 7.2 KV	7-50-02 7-50-04 7-50-06	40E Amp Std 50E Amp Std 200E Amp Slow	S&C 121060R4 S&C 121075R4 S&C 251300R4
Refill Power Fuse Unit Type SM-4 - 14.4 KV	7-50-07 7-50-08	100E Amp Std 200E Amp Std	S&C 122150R4 S&C 122300R4



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Refill Power Fuse Unit Type SM-5 - 14.4 KV 	7-50-12 7-50-16 7-50-18 7-50-20	80E Amp Std 125E Amp Slow 200E Amp Slow 400E Amp Std	S&C 132125R4 S&C 262200R4 S&C 262300R4 S&C 132600R4
Power Fuse Barrel Type Sm-4 - Outdoor (Without snuffler)  Type SM-4S - Indoor (With snuffler)	7-50-40 7-50-41	200E Amp 7.2 KV 200E Amp 7.2 KV	S&C 86051 S&C 86631R1
Power Fuse Type RBA-ROB-400	7-50-50	250E Amps 15 KV	WEST 423D815A44

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Switching Cubicle Fuse 	7-51-01	8.3 KV 200 Amp Current Limiting c/w cartridge	RTE 3437851B01M
	7-51-05	25 KV SLC-90 Current Limiting	AB C705-0424
	7-51-07	25 KV SLE-90 Oil Expulsion	AB E553-3651
	7-51-09	25 KV 95A 65E ELSC	RTE 3595065M02M
Elbow Fuse 8.3 KV ** For in field replacement only Not compatible with current 6-79-01	7-51-11	8 Amp (use with 6-79-01)	ELMD EFX 083 008-E
	7-51-12 **	8 Amp	JOS PF8-8
	7-51-13	30 Amp (use with 6-79-01)	ELMD EFX 083 030-E
** For in field replacement only Not compatible with current 6-79-01	7-51-15 **	30 Amp	JOS PF8-30
	7-51-16	45 Amp (use with 6-79-01)	ELMD EFX 083 045-E
	7-51-17	65 Amp (use with 6-79-03)	ELMD EFX 083 065-E
	7-51-18	80 Amp (use w 6-79-03)	ELMD EFX 083 080-E
SF6 Power Fuse			
Joslyn Switching Cubicle 1132-S (use with 6-72-06)	7-51-20	100 Amp 15 KV	ELMD F100K-15
Joslyn Switching Cubicle 1101-S (use with 6-72-08)	7-51-21	140 Amp 15 KV	JOS F140K-15
	7-51-30	65 Amp 25 KV	ELMD F65K27

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Plug Fuse - 120 Volt 	7-52-06 7-52-10 7-52-20 7-52-30	6 Amp 10 Amp 20 Amp 30 Amp	GLD G-6 (No Subs) GLD G-10 (No Subs) GLD GP-20 (No Subs) GLD GP-30 (No Subs)
One Time Fuse - 250 Volt, 10 KA Class H Ferrule Type 	7-53-10 7-53-15 7-53-20 7-53-30 7-53-50 7-53-60	10 Amp 15 Amp 20 Amp 30 Amp 50 Amp 60 Amp	NRN 10 NRN 15 NRN 20 NRN 30 NRN 50 NRN 60
Mini Fuse One Time - 600 Volt, 100 KA Ferrule Type For 120V, 240V & 347V Fixtures 	7-53-68 7-53-70 7-53-74 7-53-76	6 Amp 10 Amp 20 Amp 30 Amp	BUSS KTK-6 MER ATM6 BUSS KTK-10 MER ATM10 BUSS KTK-20 MER ATM20 BUSS KTK-30 MER ATM30


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Mini Fuse Neutral Link 	7-53-98		SHAW MNL30
One Time Fuse - 250 Volt Knife Blade Type 	7-54-07 7-54-10	70 Amp 100 Amp	
PT Fuse 	7-63-01 7-63-07 7-63-08 7-63-09 7-63-11 7-63-12 7-63-15	3/10 Amp, 2400 Volt 2E Amp, 4800 Volt 1/2E Amp, 7200 Volt 1/2E Amp, 14400 Volt 1E Amp, 14400 Volt 1E Amp 1/2 Amp, 25 KV	BUSS BNF1 GE 328L497G13 S&C 271000 GE 328L497G19 S&C T1265 Brush 15-12CAV1E GE 328L0497G20 EATON 25CLPT-.5



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Secondary Fuse for Padmount Transformer & Pedestal 600 Volt HRC Form J Type	7-65-15	150 Amp	EE C150J SHAW A4J150
Limiter Fuse for Pedestal 	7-65-16 7-65-17	150 Amp Old Style - Pre 1990 150 Amp New Style - After 1990	BUR LF1025 BUSS UHW-K
Limiter Fuse For Pedestal Terminal Block	7-65-20 7-65-22 7-65-24	# 2 str. cu 2/0 str. cu 4/0 str. cu	CAB 2CL2BF FER 2CL2BF CAB 2CL20BF FER 2CL20BF CAB 2CL40BF FER 2CL40BF



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Current Limiting Fuse HRC Form J 600 Volt 200,000 Amp Interruption 	7-65-40	400 Amp	EE C400J
Network Limiter Fuse 600 Volt 200,000 Amp Interruption 	7-65-61	# 2	GLD CP2C3
	7-65-63	2/0	GLD CP20C3
	7-65-65	500 MCM	BUSS TYPE KDM GLD CP500C3
Secondary Network Protector Fuse	7-65-67	600 Volt 2000 Amp 3 Hole	WEST 1300553
	7-65-68	600 Volt 2500 Amp 4 Hole	WEST 1332318

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Network Fuse 	7-65-70	600 Volt 30 Amp 200 KA	BUSS KTKR-30 SHAW ATMR30
In-Line Fuseholder 	7-65-71	600 Volt 30 Amp 200 KA	SHAW FEC-11-11-BA
Waterproof Sleeve 	7-65-72		BUSS 1A0512 SHAW FSB1
Primary Network Limiter Fuse Control Cabinet	7-65-84	1 AMP 200,000 KA	BUSS KTK GLD ATMR1
	7-65-86	5 AMP 200,000 KA	BUSS KTK GLD ATMR5
Network Fuse Type MPL	7-66-01	2825 Amp	WEST 140D318G02


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Network Limiter Protection Rubber Sleeve 	7-69-00		HOM FS1175 GLD CPB10 part A2576B
Tape PVC  Self Amalgamating Polyisobutylene Rotunda Selotape 	7-72-01 7-72-03 7-72-05 7-72-07 7-72-09	3/4" x 66' 3/4" x 66' x .0085" (For Winter Use) 2"x36 yards x .0085" 1" x 30' Linerless 2" x 30'	3M Temflex 3M - #88 3M #88-2" 3M - #130C Scapa 2501-2
Tape  Semi-Conducting Silicon Splicing Busbar Heatshrink Insulation	7-72-16 7-72-20 7-72-38	3/4" 1" x 30' 2" x 25'	3M #13 (No Substitutes) 3M #70 (No Substitutes) RAY HVBT-2-R




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Braid Tinned Copper Tinsel  Flexible 	7-72-40 7-72-42	5/16" 18" Strap	Belden 8663 BUR BD18
Phase Tape Red Yellow Blue White	7-72-60 7-72-61 7-72-62 7-72-63	3/4" x 66' 3/4" x 66' 3/4" x 66' 3/4" x 66'	3M Colourflex-Red 3M Colourflex-Yellow 3M Colourflex-Blue 3M Colourflex-White
Phase Marker Disc Type Red Yellow Blue 	7-72-76 7-72-77 7-72-78		

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Omni Marker Balls Red - Power	7-72-80	Part #160	
Cable Tags 	7-72-90 7-72-91 7-72-92 7-72-93	North South East West	
Duxseal 	7-73-01	1 lb. Pug	



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Aquaseal 	7-73-03	1/8" x 3 3/4" x 10'	KRN 104742
Cable Prep Kits	7-73-04	CC2	3M
Cadweld Thermite Cartridge 	7-74-06 7-74-09 7-74-11 7-74-20	#65 #90 #115 #200	CAD 90PLUSF20 CAD 115PLUSF20 CAD 200PLUSF20

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Man Hole Lid	7-78-01	813mm (32")	Dwg. A1s-103
Man Hole Frame	7-78-03	813mm (32")	Dwg. A1s-103
Man Hole Collar	7-78-05	50mm (2")	Dwg. A1s-103
Stress Cone Kit Indoor	7-80-13	500 MCM-25 KV XLPE CN	ELMD 35MSC-JA
	7-80-17	1000 MCM - 15 KV XLPE Sh	ELMD 35MSC-KB
Stress Cone Kit - Cold Shrink Indoor	7-80-50	500 to 1000 MCM	3M 7645-T-110

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Shield Adapter for Cold Shrink Stress Cones Constant Force Springs	7-82-04	Up to 500 MCM	3M CFS-0.80/1.50
Use with 7-72-40	7-82-10	750 MCM and over	3M CFS-1.50/3.00
Stress Cone Kit Cold Shrink Concentric Neutral Outdoor	7-83-15	5 KV 4/0 - 400 MCM 15 KV #2 - 4/0 25 KV #2 - 1/0	3M 7652-S-4
	7-83-19	5 KV 500-750 MCM 15 KV 4/0 - 500 MCM 25 KV 2/0 - 250 MCM	3M 7654-S-4
	7-83-21	15 KV 750 MCM 15 KV 1000 MCM	3M 7655-S-4
Kellems Grip Mounting Bracket	7-85-02		CP DM9B1
			

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Cable Hanger Kellems Grip 	7-86-02	#1 - 15 KV 250 MCM - 15 KV #1 - 25 KV	ELMD 35MTB1-B
	7-86-04	250 MCM - 15 KV 500 MCM - 15 KV 500 MCM - 5 KV	ELMD 35MTB1-A
	7-86-06	750 MCM - 15 KV 1000 MCM - 15 KV	ELMD 35MTB1-D
Cable Hanger Kellems Grip For Substations Only 	7-86-12	500 MCM - 15 KV Grip Range 1.562"-1.687"	HUB 07401034
	7-86-16	750 MCM - 15 KV Grip Range 1.812"-1.937"	HUB 074011031
	7-86-17	1000 MCM - 15 KV Grip Range 2.062"-2.187"	HUB 074011033
Cable Support Bracket  	7-86-22	Cable OD Range 1.0" - 1.25"	3M MB-3
	7-86-24	1.0" - 1.5"	3M MB-4
	7-86-26	1.5" - 2.0"	3M MB-5
	7-86-28	2.0" - 2.5"	3M MB-6

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Hooks for Cable Hangers  	7-86-50 7-86-55	For Wood Poles For Steel Poles	MAC P J3316P SL 1316 MAC P U2398
Kellems Grip Support for Three Cables Standard 	7-87-01 7-87-02 7-87-03 7-87-04	3.50 - 3.99" 750 MCM - 15 KV 3.00 - 3.49" 500 MCM - 15 KV 500 MCM - 25 KV 2.50 - 3.00" 250 MCM - 15 KV 2.00 - 2.49" #1 - 15 KV 250 MCM - 5 KV #1 - 25 KV	HUB 022-01-012 HUB 022-01-011 HUB 022-01-010 HUB 022-01-009
Kellems Grip Support for Three Cables Split 	7-87-11 7-87-12 7-87-14	3.50 - 3.99" 750 MCM - 15 KV 3.00 - 3.49" 500 MCM - 15 KV 500 MCM - 25 KV 2.00 - 2.49" #1 - 15 KV 250 MCM - 5 KV #1 - 25 KV	HUB 022-03-012 HUB 022-03-011 HUB 022-03-009

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Splice Kit - One Piece 	7-88-05 7-88-13 7-88-15 7-88-17	#1 - 25 KV To meet IEEE Standard 404 500 MCM - 15 KV 750 MCM - 15 KV 500 MCM - 25 KV	ELMD 25 PCJ-1G2 230 CP SP25B003C ELMD 15PCJ1K2330 RTE 2604904 B35M ELMD 15PCJ1M2380 RTE 2604904 B09M ELMD 25PCJ1L2330
Re-Jacketing Kit - Cold Shrink (Special instruction sheet in kit)	7-88-30 7-88-33	For use with 7-88-05 For use with 7-88-13, 7-88-15 & 7-88-17	3M SJ-1A 3M SJ-3A
Separable Splice Parts Straight Receptacle Housing 	7-89-01 7-89-02 7-89-12 7-89-14	600 Amp 15 KV 600 Amp 15 KV 600 Amp 15 KV 600 Amp 15 KV	ELMD K655 YBSR ELMD K6561-HP ELMD K655-YDR ELMD K650 YB1P
Housing 			
Insulated Cap c/w Bail 			
Insulated Plug c/w Test Point 			


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Separable Splice Parts 2 Way Insulated Bus Bar c/w Testpoint 	7-89-22	600 Amp 15 KV	ELMD K656I-BUS
3 Way Insulated Bus Bar 	7-89-23	600 Amp 15 KV	ELMD K656CY-BUS
4 Way Insulated Bus Bar 	7-89-24	600 Amp 15 KV	ELMD K656CH-BUS
Compression Lug 	7-89-32	500 MCM	ELMD 03702330
	7-89-33	750 MCM	ELMD 03702380
600 Amp Splice Parts Cable Adapter 	7-90-03	2/0 5KV Rubber 250MCM-5KV XLPE #1 - 15 KV XLPE CN or Sh	ELMD 655CA-F
	7-90-07	250MCM-5KV Rubber 500MCM-5KV XLPE CN or Sh	ELMD 655CA-H
	7-90-09	500 MCM - 5 KV Old Cable 250 MCM - 15 KV XLPE Sh	ELMD 655CA-J
600 Amp Splice Parts Cable Adapter 	7-90-11	500 MCM - 5 KV Rubber 500 MCM - 15 KV XLPE Sh & UD 350 MCM - 25 KV XLPE UD	ELMD 655CA-K
	7-90-13	500 MCM - 25 KV XLPE CN Injection adapter for 250 MCM	ELMD 655CA-L
	7-90-15	750 MCM - 15 KV XLPE CN or Sh Injection adapter for 500 MCM	ELMD 655CA-M


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
600 Amp Splice Parts Retaining Ring 	7-90-20 7-90-21 7-90-22 7-90-24	250 MCM STR 350 MCM STR 500 MCM STR 750 MCM STR	ELMD 650ARR-0280 ELMD 650ARR-0300 ELMD 650ARR-0330 ELMD 650ARR-0380
Heat Shrink Splice 600 Volt 	7-91-03 7-91-04 7-91-06 7-91-07	#6 to 4/0 .25" - .86" #2 to 500 MCM .35"- 1.22" 250 - 1000 MCM .70" - 1.96" 500 - 1500 MCM 0.86" to 2.48"	RTE WCSM 24/6-1200-S RTE WCSM 34/8-1200-S RTE WCSM 56/16-1200-S RTE WCSM 70/20-1200-S
Heat Shrink Splice Clear 600 Volt	7-91-21	2/0 Ground Leads 1" x 48"	3M 3MFP301



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Cold Shrink Splice 	7-92-11	5 KV up to 250 MCM 15 KV #1	3M 5415A PRY 15SDJCE-C
	7-92-13	5 KV 500 MCM 15 KV 250 MCM 25 KV #1 (use connector 5-08-65)	3M 5456A PRY 25SEJCE
	7-92-15	15 KV 500 MCM 25 KV 500 MCM (use connector 5-08-70)	PRY 15SFJCE-C PRY 25SIJCE 3M 5457A (both)
	7-92-16	15 KV 500 - 750 MCM Transition (Special instruction sheet in kit)	3M 5417A
	7-92-17	15 KV 750 MCM	3M 5458A PRY 15SIJCE
Cold Shrink Splice 	7-92-21	1000 Volt #6 - #4	3M 8423-6
	7-92-23	1000 Volt #2 - 1/0	3M 8425-8
	7-92-25	1000 Volt 2/0 - 250 MCM	3M 8426-11
	7-92-27	1000 Volt 500 MCM - 800 MCM	3M 8428-18
Grounding Sock for Splice Kits  Product is non current carrying	7-93-02	4/0 500 MCM	3M Product #SS 2



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Relay Feeder Management GE Multilin	8-10-10		GE 760-P5-G5-S5-HI-A1-R-E
Meter Seal ROTO Tooled Toolless	8-70-20 8-70-21	4"x.014"x8" wire 4"x.014"x8" wire	BRO ROTO SEAL 7050801-27 BRO ROTO SEAL 7470801-27
Meter Seal Plastic: Black White Orange 	8-70-25 8-70-30 8-70-35	Stamped C.O.S. 1 Stamped C.O.S. 2 Stamped C.O.S. 3	(Numbered Consecutively) BRO 6302000-8-10 Model HL-8 BRO 6302000-8-10 Model HL-8 Model HL-8



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Padlock Seal White with Green 	8-70-40	Stamped "SL&P Illegal to Tamper"	BRO 8001-SL&P
Meter Blankoff Cover Clear Polycarbonate	8-72-10		
Handi-Ring Screw Type Stainless Steel Locking Barrel  Cap Seal for Locking Barrel 	8-73-00 8-73-10 8-73-15	F Style Key	EKS 10-9090 BRO 8730019 BRO 9750000-1


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Adapter, Interbase Low Profile 4 Jaw	8-87-50		EKS LP-4J
Socket Adaptors			
SSD 2W Single Phase Residential	8-88-00	2 Wire, 120 Volt	BRO 1300002
SHD 3W Single Phase Residential	8-88-05	3 Wire, 240 Volt	BRO 1300024
STR 2W Single Phase Trans Type	8-88-10	2Wire, 240 Volt	BRO 1300051
PTR K 3 Phase Trans Type	8-88-15	3 Wire, 120/240 Volt	BRO 0820014
PTR N 3 Phase Trans Type	8-88-20	4 Wire, Auto Range Voltage	BRO 0820020
Current Transformer - 600 Volt Class Type MV-7 3 Wire	8-91-05	50/50:5	
	8-91-10	100/100:5	
	8-91-15	150/150:5	
	8-91-20	200/200:5	
	8-91-30	300/300:5	
** Discontinued MV6's will be returned from the field.			

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Current Transformer - 600 Volt Class Type MV-7 3 Wire  ** Discontinued MV6's will be returned from the field.	8-91-40 8-91-50 8-91-60 8-91-80	400/400:5 500/500:5 600/600:5 800/800:5	
Current Transformer - 700 Volt Class Type MV-7 2 Wire 	8-92-10 8-92-20 8-92-30 8-92-40 8-92-50	100:5 200:5 300:5 400:5 500:5	
Current Transformer 700 Volt Class Type MV-7 2 Wire  R6L c/w bar assembly	8-92-60 8-92-80 8-92-81 8-92-82 8-92-83	600:5 800:5 1000:5 1200:5 2000:5	ITRON 9092356-729

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Current Transformer - 5 KV Class Type MV-50 2 Wire 	8-93-02 8-93-05 8-93-07 8-93-10	25:5 50:5 75:5 100:5	
Current Transformer - 5 KV Class Type MV-50 2 Wire 	8-93-15 8-93-20 8-93-30 8-93-50	150:5 200:5 300:5 500:5	
Current Transformer - 5 KV Class Type MV-50 Dual Ratio	8-93-53	100/50:5	



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Single Phase Dry Type Transformer - 600 - 120/240V Single Phase Epoxy Filled 600 - 120/240V Used in Vaults Three Phase 600 - 240V Delta Nema 3 Enclosure Three Phase 600 - 120/208V Nema 3 Enclosure	8-96-25 8-96-36 8-96-74 8-96-75	25 KVA 37 KVA 75 KVA 75 KVA	FER-P MARC RES37.5A2 BEM UC3075S240DD Nema 3R BEM UC3075V Nema 3R
Test Block Single Phase 	8-97-01		States Co. 80K04-A
Test Block - Three Phase Three Wire 	8-97-03		SANG 909501


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Test Block - Three Phase Four Wire 	8-97-06	Screw Type Compression Terminal	SANG 909523-101 BRO 110-J6543-NF
Primary Metering Unit Three Phase Dry Type 	8-98-10	14400/8320 Primary 200/100:5 Current	ABB CMU33-110 SPEC 1510

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Rigid Two Hole Pipe Strap 	9-04-31	1/2"	
	9-04-32	3/4"	
	9-04-33	1"	
	9-04-34	1 1/4"	
Rigid Two Hole Pipe Strap 	9-04-35	1 1/2"	
	9-04-36	2"	
	9-04-37	3"	
	9-04-38	4"	
Pyrotenax Clip 	9-05-01	426/465	
	9-05-02	396/425	
	9-05-03	346/387 2 Way	




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
HDPE Pipe	9-10-15	100 mm (4")	Specification 2412
	9-10-16	125 mm (5")	Specification 2412
Duct Pipe PVC DB2	9-10-25	4" 20' Lengths	
	9-10-26	5" 20' Lengths	
Bend for PVC DB2 Duct Pipe 4" Flared End	9-11-04	90 Degree 24" Radius	IPEX 129047
	9-11-06	90 Degree 36" Radius	IPEX 129095
	9-11-10	11 1/4 Degree 60" Radius	IPEX 129116
	9-11-12	22 1/2 Degree 60" Radius	
	9-11-14	45 Degree 60" Radius	
	9-11-16	90 Degree 60" Radius	IPEX 129096



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Bend for PVC DB2 Duct Pipe 5" Flared End	9-11-22	22 1/2 Degree 42" Radius	IPEX 129249
	9-11-24	45 Degree 42" Radius	IPEX 129117
	9-11-26	90 Degree 42" Radius	IPEX 129097
Bellend for PVC DB2 Duct Pipe	9-12-00	4" Flared	IPEX 029064 (Bell 40) NO SUBS
	9-12-01	4" Flared c/w Knockout Plug	IPEX 029827
	9-12-20	5" Flared	IPEX 029065 (Bell 50) NO SUBS
Plug for Bellend	9-13-00	4" Use with 9-12-00	IPEX 029078
	9-13-20	5" Use with 9-12-20	IPEX 029079


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Coupling for PVC DB2 Duct Pipe 	9-14-04	1 1/2" (Rubber)	Fernco 1056-150
	9-14-05	2" (Rubber)	Fernco 1056-22
	9-14-06	1 1/2" - 2" (Rubber)	Fernco MR56-215
	9-14-07	2" (Threaded)	CG 08566540
	9-14-08	2" (Corrugated) Complete with threading	
	9-14-09	2" PVC Coupler	
	9-14-10	4" PVC Coupler	
	9-14-11	4" Thin to Thick Wall	IPEX 29184 4" ARLG Duct-Conduit
Coupling for PVC DB2 Duct Pipe 	9-14-12	4" 5 Degree Bend	IPEX 029044
	9-14-15	5" - 4" Reducing	IPEX 029026
	9-14-18	5" 5 Degree Bend	IPEX 029045
	9-14-20	5" PVC	
	9-14-21	5" Thin to Thick Wall	
	9-14-22	5" Rubber	
Spacer for PVC DB2 Duct Pipe 	9-15-01	Base 4" x 1 1/2"	IPEX 029573 No Alternate Supplier Unless Approved
	9-15-02	Intermediate 4" x 1 1/2"	IPEX 029557 No Alternate Supplier Unless Approved

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Spacer for PVC DB2 Duct Pipe 	9-15-20 9-15-22 9-15-30 9-15-32	Base 5" x 1 1/2" Intermediate 5" x 1 1/2" Base 5"x 2" Intermediate 5"x 2"	IPEX 029576 No Alternate Supplier Unless Approved IPEX 029560 No Alternate Supplier Unless Approved IPEX 029577 IPEX 029561
Expansion Joints for PVC Rigid Conduit	9-16-02 9-16-04 9-16-05	2" 4" 5"	SCEP EJ35 SCEP EJ55 IPEX EJ60
PVC Duct Primer	9-18-01	950 ml	SCEP S100TQT
PVC Duct Cement	9-18-10	950 ml	SCEP S100QT
PVC To HD Polywater Bonduit	9-18-20		BT-KITB6

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Sceptacon Pipe	9-20-22	2" x 20 FT 1900 FT/Lift	IPEX 106421
	9-20-41	4" x 10 FT 540 FT/Lift	IPEX 106440
	9-20-42	4" x 20 FT 1080 FT/Lift	IPEX 106441
	9-20-51	5" x 10 FT 380 FT/Lift	IPEX 106450
	9-20-52	5" x 20 FT 760 FT/Lift	IPEX 106451
Sceptacon Locking Strap	9-21-02	2" Pipe	IPEX
	9-21-04	4" Pipe	IPEX
	9-21-05	5" Pipe	IPEX
Sceptacon Repair Kit Conduit Rigid & DB2	9-21-14	4" Conduit EPR55	IPEX 077957
	9-21-15	5" Conduit EPR60	IPEX 077956
Sceptacon Adapter Kit Conduit Rigid to DB2	9-21-24	4" Conduit EPRA55	IPEX 077854
	9-21-25	5" Conduit EPRA60	IPEX 077855

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Drop In Anchor 	9-30-06 9-30-08 9-30-09	NO SUBS 1/4" Bolt Size 3/8" Bolt Size 1/2" Bolt Size	Anchor Products Power Fasteners 6304SD 6306SD 6308SD
Single Phase Capacitor Unit Single Bushing 2400 V, No Rack 	9-31-10 9-31-20	100 KVAR 200 KVAR	GE 54L221RC5 Specification 6 Specification 6
Single Phase Capacitor Unit Double Bushing 14.4 KV, No Rack 	9-32-10 9-32-20	100 KVAR 200 KVAR	GE 54L383RC41 Specification 8 Specification 8

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Single Phase Capacitor Unit Double Bushing 14.4 KV, No Rack	9-33-10	100 KVAR	GE 37V54L383WC48 Specification 2
	9-33-20	200 KVAR	GE 17V58L400WC59 Specification 2
Three Phase Capacitor Bank 4160 V, c/w Rack	9-34-30	300 KVAR	GE 2V33F4130BA3 Specification 5
	9-34-60	600 KVAR	Specification 5
Three Phase Capacitor Bank 14.4 KV c/w Rack	9-35-50	300 KVAR	Specification 1
	9-35-60	600 KVAR	Specification 1
	9-35-70	1200 KVAR	GE 36F3144-1 Specification 1

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Three Phase Capacitor Bank 25 KV, c/w Rack	9-36-60	600 KVAR	Specification 7
Master Padlock  	9-38-05 9-38-07 9-38-08	#3 Smaller #1 #1 Long Shank	Keyed to 3543 Keyed to 3543 Keyed to 3543 Master 1KALJ
Yale Locks High Line Switch	9-38-14		Yale #870B Keyed to A25444

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Padlock For Metering Equipment 	9-38-20 9-38-25	3" Shackle 1 1/2" Shackle	Brooks 4920571 Brooks 4920541
Bandit 	9-40-04 9-40-06	3/4" Stainless Steel 3/4" Black	BAND C20699 BAND C206C9-P900
Bandit Buckles 	9-41-04 9-41-06	3/4" Stainless Steel 3/4" Black	BAND C25699 BAND C25699-D900

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Heater Cabinet 	9-50-80	800W 120V C/W Thermostat	
Grounding Ferrules - Plain Type	9-60-01	2/0	AB C600-2632
	9-60-02	4/0	AB C600-2633
Grounding Ferrules - Threaded Shrouded Type	9-61-01	2/0 Copper	AB C600-2624
	9-61-03	Copper Tin Plated 2/0	MACP 01-M-038-2/0

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Shrink Tubing for Ferrules	9-61-12	9"	AB P600-2069P HA P50349-9
Clamps - Ground	9-62-01	#6 - 950 MCM	AB C600-0434
Clamps - Plain Eye Screw Switch	9-63-01	3/4" x 1/8" flat - 2 1/2" x 1/4" flat	MP 01-M-037 No Substitutions

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Stud - Clamp Support	9-64-01	2 1/2"	AB G3626
	9-64-03	1"	MACP HC-30029-1
Grounding Cable	9-65-01	Yellow Jacket 2/0	S6118
	9-65-02	Yellow Jacket 4/0	S6119
Ty-Wraps - White 	9-70-05	5" x .14"	T&B TY24M
	9-70-07	7" x .19"	T&B TY25M
	9-70-11	11" x .19"	T&B TY253M
	9-70-13	13" x .27"	T&B TY27M
	9-70-14	14" x .14"	T&B TY244M

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Ty-Wraps - Black 	9-71-05 9-71-07 9-71-11 9-71-13 9-71-14 9-71-30	5" x .14" 7" x .19" 11" x .19" 13" x .27" 14" x .14" 30" x .27" FOR BANNERS	T&B TY24MX T&B TY25MX T&B TY253MX T&B TY27MX T&B TY244MX T&B TY29M0 T&B TY29MX WURTH 553.59010M
Overhead Cable Support Ty-Wraps  Spacer 	9-72-00 9-72-05	50 Per Bag 250 Per Bag	T&B CSS-135 T&B CSS-360
Cinch Tie with Grommet 	9-75-12 9-75-18	12" 18"	PAND UGCTC3S-XO PAND UGCTC5S-XO

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Locate Flags - For Buried Cable	9-80-00	Red	Harvest Community
Gloves HV Class 0 14"	9-90-10	SZ 10	
	9-90-11	SZ 11	
	9-90-12	SZ 12	
	9-90-15	SZ 10.5	
	9-90-70	SZ 7.0	
	9-90-80	SZ 8.0	
	9-90-85	SZ 8.5	
	9-90-90	SZ 9.0	
	9-90-95	SZ 9.5	
Gloves HV Class 1 16"	9-91-10	SZ 10	
	9-91-11	SZ 11	
	9-91-12	SZ 12	
	9-91-15	SZ 10.5	
	9-91-70	SZ 7.0	
	9-91-80	SZ 8.0	
	9-91-85	SZ 8.5	
	9-91-90	SZ 9.0	
	9-91-95	SZ 9.5	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Gloves HV Class 2 16"	9-92-10	SZ 10	
	9-92-11	SZ 11	
	9-92-12	SZ 12	
	9-92-15	SZ 10.5	
	9-92-70	SZ 7.0	
	9-92-80	SZ 8.0	
	9-92-85	SZ 8.5	
	9-92-90	SZ 9.0	
	9-92-95	SZ 9.5	
Gloves HV Class 3 18"	9-93-10	SZ 10	
	9-93-11	SZ 11	
	9-93-12	SZ 12	
	9-93-15	SZ 10.5	
	9-93-70	SZ 7.0	
	9-93-80	SZ 8.0	
	9-93-85	SZ 8.5	
	9-93-90	SZ 9.0	
	9-93-95	SZ 9.5	
Mitts HV Class 2 16"	9-94-10	SZ 10	
	9-94-11	SZ 11	
	9-94-90	SZ 9.0	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Mitts HV Class 3 18"	9-95-10 9-95-11 9-95-90	SZ 10 SZ 11 SZ 9.0	