



Saskatoon Light & Power Inventory Catalogue

Revised May 26, 2026

Product Approval and Inclusion Process for Saskatoon Light & Power Catalogue

At the City of Saskatoon – Saskatoon Light & Power, we are always on the lookout for innovative and high-quality products to enhance our catalogue and better serve our customers. If you have a product that you believe aligns with an item in our catalogue, then we encourage you to follow the steps below for product approval:

1. Product Submission:

- a. Please prepare a comprehensive product proposal that includes detailed information about your product such as features, specifications, and any relevant certifications.
- b. Attach high-quality images or product renders that showcase the product from different angles.

2. Compliance and Certification:

- a. Ensure that your product complies with industry standards and regulations.
- b. If applicable, include any certifications or test reports that demonstrate the product's safety and quality.

3. Contact Information:

- a. Include your complete contact information including the name, email address, and phone number of a dedicated representative we can reach out to for further discussion.

4. Samples for Evaluation:

- a. If possible, offer product samples for our team to evaluate the quality, functionality, and overall appeal of your product.

Please submit the above information to saskatoon.light.power@saskatoon.ca with the subject line 'Inventory Catalogue Submission for Review', and our team will carefully review your proposal. We appreciate your interest in partnering with Saskatoon Light & Power and look forward to the possibility of adding your products to our catalogue.

TABLE OF CONTENTS

Index.....	iii
Supplier's Codes	vii
Section 1 Pole Line Hardware	1 – 1
Anchors	
Bolts	
Braces And Brackets	
Washers	
Guy Wire	
Section 2 Wire / Cable / Cutouts, etc.	2 – 1
Clamps & Grips	
Lubricant	
Cutouts and Arrestors	
Insulators	
Wire & Cable	
Section 3 Distribution Poles	3 – 1
Wood Poles	
Steel Poles	
Fibreglass Poles	
Section 4 Street Lighting	4 – 1
Refractors	
Ballasts	
Fixtures & Lamps	
Streetlight Poles & Arms	
Photo Electric Cells	
Section 5 Connectors	5 – 1
Connectors	
Compression Sleeves	
Bolted Lugs	
Section 6 Transformers.....	6 – 1
Padmount Transformers	
Switching Cubicles	
Concrete Bases	
Elbows & Accessories	
Overhead Transformers	

TABLE OF CONTENTS

Section 7	Fusing & Splicing.....	7 – 1
	Transformer Bushings	
	Fuses	
	Tape	
	Markers	
	Solder	
	Kellems Grips	
	Stress Cone Kits	
	Underground – Splice Parts	
	Heat Shrink	
Section 8	Switchgear & Metering.....	8 – 1
	Relay	
	Meter Seals	
	Current Transformers	
	Test Blocks	
Section 9	Ducts, Grounding, Cable Injection & Miscellaneous.....	9 – 1
	Pipe Straps	
	Duct Pipe	
	Anchors	
	Capacitors	
	Locks	
	Bandit	
	Grounding	
	Ty-Wraps	
	Gloves & Mitts	
Section 10	Clothing.....	10 – 1
	FR Pullover Top	
	FR Button Up Top	
	FR Work Pants	
	FR Cargo Pants	
	FR Coveralls (Lined and Unlined)	
	FR Bid Overalls (Lined and Unlined)	
	FR Hooded Fleece	
	FR Winter Jacket	
	FR Rain Overalls	
	FR Rain Jackets	
	FR Balaclava/ Neck Gaiter/ Toque	
	FR Hard Hat Liner	

TABLE OF CONTENTS

Section 11	Landfill Gas Generation	11 – 1
	Service Items	
	Ignition System	
	Coolant System	
	Turbo Exhaust	
	Fuel Train	
	General Engine	
	Engine Controls	
	Starter	

INDEX

ADAPTERS

Base Plate for Steel Pole	4-13
Interbase Low Profile.....	8-14
Socket.....	8-14
Steel Pole Tenon	4-13

AGS UNIT	2-5
-----------------------	-----

AMPACTS	5-6-7
----------------------	-------

ANCHORS

Pole Key.....	1-2
Drop In.....	9-8
Helix.....	1-1
Rod.....	1-1
Shackle.....	1-15

ARMS (see Street Lighting)

ARMOUR RODS	2-24
--------------------------	------

ARRESTORS	2-13
------------------------	------

AQUASEAL	7-23
-----------------------	------

BALLASTS	4-32
-----------------------	------

BANDIT & BUCKLES	9-11-12
-----------------------------------	---------

BANNER HARDWARE	4-33
------------------------------	------

BASES

Break Away Reaction Plates.....	4-14
Concrete	6-10-12
Decorative	4-1, 9
Fiberglass	6-10, 21
Mounting for Epoxy Crossarm	1-8
Precast Streetlight	4-1
Precast Switching Cubicle	6-11
Precast Transformer	6-10
Steel Anchor.....	4-1

BAYONET	1-9
----------------------	-----

BOLLARDS	1-2
-----------------------	-----

BOLTS

Carriage.....	1-3-4
Double Arming	1-3
Lag	1-6
Machine.....	1-4-6

BRACES

Alley Arm	1-7
Angle Arm	1-7
Cross Arm	1-8

BRACKETS

Bullhorn	4-12
Cable Support.....	7-27

BRACKETS – continued

Decorative Backing	4-11
Kellems Grip Mounting.....	7-25
Mid-Span Triplex.....	1-9
Network	1-23-24
Standoff	1-9
Transformer Mounting.....	1-10

BRAID	7-20
--------------------	------

BULL LINE	2-7
------------------------	-----

BUMPER POST	1-2
--------------------------	-----

BUSHING WELL	6-23
---------------------------	------

BUSHING WELL INSERTS	6-18
-----------------------------------	------

BUSHINGS

Adapter	6-19
One Piece.....	6-23
Standoff	6-21
Transformer	7-2

CABINETS	6-21
-----------------------	------

CABLE	2-26-37
--------------------	---------

CABLE SUPPORTS

Kellems.....	7-27-28
--------------	---------

CADWELD CARTRIDGES	7-24
---------------------------------	------

CAPACITOR BANKS	9-9-10
------------------------------	--------

CAPACITOR UNITS	9-8-9
------------------------------	-------

CAPS

Protective	6-22
Photo Cell Shorting.....	4-28-29

CHAIN LINK	1-15
-------------------------	------

CINCH TIES & TY-WRAPS	9-15-16
--	---------

CLAMPS

Bonding Jumper.....	5-6
Cable Cleats	2-20-21
Ground Rod	2-5
Guy	1-15
Hot Line	2-7
Deadend Strain.....	2-3
Service Wedge	2-2
Suspension	2-5

CLEVISES	1-10, 11, 14
-----------------------	--------------

COLD SHRINK

Splice	7-31-32
--------------	---------

COMPOUNDS

Splicing.....	2-7
---------------	-----

INDEX

CONNECTORS

Ampact.....	5-6-7
Bolted.....	5-20
Buchanan.....	5-15
Compression.....	5-18-20
GelCap.....	5-14
Parallel, Groove, Compression.....	5-1-4
Shearbolt.....	5-17-18
Sleeves.....	5-8-15
Split Bolt.....	5-4-5
Station.....	5-21-22
Stirrup.....	5-7-8
Two Bolt.....	5-5
Type "T".....	5-20

CONTACTORS..... 4-30

Coils.....	4-30
------------	------

COUPLINGS

Ground Rod.....	2-6
-----------------	-----

COVERS

Meter Blankoff.....	8-13
---------------------	------

CROSSARMS..... 1-11-12

CURRENT TRANSFORMERS..... 8-15-17

CUTOUTS..... 2-9-10, 13

DAMPERS..... 2-26

DEADENDS

Automatic.....	2-2
Compression.....	2-1-2

DUCT

Bellend.....	9-4
Bends.....	9-3-4
Couplings.....	9-5
Pipe.....	9-2-3, 7
Spacers.....	9-6

DUPLEX..... 2-29

DUXSEAL..... 7-22

ELBOWS & ACCESSORIES..... 6-15-23

ELECTRICAL BOXES

Receptacles, Covers, accessories.....	4-34
---------------------------------------	------

EXTENSIONS

Steel Streetlight Pole.....	4-14
-----------------------------	------

FAULT INDICATORS..... 6-13-15

FEED-THROUGHS..... 6-19-20

FIBRE OPTIC CABLE..... 2-36-37

FITTINGS

Ball Clevis.....	1-13
Clevis – Clevis.....	2-1
Guy.....	1-15-17
Socket Eye.....	1-13
Clevis Socket.....	1-12
Y Clevis.....	1-14

FIXTURES..... 4-16-26

FR CLOTHING

FR Balaclava.....	10-10
FR Cargo Pants Men's.....	10-3-4
FR Cargo Pants Women's.....	10-4-5
FR Hard Hat Liner.....	10-10
FR Hooded Fleece.....	10-8
FR Lined Bib Overalls.....	10-8
FR Neck Gaiter.....	10-10
FR Rain Jackets.....	10-10
FR Rain Overalls.....	10-9-10
FR Shirts Buttoned Men's.....	10-2
FR Shirts Buttoned Women's.....	10-2
FR Shirts Pullover Men's.....	10-1
FR Shirts Pullover Women's.....	10-1
FR Unlined Bib Overalls.....	10-7
FR Unlined Coveralls.....	10-6-7
FR Winter Jacket.....	10-9
FR Work Pants Men's.....	10-3
FR Work Pants Women's.....	10-3-4

FUSES

Elbow.....	7-14
Ferrule.....	7-15
Knife Blade.....	7-16
Limiting.....	7-17-18
Network.....	7-18-19
Neutral Link.....	7-15
Padmount.....	7-6-11
Plug.....	7-14
Power.....	7-12-13
PT.....	7-16
Switching Cubicle.....	7-13
Type K.....	7-2-3
Type T.....	7-4
Types H, X, F.....	7-5

INDEX

GEL CAPS	5-14	LANDFILL GAS GENERATION continued	
GLOBES		General Sensors	11-3
Washington Fixtures	4-33	Ignition System.....	11-4-6
GLOVES	9-16-17	Oil System	11-4
GRIPS		Service Items	11-1-3
Preformed Deadend.....	2-3-4	Turbo Exhaust.....	11-11-12
Preformed Guy.....	1-15	LOCKS	9-10-11
GROUND ROD	2-6	LUBRICANTS	
GROUNDING MATERIAL	9-12-14	Cable Pulling	2-8
GUARDS	1-18	Switch Contact.....	2-8
		Termi Kit	2-8
HANDI-RING	8-14	LUGS	
HEAT SHRINK		Bolted.....	5-16-17
Splice.....	7-31	Compression	5-18-20
HEATER CABINET	9-12		
HOOKS		MAN HOLE	7-24
Cable Hangers	7-27	MARKERS	
Hooks & Arms for U/G Cable Rack	1-19-20	Cable Tags	7-22
		Omni Balls Red.....	7-22
		Phase.....	7-22
INSULATORS		MITTS	9-18
Ball and Socket	2-16	MOULDING	
Cable Rack	2-21	Ground Wire	2-22
Clevis	2-15		
Epoxy Deadend.....	2-17	NUTS	
Fiberglass Guy Strain.....	1-29	Galvanized	1-25, 27
Guy Strain	2-15	Eye	1-20
Indoor Switching Cubicle	2-22	Lock	1-21
Phase Conduction Spacing.....	2-17	Pisa.....	1-1
Pin Type.....	2-14	Thimble Eye.....	1-20-21
Polymer	2-17-18		
Post.....	2-18-20	OIL SWITCHES	2-23 & 4-29
Station Post	2-19-19		
Suspension	2-16	PADLOCKS	9-11
Triplex Spreader Block	2-22	PEDESTALS	6-12-13
		PHOTO ELECTRIC CELLS	4-28-29
JUNCTION BOX	6-13	Bracket.....	4-29
		Shorting Cap	4-28-29
LAMPS	4-26-27	PINS	
LANDFILL GAS GENERATION		Insulator	1-21-22
Coolant System	11-6-10	PIPE	
Engine Controls.....	11-15-16	Bends	9-3-4
Fuel Train.....	11-12-14	Cement/Primer	9-7
General Engine.....	11-14-15		

INDEX

PIPE - continued

Duct.....	9-2-3
Galvanized.....	9-2
HDPE.....	9-2-3
Sceptacon.....	9-7
Spacers.....	9-6
Straps.....	9-1

PLASTIC LATCH..... 7-6

POLES (DISTRIBUTION)

Steel.....	3-1-2
Fiberglass.....	3-2
Wood.....	3-1

POTENTIAL TRANSFORMERS.... 8-17-18

PREFORMED

Armour Rod.....	2-24
Composite.....	2-25
Plastic Line.....	2-24
Super Top Ties.....	2-25

PRIMARY METERING UNIT..... 8-19

PYROTENAX CLIPS..... 9-1

QUADRIplex..... 2-29

RACKS..... 1-23

REFRACTORS

Wallpack Fixtures.....	4-33
------------------------	------

RELAY FEEDER..... 8-1

RISERS

Fibreglass.....	1-18
Plastic.....	1-18

SEALS

Meter.....	8-12-13
Padlock.....	8-13

SLEEVES

Compression.....	5-8-15
Guy Wire Serving.....	1-16

SOCKETS

Pig Tail.....	4-28
---------------	------

SPLICE KITS

Grounding Sock.....	7-33
Underground.....	7-22-30

STAPLES

Moulding.....	1-25
---------------	------

STREET LIGHTING

Arms.....	4-3-6, 8-12
Hand Hole Assembly.....	4-15
Poles.....	4-2-10
Pole & Fixture Combination.....	4-23
Relays.....	4-29
Shims.....	1-28
Weatherheads.....	4-31

STRESS CONE KITS..... 7-24-25

SWITCHES

Oil.....	2-23 & 4-29
Three Phase Group Operated.....	2-11-12

SWITCHING CUBICLES..... 6-8-9

TAPE..... 7-20-21

TEST BLOCKS..... 8-18-19

THIMBLE

Eye.....	1-20-21
----------	---------

TRANSFORMERS

Cluster Mount Assembly.....	1-10
Dry Type.....	8-18
Overhead.....	6-23-28
Padmount.....	6-1-8

TRIPLEX..... 2-29

TY-WRAPs & CINCH TIES..... 9-15-16

WASHERS..... 1-25-28

WIRE




Guy.....	1-28
Metering.....	2-35
Streetlight.....	2-33

SUPPLIER CODES




AB	AB Chance	EE	English Electric
ABB.....	ABB Inc.	ELMD.....	Elasimold
AC	Acculite	ENE	Enerscan
ACME	Acme	EPAC.....	EPAC
AE.....	American Electric		
AL.....	Aim Lite	FAN	Fanner
ALUM	Alumaform	FAR	Fargo
AMP	Ampact	FED-P.....	Federal Pioneer
ANSI.....	ANSI	FER.....	Ferraz
AP	Atlas Power	FER-P	Ferranti-Packard
		FP.....	Fisher Pierce
B&T	Bearing & Transmission	GE.....	General Electric
BAND.....	Band-It	GLD.....	Gould
BEL	Beline Manufacturing	GLP	GLP HiTech
BEM	Bemag	GRNL	Greenlee
BET	Bethea	GST&D.....	General Switchgear GST&D
BEV	Bevro		
BLK	Blackburn	HA	Hastings
BM.....	Bren Maur	HCI	HCI Lighting
BRO.....	Brooks	HEL	Helix
BUCH.....	Buchanan	HOL.....	Holophane
BUR.....	Burndy	HOM.....	Homac
BUSS	Buss	HOR.....	Horstmann
		HU	Hughes Bros
		HUB.....	Hubbel
		HYD	Hydel
CAD.....	Cadweld	IBV	Iberville
CAN.....	Canron	IDI	Ideal Electric Industries
CAB.....	Cablelim	ILS.....	ILSCO
CAR.....	Carlton	INT	Intermatic
CC.....	Cross Canada	INV	Inventronics
CG	Condu-Grip	IPEX.....	IPEX
CGE	Canadian General Electric		
CH	Cutler Hammer	JOS	Joslyn
CIM	CIM	JSNA	JS Hardware North America
CLM	CLM Industries		
CON.....	Continental(Maclean Power)	KAB.....	Kabar
COND.....	Condux International	KEE	Keene
CP	Cooper Power	KELL.....	Kellems
		KL.....	K-Line
		KRN.....	Kearney
DG	DG Technologies Ltd.		
DIV	Diversified		
DIX.....	Dixie		
DL.....	Dura-Line		
DULM	Dulmison		
EWC	Eastern Wire & Conduit		
EK.....	Ekstrom		




SUPPLIER CODES




LAND.....	Landmark	REL	Reliable
LAPP	LAPP	RIC	Richards
LAR.....	Larson	RTE	Raychem/Tyco
LED	LED Roadway Lighting		
LEO	Leotek		
LITH.....	Lithonia		
		S&C.....	S & C Electric
		SAFT	Soft Nife Corp
		SAL	Salisbury
MAC P.....	Maclean Power	SANG	Sangamo
MAR.....	Martec	SB	Safety Base
MARC	Marcus	SCEP	Sceptor
MER	Mersen	SCT.....	Structural Composite Technologies
MOL	Moloney	SDL	SDL Lighting
MULT.....	Multicast	SED	Sediver
		SG.....	Structural Glass (SCT)
		SHAW	Shawmut
NAT	National	SL	Slater or Slacan
NED.....	Nedco	SMW	Saskatoon Machine Works
NEX.....	Nexans	SOLA.....	Sola
NGK	NGK Insulators	SQ D.....	Square D
NOR.....	Nordic	SS.....	Safety Supply
		STAN.....	Standard Products
		STAR.....	Star
OB	Ohio Brass (Hubbell Power)	STERN	Sternberg
		STO	Stopaq
		SUPC.....	Support Concepts
		SW	Saskatoon Welding
P&C	Patton & Cooke	SYC	Sycor
PAND	Panduit	SYL	Sylvania
PAY	Payer		
PCL.....	Prairie Central Line		
PE	Perma Engineering Ltd.	T&B.....	Thomas & Betts
PEN	Pencell	TE	TE Connectivity
PER.....	Permal	TORK	Tork
PHI.....	Philips	TRANS.....	Transec
PLP	Performed Lined Products	TRIN.....	Trinetics
POL	Poltec	TRY	Trydor
POLE	Polesystems		
PP.....	Porcelain Product		
PREC.....	Precision	U-LINE.....	U-Line
PRY	Prysmian	UD	Underground Devices
PTS	PTS Potelco		
PU	Penn Union		
PUR	Pursley	VIS.....	Visionaire
R&M.....	R & M Plastics		
RAY.....	Raychem (RTE)	WEST	Westinghouse
RECK	Recknell Industries		

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Multi Helix Anchor</p> 	<p>1-01-48 5001198</p>	<p>Blade 8 Inch</p>	<p>AB E102-1636 JOS J25997CAB1 DIX D-84-2-6</p>
<p>Anchor Rod</p> 	<p>1-01-53 5001199</p>	<p>1" x 7'</p>	<p>AB 12334P KAB K156-23 JOS J12255R DIX D-101</p>
<p>Triple Eye Pisa Nut for Power Anchor</p> 	<p>1-01-63 5001200</p>	<p>1 Inch</p>	<p>AB 12585 JOS J12585 KAB K156-36 DIX D-6567</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Pole Key Anchor use 2 per pole (BOOK OUT SEPARATELY)</p> 	<p>1-01-72 5000000</p>	<p>7" x 27 1/4"</p>	<p>AB P4817</p>
<p>Bumper Post</p> 	<p>1-02-01 5000001</p>	<p>8" Helix, 3 1/2" OD 75" Shaft</p>	<p>AB T1120224</p>
<p>Bollard Plastic Sleeve</p>  <p>Bollard Pipe</p> 	<p>1-03-01 5000002</p> <p>1-03-03 5000003</p>	<p>4" x 52"</p> <p>SCH40 4" x 84"</p>	<p>U-LINE H-6425</p> <p>Russel Metals - pipe is cut from a 252" length 3 pieces at 84"</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Carriage Bolt 	1-08-45 5001201	3/8" x 4 1/2"	HUB 8634 1/2 JOS J8634 1/2
Double Arming Bolt 	1-09-18 5001202 1-09-20 5001203 1-09-22 5001204	5/8" x 18" 5/8" x 20" 5/8" x 22"	SL 9868 HUB 8868 JOS J8868 SL 9870 HUB 8870 JOS J8870 SL 9872 HUB 8872 JOS J8872
Double Arming Bolt 	1-09-24 5001205 1-09-26 5001206	5/8" x 24" 5/8" x 26"	SL 9874 HUB 8874 JOS J8874 SL 9876 HUB 8876 JOS J8876




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Carriage Bolt for Steel Anchors</p> 	<p>1-10-04 500004</p>	<p>1" x 4"</p>	<p>GB5HDG1.4</p>
<p>Machine Bolt</p> 	<p>1-12-05 5001207</p> <p>1-12-06 5001208</p> <p>1-12-07 5001209</p>	<p>1/2" x 5"</p> <p>1/2" x 6"</p> <p>1/2" x 7"</p>	<p>HUB 8705 JOS J8705</p> <p>HUB 8706 JOS J8706</p> <p>HUB 8707 JOS J8707</p>
<p>Machine Bolt</p> 	<p>1-12-08 5001210</p> <p>1-12-10 5001211</p> <p>1-12-12 5001212</p>	<p>1/2" x 8"</p> <p>1/2" x 10"</p> <p>1/2" x 12"</p>	<p>HUB 8708 JOS J8708</p> <p>HUB 8710 JOS J8710</p> <p>HUB 8712 JOS J8712</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Machine Bolt 	1-13-06 5001213 1-13-08 5001214 1-13-10 5001215 1-13-12 5001216	5/8" x 6" 5/8" x 8" 5/8" x 10" 5/8" x 12"	HUB 8806 JOS J8806 HUB 8808 JOS J8808 HUB 8810 JOS J8810 HUB 8812 JOS J8812 T&B BM512
Machine Bolt 	1-13-14 5001217 1-13-16 5001218 1-13-18 5001219 1-13-20 5001220	5/8" x 14" 5/8" x 16" 5/8" x 18" 5/8" x 20"	HUB 8814 JOS J8814 T&B BM514 HUB 8816 JOS J8816 HUB 8818 JOS J8818 HUB 8820 JOS J8820
Machine Bolt 	1-13-22 5001221 1-13-24 5001222	5/8" x 22" 5/8" x 24"	HUB 8822 JOS J8822 HUB 8824 JOS J8824



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Machine Bolt</p> 	<p>1-14-08 5001223</p> <p>1-14-10 5001224</p> <p>1-14-12 5001225</p> <p>1-14-14 5001226</p>	<p>3/4" x 8"</p> <p>3/4" x 10"</p> <p>3/4" x 12"</p> <p>3/4" x 14"</p>	<p>HUB 8908 SL 9908 JOS J8908</p> <p>HUB 8910 SL 9910 JOS J8910</p> <p>HUB 8912 SL 9912 JOS J8912</p> <p>HUB 8914 SL 9914 JOS J8914</p>
<p>Machine Bolt</p> 	<p>1-14-16 5001227</p>	<p>3/4" x 16"</p>	<p>HUB 8916 SL 9916 JOS J8916</p>
<p>Lag Bolt</p> 	<p>1-14-82 5000005</p> <p>1-14-86 5000006</p>	<p>3/8" x 2"</p> <p>1/2" x 4"</p>	<p>HYD 238LG</p> <p>MAC J8754TP</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Grounding Clip #4 For Composite Crossarms	1-15-04 5000007	8 per crossarm, use with #8 x 1" self tapping screws	CLIP236
Alley Arm Brace 	1-17-60 5001228 1-17-84 5000008	60" 84"	HUB 6979 KAB K14-1 HUB 6984
Angle Arm Brace 	1-18-60 5001229 1-18-72 5001230	60" 72"	SL 7953 HUB 6953 JOS J1510 HYD 3460AVB SL 7955 HUB 6955 JOS J1512

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Mounting Base for 138 KV Epoxy Crossarm (Part of Crossarm 1-30-02)</p> 	<p>1-18-80 500009</p>		<p>See 1-30-02</p>
<p>Crossarm Brace</p> 	<p>1-19-24 500010</p> <p>1-19-30 5001231</p> <p>1-19-32 5001232</p>	<p>24 "</p> <p>30"</p> <p>32"</p>	<p>SL 8024</p> <p>SL 8030 HUB 7130</p> <p>SL 8032 HUB 7132</p>
<p>Composite Pole Top Extension</p> 	<p>1-20-02 5029401</p>	<p>54"</p>	<p>PUPI BMM500054SPX2</p>






DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Bayonet, Steel (Corner)</p> 	<p>1-20-04 5000011</p>	<p>84"</p>	<p>HU AS2613-F4</p>
<p>Standoff Bracket with 13/16" Diameter Centre Hole for 3/4" Steel Pin</p> 	<p>1-21-04 5001489</p>	<p>25 KV</p>	<p>PTS PA619H HUB 1SBM18CL MAC P G1MDA118AT</p>
<p>Mid-Span Triplex Bracket</p> 	<p>1-21-06 5000012</p>		<p>Enerscan 2611 NO SUBS</p>







DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Transformer Cluster Mount Assembly</p> 	<p>1-21-44 500013</p>	<p>For 3-Single Phase Trf. from 3kVA to 167kVA</p>	<p>ALUM 15M3-9</p>
<p>Aluminum Platforms</p> <p>6 Foot In-Line</p> <p>20 Foot Across Alley</p> <p>20 Foot Switch Mount</p>	<p>1-22-06 5026797</p> <p>1-22-20 5026799</p> <p>1-22-21 5026801</p>	<p>Centre Capacity</p> <p>5000 LBS</p> <p>6880 LBS</p>	<p>NO SUBS</p> <p>ALUM S2PAL-2-6</p> <p>ALUM EHD2PAL-20</p> <p>ALUM 2B2-20</p>
<p>Clevis - Spool Insulator Type (2-18-13 Insulator)</p> 	<p>1-25-09 5001233</p> <p>1-25-10 5001234</p>	<p>1/2" Pin 3/4" Clevis Bolt Small Secondary</p> <p>5/8" Pin 3/4" Clevis Bolt Large Secondary</p>	<p>HUB 0341 SL 1341 JOS J0313</p> <p>SL 1340 HYD 517CL JOS J0342</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Clevis - Strain Insulator Type 5KV Primary</p> 	<p>1-25-14 5001235</p>	<p>5" x 2 1/2" 1/2" Clevis Bolt</p>	<p>SL 832 JOS J732 HUB 732</p>
<p>Crossarm Composite 8 Foot Tangent C/W Bracket</p> <p>Crossarm Composite 8 Foot Deadend C/W Bracket</p> <p>Crossarm Composite 8 Foot Accessory Arm C/W Bracket</p> <p>Crossarm Composite 8 Foot Alley Arm C/W Bracket and Brace</p>	<p>1-28-08 5000014</p> <p>1-28-18 5000015</p> <p>1-28-28 5000016</p> <p>1-28-38 5024547</p>	<p>3 1/2" x 4 1/2" x 8' 3 Pin</p>	<p>ALUM FTA20-3-96-A-IP-HES PUPI TB22000966742 MACP 3001-178</p> <p>ALUM FDA25-3-96-EB-IP-FG-HYW PUPI DA300096E35562</p> <p>ALUM FTA18-96-A-IP-HXF PUPI TB22000961522 MACP 3001-022</p> <p>PUPI D100345 MACP 3010-073</p>
<p>Fir Crossarm Penta Treated</p> 	<p>1-29-06 5000017</p> <p>1-29-12 5000018</p>	<p>3 1/2" x 4 1/2" x 8' 3 Pin</p> <p>3 3/4" x 4 3/4" x 10' 3 Pin</p>	<p>Dwg. MS-149A</p> <p>Dwg. ST-OH-047</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Epoxy Crossarm 138 KV (Includes Mounting Base 1-18-80)</p> 	<p>1-30-02 5000019</p>	<p>72"</p>	<p>PTS 7588-72TB</p>
<p>Crossarm Composite 10 Foot Tangent C/W Bracket</p> <p>Crossarm Composite 10 Foot Deadend C/W Bracket</p> <p>Crossarm Composite 10 Foot Accessary Arm C/W Bracket</p> <p>Crossarm Composite 10 Foot Alley Arm C/W Bracket and Brace</p>	<p>1-31-08 5024810</p> <p>1-31-18 5024811</p> <p>1-31-28 5024812</p> <p>1-31-38 5024813</p>	<p>3 1/2" x 4 1/2" x 10" 3 Pin</p>	<p>PUPI TB20001205222 MACP 3003-336</p> <p>PUPI DA3000120E34352</p> <p>PUPI TB200001205232 MACP 3003-335</p> <p>PUPI D100346 MACP 3010-072</p>
<p>Suspension Insulator Fitting Clevis Socket</p> 	<p>1-32-11 5001236</p>		<p>SL 60157-C HUB 87603-2000 PLP SC-5194</p>





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Suspension Insulator Fitting Ball Eye 	1-32-13 5024808		HUB BE30CVN
Suspension Insulator Fitting Socket Eye 	1-32-20 5000020	to use with 2-02-45	PLP SE5152
Suspension Insulator Fitting Ball Clevis 	1-32-31 5001237		BET CB55L HUB 70488-2000






DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Y-Clevis Eye Standard</p>  <p>90 Degree</p> 	<p>1-32-40 5001238</p> <p>1-32-41 5024974</p>	<p>for use with 2-02-45</p>	<p>HUB YCS05 MAC P YCE-65-625A PLP YCE-30</p> <p>HUB YCS0590 MAC P RYCE-65-625A PLP YC-5207</p>
<p>Tower U-Bolt</p> 	<p>1-32-50 5024809</p> <p>1-32-51 5024976</p>	<p>3" Spacing</p> <p>3 1/2" Spacing</p>	<p>SL 29788</p> <p>SL 83622</p>
<p>Y Clevis Ball</p>  <p>Y Clevis Ball Extended</p> 	<p>1-32-60 5028528</p> <p>1-32-61 5028529</p>		<p>PLP BYC-120C</p> <p>SL 60968-E6</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Anchor Shackle</p>  <p>Chain Link</p> 	<p>1-32-70 5028537</p> <p>1-32-80 5028538</p>		<p>PLP AS-60LBNK</p> <p>MAC P CL6BCH</p>
<p>Preformed Guy Grip Dead-End</p> 	<p>1-33-00 5001239</p> <p>1-33-03 5001240</p> <p>1-33-07 5001241</p> <p>1-33-11 5001242</p>	<p>5/16"</p> <p>3/8"</p> <p>7/16"</p> <p>1/4"</p>	<p>SL 14066 FAN 5/16 GSBG PLP GDE-2106 HEL 40301-L</p> <p>SL 14055 FAN 3/8 GSBG PLP GDE-2107</p> <p>SL 14056 FAN 7/16 GSBG PLP GDE-2108</p> <p>SL 14052 FAN 1/4 GSBG PLP GDE-2104 HEL 40201-5L</p>
<p>Clamp - 3 Bolt Curved Jaws</p>  <p>Guy Clamp - 3 Bolt</p>  <p>Guy Clamp - Offset</p> 	<p>1-33-13 5001243</p> <p>1-33-14 5001244</p> <p>1-33-15 5001245</p> <p>1-33-16 5001246</p>	<p>For Poly Covered Messenger</p> <p>5/8" Bolts</p> <p>1/4" to 3/8" Strand</p> <p>5/16" to 1/2" Strand</p>	<p>ALLIED BOLT 4080 MAC P PA422</p> <p>HYD 358.GU JOS J931 LAC 744 SL 7461 HUB 6461</p> <p>JOS J926 HUB 6409</p> <p>JOS J927 HUB 6410</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Guy Wire Serving Sleeve</p> 	<p>1-33-17 5001247</p> <p>1-33-18 5001248</p> <p>1-33-19 5001249</p> <p>1-33-20 5001250</p>	<p>1/4" Strand</p> <p>5/16" Strand</p> <p>3/8" Strand</p> <p>7/16" Strand</p>	<p>SL 7452 HUB 6452</p> <p>SL 7453 HUB 6453</p> <p>SL 7454 KAB K49-2 HUB 6454</p> <p>SL 7458 HUB 6455</p>
<p>Guy Wire Splice</p>	<p>1-33-50 5000022</p>	<p>5/16" Strand</p>	<p>T&B ATSG516 MAC P MPS5001</p>
<p>Guy Strut Pole Fitting</p> 	<p>1-33-90 5001251</p>		<p>SL 2056 CP DG9D1 KAB K43-4</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Guy Strut Guy Fitting</p> 	<p>1-33-92 5001252</p>		<p>SL 2057 HUB 0512 KAB K43-3</p>
<p>Guy Fitting</p> 	<p>1-33-94 5001253</p>		<p>SL 7587 HYD 34GH</p>
<p>Clevis Thimble Use with preform on Composite Deadend Crossarm</p> 	<p>1-33-96 5025474</p>		<p>JSNA CLT0570-36K- C1.5 SL 24237-E (80468)</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Guy Guard PVC Plastic - Yellow</p> 	<p>1-34-02 5001254</p>	<p>6'</p>	<p>R&M RMYGG-U-7 IPEX 25602</p>
<p>Fibreglass Cable Guard - Single Riser</p> <p>Fibreglass Cable Guard - Double Riser</p> 	<p>1-34-07 5000023</p> <p>1-34-08 5000024</p>	<p>Holes for Nails to be 3/16"</p> <p>Holes for Nails to be 3/16"</p>	
<p>Plastic Riser</p>  <p>Adapter</p> 	<p>1-34-20 5000025</p> <p>1-34-25 5000026</p>	<p>2" 10 Foot U Guard</p> <p>Adapter 2" Riser</p>	




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Arms - Non Metallic</p>  	<p>1-36-11 5000027</p> <p>1-36-14 5000028</p>	<p>11"</p> <p>14"</p>	<p>UD RA11</p> <p>UD RA14</p>
<p>Arm Lock</p> 	<p>1-36-20 5000029</p>		<p>UD HDL</p>
<p>Cable Rack - Non Metallic</p>  	<p>1-36-24 5000030</p> <p>1-36-36 5000031</p>	<p>24"</p> <p>36"</p>	<p>UD CR24-B</p> <p>UD CR36-B</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Hook for Underground Cable Rack (See 2-20-21 for insulators)</p> 	<p>1-37-07 5001255</p> <p>1-37-10 5001256</p> <p>1-37-13 5000032</p> <p>1-37-21 5000033</p>	<p>7 1/2"</p> <p>10"</p> <p>13 1/4"</p> <p>21"</p>	<p>SL 2132 CP DU5S2</p> <p>SL 2133 CP DU5S3 MACP U625</p> <p>SMW 96022-1</p> <p>SMW 96022-2</p>
<p>Eye Nut</p> 	<p>1-50-00 5001257</p> <p>1-50-01 5001258</p>	<p>5/8" Thread min. eye 1 1/4" x 1 5/8"</p> <p>3/4" Thread min. eye 1 1/4" x 1 5/8"</p>	<p>SL 7502 CP DG3E1 JOS J1092 HUH EN60 T&B K58</p> <p>SL 7503 CP DG3E3 JOS J1093</p>
<p>Thimble Eye</p> 	<p>1-50-03 5001259</p> <p>1-50-04 5001260</p>	<p>5/8" Thread</p> <p>3/4" Thread</p>	<p>SL 7510 JOS J6510 HUB 6510</p> <p>SL 7511 JOS J6511 HUB 6511</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Twin Eye Double Thimble</p> 	<p>1-50-05 5001261</p>	<p>5/8" Thread</p>	<p>JOS J6515 HUB 6560</p>
<p>Lock Nut</p> 	<p>1-51-01 5001262</p>	<p>3/4" Thread</p>	<p>HUB 3513 JOS J8584 HUH MF70</p>
<p>Insulator Pin Steel c/w nylon pins</p> 	<p>1-53-02 5000034</p>	<p>For Insulator with 1" Pin Hole Pin 6" above Crossarm</p>	<p>MAC P J211Z NO SUBS</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Insulator Pin Pole Top c/w nylon pins</p> 	<p>1-53-05 5000035</p>	<p>For Insulator with 1" Pin Hole</p>	<p>JOS J26945Z</p>
<p>Insulator Pin Crossarm Corner</p> 	<p>1-53-09 5000036</p>	<p>For Insulator with 1" Pin Hole For 15 KV 8" height c/w nylon pin & locknut</p>	<p>PCL P402ZPCLSPL</p>
<p>Insulator Pin Steel</p> 	<p>1-53-10 5001490</p>	<p>1" Nylon 5/8" Female Threads</p>	<p>AB 4258P Mac P J2840Z</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Three Spool Secondary Rack</p> 	<p>1-73-03 5000037</p>		<p>HUB C2070050</p>
<p>Underground Cable Rack</p> 	<p>1-73-15 5001263</p> <p>1-73-24 5001264</p> <p>1-73-30 5001265</p>	<p>15"</p> <p>24"</p> <p>30"</p>	<p>SL 2124 HUB C203-1124</p> <p>SL 2125 HUB C203-1125 MACP U618</p> <p>SL 2126 HUB C203-1126 MACP U619 JOS J5126</p>
<p>Aluminum Fibre Optic Bracket Z Bracket</p> 	<p>1-74-00 5000038</p>		<p>SW SW250AFOB2SLP DWG A1s-273</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Network Bus Insulator Bracket</p> 	<p>1-75-01 5000039</p>		<p>Dwg. A1S-104</p>
<p>Network Bus Insulator Bracket</p> 	<p>1-75-02 5000040</p>		<p>Dwg. A1S-105 Rev. 2</p>
<p>Network Bus Termination Bracket</p> 	<p>1-75-04 5000041</p>		<p>Dwg. A1S-137 Rev. 1</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Network Ground Wire Bracket (Stainless Steel)</p> 	<p>1-75-06 500042</p>		<p>Dwg. A1S-134</p>
<p>Moulding Staples</p> 	<p>1-85-02 500043</p> <p>1-85-04 5001266</p> <p>1-85-06 500044</p>	<p>Galvanized</p> <p>2" X 3/4" X 3/16"</p> <p>3" X 1 1/16" X 1/4"</p> <p>4" X 1 1/2" X 1/4"</p>	<p>LAR 340321</p> <p>LAR 321312 HUB C205-0220</p> <p>LAR 322522</p>
<p>Double Coil Lock Washer</p> 	<p>1-92-21 5001267</p> <p>1-92-22 5001268</p> <p>1-92-23 5001269</p>	<p>1/2" Bolt</p> <p>5/8" Bolt</p> <p>3/4" Bolt</p>	<p>JOS J176 AB C205-0185</p> <p>JOS J177 AB C205-0186</p> <p>JOS J178 AB C205-0187</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Nut Galvanized Square 	1-93-13 5000045 1-93-14 5000046	5/8" 3/4"	MP J8563 MP J8564
Split Lock Washer 	1-93-20 5001270 1-93-21 5001271 1-93-22 5001272	3/8" Bolt 1/2" Bolt 5/8" Bolt	SL 22332 CP DF7W1 SL 22333 HUB 4035 SL 22335 HUB 4036 KAB K3-3
Round Flat Washer 	1-93-30 5001273 1-93-31 5001274 1-93-32 5001275	3/8" Bolt 1/2" Bolt 5/8" Bolt	SL 7801 HUB 6801 SL 7803 HUB 6803 KAB K20-2 SL 7805 HUB 6805 KAB K20-3


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Square Flat Washer 	1-93-39 5001276 1-93-40 5001277 1-93-41 5000047 1-93-42 5001278	2" x 2" x 3/16" 11/16" Hole 5/8" Bolt 2 1/4" x 2 1/4" x 3/16" 13/16" Hole 3/4" Bolt 3" x 3" x 1/4" 11/16" Hole 5/8" Bolt 3" x 3" x 1/4" 13/16" Hole 3/4" Bolt	SL 7811 HUB 6813 HYD 3622SW11 SL 7814 JOS J1076 HUB 6814 HYD 3624SW13 SL 7815 CP DF2W7 SL 7817
Square Curved Washer Galvanized 	1-93-50 5001279 1-93-52 5001280	3" x 3" x 1/4" 11/16" Hole 5/8" Bolt 3" x 3" x 1/4" 13/16" Hole 3/4" Bolt	SL 7822 1/2 CP DF4W4 JOS J113 HYD 1433CW11 SL 7825 CP DF4W5 JOS J6823
Nut Galvanized For Street Light Bases	1-94-01 5000048 1-94-02 5000049	1" 1 1/4"	




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Washers Galvanized USS For Street Light Bases	1-94-11 5000050 1-94-12 5000051	1" 1 1/4"	
Shims For Street Lighting	1-94-21 5000052 1-94-22 5000053	1" 1 1/4"	
Guy Wire 	1-95-15 5000054 1-95-16 5000055 1-95-17 5000056 1-95-18 5000057	1/4" 5/16" 3/8" 7/16"	National Strand High Strength Grade 7 Strand Class C Coating High Strength Grade 7 Strand Class C Coating Utilities Grade 7 Strand Class C Coating Utilities Grade 7 Strand Class C Coating






DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Fibreglass Guy Strain Insulators</p> 	<p>1-98-01 5001281</p> <p>1-98-06 5001282</p>	<p>15,000 lb. use with 5/16" guy</p> <p>21,000 lb. use with 3/8" guy</p>	<p>MAC P GCC15-36R2 AP APF136R2</p> <p>MAC P GCC21-36R2 AP APF-236R2 KL KL-36PR</p>





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Compression Deadend One Piece with Eye Fitting</p> 	<p>2-01-05 5000058</p>	<p>477 MCM ALUM</p>	<p>BUR YDWE331AT</p>
<p>Compression Deadend Two Piece with Eye Fitting</p> 	<p>2-01-06 5000059</p> <p>2-01-08 5001487</p> <p>2-01-09 5001488</p>	<p>266.8 MCM ACSR PARTRIDGE</p> <p>336 MCM ACSR ORIOLE</p> <p>477 MCM ACSR HAWK</p>	<p>SL T1305-01 HUB SEDA1109 CICAME TDA-107N</p> <p>SL T1305-07 HUB SEDA1313 CICAME TDA-117N</p> <p>SL T1305-11 HUB SEDA1809 CICAME TDA-125N</p>
<p>Fitting - Clevis - Clevis</p> 	<p>2-01-12 5000060</p>		<p>ALMAT A180-1</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Compression Deadend Network Bus</p> 	<p>2-01-15 5000061</p>	<p>750 MCM Copper</p>	<p>Multicast Inc. Dwg. #A215-011</p>
<p>Automatic Deadend</p> 	<p>2-01-20 5000062</p>	<p>4/0 ALUM or ACSR</p>	<p>FAR GD449</p>
<p>Service Wedge Clamp</p> 	<p>2-02-14 5001283</p>	<p>#2 - #6</p>	<p>BLK W621 MACP 7195</p> <p>NO SUBS</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Deadend Strain Clamp (Hot Line) Steel: (For copper conductor only)</p> 	<p>2-02-15 5000063</p> <p>2-02-16 5001284</p>	<p>#4 STR-2/0 STR(19) 0.19 - 0.47</p> <p>4/0 STR 0.31 - 0.70</p>	<p>MACP HDSO-47-F NO SUBS</p> <p>MACP HDSO-70-F NO SUBS</p>
<p>Deadend Strain Clamp (Hot Line) Aluminum (For alum & ACSR conductor only)</p> 	<p>2-02-17 5001285</p> <p>2-02-18 5001286</p>	<p>#2 STR-2/0 STR(19) 0.25 - 0.57</p> <p>4/0 ALUM - 477 MCM ALUM 0.25 - 0.88</p>	<p>MACP HDSO-57 NO SUBS</p> <p>MACP HDSO-88 NO SUBS</p>
<p>Preformed Deadend Grip For Quad & Triplex Only</p> 	<p>2-02-20 5001287</p> <p>2-02-21 5001288</p>	<p>2/0 ACSR Messenger</p> <p>4/0 ACSR Messenger</p>	<p>AB CSG-080 PAY 21-SSG SL 15141 BM 21GSDE-401-450 HEL 60800</p> <p>AB CSG-100 PAY 26-SSG SL 15143 BM 26GSDE-511-580 HEL 60910</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Preformed Deadend Grip</p> 	<p>2-02-22 5001289</p> <p>2-02-24 5001290</p> <p>2-02-25 5001291</p>	<p>2/0 ACSR Bare Dia .447 Range .410-.447 Coded Brown or Blue</p> <p>2/0 AAC Poly SB Dia .502 Range .461-.516 Coded Orange</p> <p>2/0 ACSR Poly SB Dia .535 Range .517-.577 Coded Purple or Red</p>	<p>SL 80004 AB 60AWCG PAY QUAIL-31-ADN HEL 31022</p> <p>AB 70GCG PAY THORN32NADN BM DG-2516 HEL 30030</p> <p>AB 80GCG PAY CORYPHA- 35NADN BM DG-2517 HEL 30033</p>
<p>Preformed Deadend Grip</p> 	<p>2-02-26 5001292</p> <p>2-02-27 5001293</p> <p>2-02-29 5001294</p>	<p>4/0 ACSR Bare Dia .563 Range .542-.563 Coded Black or Red</p> <p>4/0 ACSR Poly AAC Range .578 - .653 Coded Blue</p> <p>336.4 MCM AAC Poly Dia- .791 Range .740-.837 Coded Brown Coded Pink/Green</p>	<p>AB 80AWCG PAY PENGUIN37ADN HEL 31033</p> <p>BM DG-2100 HEL 30040 HXU 30040-BC</p> <p>AB 110GCG PAY ANONA-40- NADN BM DG-2102 HXU 36030-MH HEL 36030</p>
<p>Preformed Deadend Grip</p> 	<p>2-02-30 5001295</p>	<p>477 MCM AAC Poly Dia .951 Range .948-1.071 Coded Black</p>	<p>AB 130GCG PAY HUCKLE- BERRY-40-NADN HEL 36033</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Suspension Clamp Ground Wire</p>  <p>Angle #6-4/0 CU</p>  <p>Shield Wire</p>  <p>1/0-477 AAC/ASCR</p>	<p>2-02-33 5000064</p> <p>2-02-34 5028444</p> <p>2-02-35 5024978</p> <p>2-02-36 5024980</p>		<p>SL 6455</p> <p>HUB 828602000</p> <p>MAC P FSC-83</p> <p>MAC P LS-2-S</p>
<p>AGS Unit c/w Clamp and Structural Rod</p> <p>Replacement Structural Rod 2-56-13</p> <p>Replacement Structural Rod 2-56-15</p> 	<p>2-02-44 5000065</p> <p>2-02-45 5000066</p>	<p>266.8 ACSR Range 0.620-0.645</p> <p>477 ACSR Range 0.346-0.870</p>	<p>PLP AGS-5108 c/w Socket Eye SE-5150</p> <p>PLP AGS-5118</p>
<p>Ground Rod Clamp</p> 	<p>2-02-50 5001296</p> <p>2-02-51 5001297</p>	<p>Rod Diameter 5/8"</p> <p>3/4"</p>	<p>AMP 81402-1 ILS BGRC-58 HYD 758C PP 8058 BUR GRC58 HUB GC-5/G5</p> <p>AMP 81403-1 ILS BGRC-68 PP 8034 HYD 733C BUR GR3426</p>





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Ground Rod Coupling Connector Bronze</p> 	<p>2-02-53 5001298</p>	<p>5/8"</p>	<p>BLK 60C SL 9534 JOS 9182 HYD 58.SC PP 8534</p>
<p>Ground Rod Driving Stud</p> 	<p>2-02-55 5001299</p>		<p>SL 29534 BLK 60DS JOS 9186 HYD 58.DS PP 19534</p>
<p>Copperclad Steel Sectional Ground Rod</p>  <p>ConduDisc Grounding Plate</p> 	<p>2-02-57 5001300</p> <p>2-02-59 5026284</p>	<p>5/8" x 8'</p> <p>45' - #4 Str Copperweld Camo</p>	<p>SL 29438 JOS 9158 HYD 5808.SC PP 18438 BLK 6258S CAD 635880</p> <p>SAE 06112-CD-4WC-45</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Hot Line Clamp For Alum/Cu Main Line Conductor With #4 AWG Cu Tap</p> <p>For Armoured Main Line Conductor With #4 AWG Cu Tap</p> 	<p>2-03-00 5000067</p> <p>2-03-01 5000068</p> <p>2-03-02 5000069</p>	<p>1/0 to #6 AWG</p> <p>336.4 MCM to #6 AWG</p> <p>266.8 MCM to #4 AWG</p>	<p>AB S1520AGP</p> <p>AB S1530AGP</p> <p>AB S1540AGP</p>
<p>Bull Line - Poly Pull Tape</p> 	<p>2-04-10 5001301</p>	<p>1800# X 900 Meter Box</p>	<p>DL WP18-3000 GRNL 4436</p>
<p>Aluminum Oxidation Inhibitor Splicing Compound (Penetrox)</p> 	<p>2-05-12 5001302</p>	<p>8 oz. Bottle</p>	<p>AMP 80665-3 BUR Pena 138 T&B CTB8 ILS DE-OX 8OZ</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Cable Pulling Lubricant</p> 	<p>2-05-14 5000070</p> <p>2-05-16 5000071</p> <p>2-05-18 5000072</p>	<p>1 Quart</p> <p>5 Gallon</p> <p>5 Gallon Winter Grade</p>	<p>POLYWATER J-35 NO SUBS</p> <p>POLYWATER J-640 NO SUBS</p> <p>POLYWATER WJ-640 NO SUBS</p>
<p>Switch Contact Lubricant 7 Release Compound</p> 	<p>2-05-19 5000073</p>	<p>150 Gram</p>	<p>Dow Corning Dow 7</p>
<p>Termi Kit Silicone Lubricant</p> 	<p>2-05-25 5000074</p>	<p>5 oz. Tube</p>	<p>ELMD SL5</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
STOPAQ Sealant 	2-05-30 5000075	.53 kg Tube	STO FN2100-2002
Solid Blade Cutout 	2-11-72 5000076	300 Amp 15 KV	ABB Y2JCBNVA32
Open Fuse Loadbreak Cutout 	2-11-84 5001303 2-11-88 5001304 2-11-92 5001305 2-11-94 5001306	100 Amp 15 KV 16,000 Interrupting 200 Amp 15 KV 100 Amp 14.4 - 25 KV 200 Amp 25 KV	ALUM CSG15LX-100A-110-CB-16KA ABB Y1JCBNQA11 AB CP730114PB ALUM CSG15LX-200A-110-CB-12KA ABB Y1JCBNQA21 AB CP730143PB ALUM CSG27LX-100A-125-CB-16KA ABB Y2JCBNQA12 AB CP730213PB ALUM CSG27LX-200A-125-CB-16KA ABB Y2JCBNFA22 AB CP730242PB





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Solid Blade Enclosed Cutout</p> 	<p>2-12-06 5001307</p>	<p>400 Amp 5.2 KV</p>	<p>GE 9F36CAM406 CP FE1EC7</p>
<p>Replacement Solid Blade Door for 2-12-06</p> 	<p>2-12-08 5000077</p>	<p>400 Amp 5.2 KV</p>	<p>CP FE1EC57</p>
<p>Solid Blade Disconnect</p> 	<p>2-12-30 5000078</p> <p>2-12-32 5000079</p>	<p>600 Amp 15 KV</p> <p>600 Amp 25 KV</p>	<p>S&C 4922R10-ED1</p> <p>S&C 4943R10-ED1</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Line Tension Disconnect - Pad Style</p>  <p>Line Tension Disconnect - Ampact Style</p> 	<p>2-12-34 5000080</p> <p>2-12-36 5025362</p> <p>2-12-38 5025364</p>	<p>600 Amp 25 KV</p> <p>900 Amp, 25 KV 4/0, 266 & 336 MCM</p> <p>900 Amp 25 KV 477 MCM</p>	<p>AB ALTD06200R</p> <p>TE 1710726-2 MAC P ERG29D-1</p> <p>TE 1710726-3 MAC P ERG29D-2</p>
<p>Three Phase Cluster Style Mounting Unit</p>  <p>Uses 7-41-40 fuses - Qty 3 per cluster</p>	<p>2-12-40 5000081</p>	<p>SMD-40</p>	<p>S&C 192342-E</p>
<p>Solid Blade Disconnect Three Phase Cluster c/w - Cypoxy insulators, 90 degree stop, clamp type terminals</p> 	<p>2-12-44 5000082</p>	<p>900 Amp 25 KV</p>	<p>Mindcore DHS327A7 Specification 1270</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Insulator Insert in Operating Shaft</p> 	<p>2-12-49 500083</p>	<p>Critical Spare Only</p>	
<p>Three Phase Group Operated Switch Horizontal Mounting c/w Wildlife Protection</p> 	<p>2-12-50 500084</p> <p>2-12-51 500085</p>	<p>600 Amp 15 KV</p> <p>600 Amp 25 KV</p>	<p>S&C 147422R4-A2P1W-ED-701R4-S2V1</p> <p>S&C 147423R4-A2P1W-ED-701R4-S2V1</p>
<p>Three Phase Group Operated Switch Vertical Mounting</p> 	<p>2-12-52 500086</p> <p>2-12-53 500087</p>	<p>600 Amp 15 KV</p> <p>600 Amp 25 KV</p>	<p>S&C 147512R4-A1P1-ED703R4-S2S15V1</p> <p>S&C 147513R4-A1P1-ED703R4-S2S15V1</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Indoor Fused Disconnect 	2-13-02 5000088	200 Amp 4.8 KV	S&C SM487360R1
Indoor Fused Cutout Type NX 	2-13-06 5000089	200 Amp 8.3 KV	CP FA1D1
Lightning Arrestor Distribution Class c/w Ground Lead Insulator Metal Oxide Type c/w Polymer Housing 	2-16-03 5001308 2-16-12 5001309 2-16-18 5001310	3 KV 12 KV 18 KV	MACZHP003-0C00100 GE 9L23AXA403AH HUB 2137037324 CP UHS03030A1A1B1A HUB 2137107324 GE 9L23AXA412AH MACZHP012-0C00100 CP UHS12060A1A1B1A HUB 213715-7324 CP UHS18080A1A1B1A



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Pin Type Insulator Polymer</p> 	<p>2-17-20 500090</p>	<p>15 - 25 KV 1" Hole</p>	<p>Hendrix HPI55501</p>
<p>Pin Type Insulator - Clamp Top Polymer</p> 	<p>2-17-30 5001491</p>	<p>25 KV</p>	<p>HendrixHPI-25VTP-1 PLP IP-25-VTU1</p>
<p>Shear Bolt for Clamp Top Insulator</p>	<p>2-17-35 5001492</p>	<p>25 KV</p>	<p>Hendrix B-1 NO SUBS</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Guy Strain Insulator Colored</p> 	<p>2-18-01 5001311</p> <p>2-18-03 5001312</p>	<p>4.4 KV 12000 lbs.</p> <p>6.6 KV 20000 lbs.</p>	<p>NGK HCP-191 PP 504 OB 31504 BM 504</p> <p>NGK HCP-192 PP 506 OB 31506 BM 506</p>
<p>Large Clevis Type Insulator Spool Polymer Black</p>  <p>Light Grey</p> 	<p>2-18-11 5000091</p> <p>2-18-13 5000092</p>	<p>Large Sec Volt 2500 lbs. 13/16" Hole</p> <p>Large Sec Volt 2500 lbs. 13/16" Hole</p>	<p>HUB C9091032P</p> <p>Hendrix HPI-53-2</p>
<p>Small Clevis Type Insulator Colored</p> <p>White</p> 	<p>2-18-27 5001313</p> <p>2-18-39 5001314</p>	<p>Small Sec Volt 2000 lbs. 11/16" Hole</p> <p>Small Sec Volt 2000 lbs. 11/16" Hole</p>	<p>SL 1608 NGK HRP-614 PP 5112 ANSI 53-1</p> <p>SL 1608 NGK HRP-614 PP 5112 ANSI 53-1 White</p>





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Suspension Insulator Clevis Eye</p> 	<p>2-19-01 5001315</p>	<p>10000 lbs. 7.2 KV</p>	<p>NGK CA-15923A OB 32433 PP 86012 LAPP 6605-70</p>
<p>Ball & Socket Insulator Suspension</p> 	<p>2-19-05 5001316</p>	<p>72 & 138 KV 15000 lbs.</p>	<p>SED N70/146 HUB PCN70146</p>
<p>Ball & Socket Insulator Strain</p> 	<p>2-19-07 5001317</p>	<p>72 & 138 KV 25000 lbs.</p>	<p>SED N12/146 HUB PCN12146</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Epoxy Deadend Insulator Eye-Clevis End</p>  <p>Eye-Eye End</p>	<p>2-19-30 5001318</p> <p>2-19-32 5001319</p>	<p>10000 lbs. 4 KV, 15 KV & 25 KV</p> <p>10000 lbs. 15 KV & 25 KV</p>	<p>KL KL28ASCTM PER RL-25 LAPP 151002 OB PDI-28 AB 401028-6215 SED ODI-1S-70-Z8 GLP DS-28 SAL 9502U-SI</p> <p>AB 401428-6215 PER RL-25 KL KL28ASTTM LAPP 151002E</p>
<p>Phase Conduction Spacing Insulator</p>	<p>2-19-44 5000093</p>	<p>25 KV Conductor range .20 - .858" c/w 2 clamps</p>	<p>EPAC EHCS-2-3545 45" Length</p>
<p>Polymer Insulator Suspension</p>	<p>2-19-50 5000094</p>	<p>10,000 lbs 138 KV</p>	<p>NGK 251-SN270-YT</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Polymer Insulator Deadend	2-19-60 500095	25,000 lbs. 138 KV	NGK 302-SS550-YC K-Line KL320HCY52D
Line Post Insulator 	2-20-01 500096	15 KV	LAPP 74115
Polymer Line Post Insulator 	2-20-02 500097	28 KV	K-Line KL28SKG



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Polymer Line Post Insulator	2-20-04 5000098	15 KV	
Station Post Insulator for S & C 600 Amp Loadbreak Switches 	2-20-05 5001320	15 KV	OB 231002 NGK DA-45006A
Polymer Line Post Insulator 	2-20-06 5000099 2-20-07 5000100	138 KV 1150 lb MDCL Flat Base 138 KV 1150 lb MDCL Gain Base	MACP H211075VX06 MACP H291075VX06




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Station Post Insulator 650KV Bil	2-20-08 5000101	138 KV Height = 54"	NGK Locke PS06510 Specification 3304
Corona Ring	2-20-09 5000102	138 KV	NGK 97004-RG
Cable Cleats Single Cable Clamp 	2-20-11 5000103 2-20-13 5000104	26 mm - 38 mm 36 mm - 52 mm	KOZ 26-38 KOZ 36-52




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Cable Cleats Three Cable Clamp</p>  <p>Multi Cable Clamp</p> 	<p>2-20-15 5000105</p> <p>2-20-17 5000106</p> <p>2-20-19 5000107</p>	<p>25 mm - 40 mm</p> <p>38 mm - 53 mm</p> <p>30 mm - 47 mm</p>	<p>KOZ Triangle 25-40 3 Hole</p> <p>KOZ Triangle 38-53 3 Hole</p> <p>KOZ Universal 30-47</p>
<p>Insulator Cable Rack Type</p> 	<p>2-20-21 5001321</p>	<p>Polymer</p>	<p>SL 2120 CP DE11U1 MACP U628 ENE 3003</p>
<p>Epoxy Insulator Split Spool Moulded for Network</p> 	<p>2-20-23 5000108</p>	<p>1 1/2"</p>	<p>MULT A215-009</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Insulator Triplex Spreader Block 	2-20-25 5000109		SL 1750
Insulator Indoor for Switching Cubicle	2-20-27 5001322	15.5 KV (95 KV BIL)	CPM2A1 or FW14XC1
Black Plastic Moulding 	2-27-08 5001323	1/2" x 8'	LAC 755P NE 125 POL P128PM




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Cable Guards</p> <p>Guard Straps</p>	<p>2-27-20 5000110</p> <p>2-27-25 5001324</p> <p>2-27-30 5000111</p>	<p>8' x 3/4" Steel</p> <p>8' x 1 1/8" Steel</p>	<p>HYD 834UC</p> <p>HYD 8114UC MP J984</p> <p>MP J995</p>
<p>Oil Switch Light Sensor Control (to be used with Oil Switch)</p> 	<p>2-52-01 5000112</p>	<p>200 Amp 14.4 KV</p>	<p>TRIN CSD6770/6743/6637</p>
<p>Single Pole Electric</p> 	<p>2-52-02 5001325</p>	<p>200 Amp 14.4 KV</p>	<p>GE 9F90DFC100 TRIN CSD-125</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Preformed Plastic Line 1/2" Construction</p> 	<p>2-55-01 5001326</p> <p>2-55-02 5001327</p> <p>2-55-03 5001328</p>	<p>OD .270-.350 OD .257-.523</p> <p>OD .644-.872 OD .522-.770 OD .724-1.030</p> <p>OD .414-.644</p>	<p>PLP PSU-MS-2682 ENE 2711</p> <p>PLP PSU-MS-2762 ENE 2730 ENE 2731</p> <p>FAR GS-953 ENE 2742</p>
<p>Structural Rod Replacement for AGS Unit Only</p> <p>Use with 2-02-44</p> <p>Use with 2-02-45</p> 	<p>2-56-13 5000113</p> <p>2-56-15 5000114</p>	<p>266.8 ACSR</p> <p>477 ACSR</p>	<p>PLP 4000108</p> <p>PLP 4000118</p>
<p>Armour Rod (Shield Wire)</p>	<p>2-56-20 5000115</p> <p>2-56-25 5000116</p>	<p>5/16" Steel Range 0.309"-0.326"</p> <p>7/16" Steel Range 0.416-0.436" (Use for #1/0 AWAC, 5/2 Alumoweld)</p>	<p>PLP AR-1128</p> <p>PAY Aster-52-A</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Preformed Super Top Tie 	2-58-00 5000117 2-58-02 5000118 2-58-04 5000119 2-58-06 5000120 2-58-08 5026173	2/0 ACSR Bare Blue 4/0 ACSR Bare Pink 336.4 MCM Alum Bare & ACSR Bare Brown 477 MCM Alum Bare & ACSR Bare Purple 1/0 ACSR Bare/AAC Yellow	AB STT-70 AB STT-90 AB STT-110 AB STT-120 AB STT-60
Nonmetallic Composite Insulator Top Tie 	2-58-10 5000121 2-58-11 5000122 2-58-12 5000123	#2 & #4 Poly Copper "F" Neck Small White/Yellow (4KV & 15 KV Glass) #2 & #4 Poly Copper "J" Neck Large White/Yellow (25 KV Glass) 2/0 ACSR Poly 2/0 Poly Copper "F" Neck Small Green/Yellow	FAR GJ-611FC NO SUBS FAR GJ-621FC NO SUBS FAR GJ-612FC NO SUBS
Nonmetallic Composite Insulator Top Tie 	2-58-13 5000124 2-58-14 5000125 2-58-15 5000126	4/0 Poly Copper "F" Neck Small Blue/Yellow 336 MCM Poly Alum "F" Neck Small Orange/Yellow 336 MCM Poly Alum "J" Neck Large Orange/Yellow	FAR GJ-613FC NO SUBS FAR GJ-614FC NO SUBS FAR GJ-624FC NO SUBS



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Damper Spiral Shield Wire</p> 	<p>2-58-20 5000127</p> <p>2-58-26 5000128</p>	<p>for 5/16" Steel</p> <p>for .416" Dia AWAC Conductor</p>	<p>PLP 5050103</p> <p>PLP 5050104</p>
<p>Damper Stockbridge</p> 	<p>2-58-30 5000129</p> <p>2-58-36 50S01329</p>	<p>5/16" - 3/8" Steel Range 0.250" - 0.385"</p> <p>477 MCM ACSR Hawk Range 0.266"-0.865"</p>	<p>FAR 60704-8/0</p> <p>FAR 60705-10/11 DULM DB1-18</p>
<p>Copper Conductor MHD Poly Covered (Coils)</p>  <p>Copper Conductor MHD Poly Covered (Reel)</p>	<p>2-60-04 5026405</p> <p>2-60-05 5000130</p> <p>2-60-06 5000131</p> <p>2-60-08 5000132</p>	<p>#6 Solid</p> <p>#4 Solid</p> <p>#2 Solid</p> <p>#2 Solid</p>	<p>Specification #1308 300 M Reel</p> <p>Specification #1308 150 M Coils</p> <p>Specification #1308 150 M Coils</p> <p>Specification #1308 500 M Reel</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Copper Conductor Soft Poly Covered (Overhead Transformer Leads)</p> 	<p>2-61-09 5000133</p> <p>2-61-11 5000134</p>	<p>2/0 Stranded</p> <p>4/0 Stranded</p>	<p>Specification #1310</p> <p>Specification #1310</p>
<p>Copper Conductor Soft Bare (Coils)</p> <p>Stranded</p> 	<p>2-63-05 5000135</p>	<p>#4</p>	<p>Specification #1318 150 M Coils</p>
<p>Aluminum Conductor Steel Reinforced XLPE Covered</p> <p>Stranded</p> 	<p>2-64-09 5026407</p>	<p>2/0</p>	<p>Specification #1311</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Aluminum Conductor Poly Covered Stranded 	2-65-11 5000136 2-65-13 5000137 2-65-14 5000138	4/0 336 MCM 477 MCM	Specification #1312 Specification #1312 Specification #1312
Aluminum Conductor Solid Bare Tie Wire 	2-66-00 5000139	#4	
Aluminum Conductor Bare Stranded 	2-66-08 5017889 2-66-11 5000140 2-66-13 5000141 2-66-14 5000142	1/0 4/0 336 MCM 477 MCM Cosmos	Specification #1316 Specification #1316 Specification #1316 Specification #1316

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Aluminum Conductor Steel Reinforced Bare</p> <p>Stranded</p> 	<p>2-68-09 5000143</p> <p>2-68-11 5000144</p> <p>2-68-12 5000145</p> <p>2-68-14 5000146</p>	<p>2/0</p> <p>4/0</p> <p>266.8 MCM</p> <p>477 MCM Hawk</p>	<p>Specification #1320</p> <p>Specification #1320</p> <p>Specification #1320</p> <p>Specification #1320</p>
<p>Duplex SB</p> <p>Stranded</p> 	<p>2-69-04 5000147</p>	<p>#6</p>	<p>Specification #1302 & Addendum</p>
<p>Triplex SB</p> <p>Stranded</p> 	<p>2-70-05 5000148</p> <p>2-70-06 5000149</p> <p>2-70-09 5000150</p> <p>2-70-11 5000151</p>	<p>#4</p> <p>#2</p> <p>2/0</p> <p>4/0</p>	<p>Specification #1304 & Addendum 150 M Coils</p> <p>Specification #1304 & Addendum 100 M Coils</p> <p>Specification #1304 & Addendum 300 M Reel</p> <p>Specification #1304 & Addendum 300 M Reel</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Quadriplex SB</p> <p>Stranded</p> 	<p>2-71-06 5000152</p> <p>2-71-09 5000153</p> <p>2-71-11 5000154</p>	<p>#2</p> <p>2/0</p> <p>4/0</p>	<p>Specification #1306 & Addendum 100 M Coils</p> <p>Specification #1306 & Addendum 300 M Reel</p> <p>Specification #1306 & Addendum 300 M Reel</p>
<p>Copper Cable 25 KV Concentric Neutral</p> <p>Stranded</p> 	<p>2-73-07 5000155</p> <p>2-73-14 5000156</p>	<p>#1</p> <p>500 MCM 33%</p>	<p>Specification #2316 & Addendum</p> <p>Specification #2316 & Addendum</p>
<p>Copper Cable 15 KV Shielded 1 Conductor</p> <p>Stranded</p> 	<p>2-74-16 5000157</p>	<p>1000 MCM</p>	<p>Specification #2322 & Addendum</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Copper Cable 15 KV Concentric Neutral</p> <p>Stranded</p> 	<p>2-75-07 5000158</p> <p>2-75-12 5000159</p> <p>2-75-14 5001330</p> <p>2-75-15 5000160</p>	<p>#1</p> <p>250 MCM 33%</p> <p>500 MCM 33% 4.025 kg/m</p> <p>750 MCM 33% 5.630 kg/m</p>	<p>Specification #2316 & Addendum</p> <p>Specification #2316 & Addendum</p> <p>Specification #2316 & Addendum</p> <p>Specification #2316 & Addendum</p>
<p>Aluminum Cable 600 Volt XLPE Twisted Individual Conductors USEI90</p> 	<p>2-82-02 5020779</p> <p>2-82-10 5023025</p>	<p>#6 3 Conductor</p> <p>1/0-3C</p>	<p>Specification #2315 & Addendum</p>
<p>Copper Cable 600 Volt XLPE Concentric Neutral</p> <p>Stranded</p>	<p>2-83-04 5000161</p>	<p>#6 1 Conductor</p>	<p>Specification #2306 & Addendum</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Copper Cable 600 Volt XLPE Concentric Neutral</p> <p>Stranded</p> 	<p>2-84-09 500162</p> <p>2-84-11 500163</p>	<p>2/0 2 Conductor & Neutral</p> <p>4/0 2 Conductor & Neutral</p>	<p>Specification #2308 & Addendum</p> <p>Specification #2308 & Addendum</p>
<p>Copper Cable 600 Volt XLPE Twisted Individual Conductors USEI90</p> 	<p>2-85-02 500164</p> <p>2-85-03 500165</p> <p>2-85-04 500166</p> <p>2-85-05 500167</p>	<p>#6 3 Conductor</p> <p>#6 4 Conductor</p> <p>#2 3 Conductor</p> <p>#2 4 Conductor</p>	<p>Specification #2312 & Addendum</p> <p>Specification #2312 & Addendum</p> <p>Specification #2312 & Addendum</p> <p>Specification #2312 & Addendum</p>
<p>Copper Cable 600 Volt XLPE Twisted Individual Conductors USEI90</p> 	<p>2-85-06 500168</p> <p>2-85-07 5028042</p> <p>2-85-08 500169</p> <p>2-85-14 500170</p>	<p>2/0 3 Conductor</p> <p>2/0 4 Conductor</p> <p>4/0 3 Conductor</p> <p>500 MCM 4 Conductor</p>	<p>Specification #2312 & Addendum</p> <p>Specification #2312 & Addendum</p> <p>Specification #2312 & Addendum</p> <p>Specification #2312 & Addendum</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Network Cable 600 Volt XLPE</p> <p>Stranded</p>	<p>2-85-21 5000171</p> <p>2-85-22 5000172</p> <p>2-85-23 5000173</p> <p>2-85-31 5000174</p>	<p>500 MCM Red 1 Conductor</p> <p>500 MCM Yellow 1 Conductor</p> <p>500 MCM Blue 1 Conductor</p> <p>750 MCM</p>	<p>Specification #2310 & Addendum</p> <p>Specification #2310 & Addendum</p> <p>Specification #2310 & Addendum</p> <p>Specification #2314 & Addendum</p>
<p>Copper Cable 1000 Volt RWU 90, XLPE</p> <p>Stranded</p> 	<p>2-87-04 5000175</p> <p>2-87-06 5000176</p> <p>2-87-09 5000177</p> <p>2-87-11 5000178</p>	<p>#6</p> <p>#2</p> <p>2/0</p> <p>4/0</p>	<p>Specification #2304 & Addendum</p> <p>Specification #2304 & Addendum</p> <p>Specification #2304 & Addendum</p> <p>Specification #2304 & Addendum</p>
<p>Copper Cable 600 Volt RW90 or Equivalent -40 degrees C. Rated, Standard Stranded Street Light Wire</p> 	<p>2-87-51 5000179</p> <p>2-87-52 5000180</p>	<p>#12 Black</p> <p>#12 White</p>	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Control Cable 90 degrees C. PVC Jacket 600 Volt	2-88-02 5016467	#12 2 Conductor	Specification #3306
	2-88-04 5016466	#12 4 Conductor	Specification #3306
	2-88-07 5000181	#12 7 Conductor	Specification #3306
Control Cable 90 degrees C. PVC Jacket 600 Volt	2-88-16 5000182	#20 6 Pair	Specification #3308
	2-88-22 5000183	#20 12 Pair	Specification #3308
Communication Cable RS - 485	2-88-40 5000184	CAT 6 Ethernet Cable	


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Switchgear Cable	2-88-60 5000185 2-88-62 5026770	#12 AWG 65 Str #14 AWG 41 Str	SIS 12-65 STR SIS 14-41 STR
Metering Coded Wire 600 Volt TWH 7 Strand 	2-89-00 5000186 2-89-01 5000187 2-89-02 5000188 2-89-03 5000189	#12 Yellow #12 Red #12 Blue #12 Green	NEX 12CU STR YEL NEX 12CU STR RED NEX 12CU STR BLU NEX 12CU STR GRN
Metering Coded Wire 600 Volt TWH 7 Strand 	2-89-05 5000190 2-89-06 5000191 2-89-07 5000192 2-89-08 5000193 2-89-09 5000194 2-89-10 5000195	#12 Red/Black Stripe #12 Red/White Stripe #12 Yellow/Black Stripe #12 Yellow/White Stripe #12 Blue/Black Stripe #12 Blue/White Stripe	SYC 12CU STR R/B SYC 12CU STR R/W SYC 12CU STR Y/B SYC 12CU STR Y/W SYC 12CU STR BLU/B SYC 12CU STR BLU/W




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Copper Conductor Soft Bare (Reels)</p> <p>Stranded</p> 	<p>2-90-04 5000196</p> <p>2-90-05 5000197</p> <p>2-90-06 5000198</p> <p>2-90-09 5000199</p> <p>2-90-13 5000200</p> <p>2-90-14 5000201</p>	<p>#6</p> <p>#4</p> <p>#2</p> <p>2/0</p> <p>350 MCM</p> <p>500 MCM</p>	<p>Specification #2302 & Addendum</p> <p>Specification #2302 & Addendum</p> <p>Specification #2302 & Addendum</p> <p>Specification #2302 & Addendum</p> <p>Specification #2302 & Addendum</p> <p>Specification #2302 & Addendum</p>
<p>Copperclad Steel Groundwire Copperweld 7 Stranded (Reels)</p> 	<p>2-91-05 5026525</p> <p>2-91-09 5000202</p>	<p>#4</p> <p>2/0</p>	<p>CW Q6C7X0680A-CAMO</p> <p>CW Q6C7X07A-CAMO</p>
<p>Fibre Optic Cable Single Mode, Indoor/Outdoor, Riser Rated</p> 	<p>2-92-00 5000203</p> <p>2-92-10 5000204</p>	<p>48 Fibres</p> <p>96 Fibres</p>	<p>Specification #2350 2000 M Reels</p> <p>Specification #2350 2000 M Reels</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Fibre Optic Cable Single Mode, Outdoor Non-Armoured Fig-8 	2-93-00 500205 2-93-10 500206	48 Fibres 96 Fibres	Specification #1350 2000 M Reels Specification #1350 2000 M Reels
Fibre Optic Cable Multi Mode Outdoor Drop 	2-94-00 500207 2-94-10 5018355	6 Fibres Loose Tube 6 Fibres Tight Buffered	Specification #9106
Fibre Optic Cable Hybrid Indoor/Outdoor 	2-95-00 5001494	48MMF/48SMF	Specification #9106



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Wood Pole - CCA 	3-05-35 5027633 3-05-45 5027636 3-05-50 5027638 3-05-55 5027640 3-05-70 5027642	35 Feet Approx. 750 lbs 45 Feet Approx. 1145 lbs 50 Feet Approx. 1365 lbs 55 Feet Approx. 1540 lbs 70 Feet Approx. 2640 lbs	Specification 1518
Wood Pole Penta 	3-07-35 (DNR) 5000208 3-07-40 (DNR) 5000209 3-07-45 (DNR) 5000210 3-07-50 (DNR) 5000211	35 Feet Approx. 750 lbs 40 Feet Approx. 970 lbs 45 Feet Approx. 1145 lbs 50 Feet Approx. 1365 lbs	Specification 1518
Wood Pole Penta 	3-07-55 (DNR) 5000212 3-07-60 (DNR) 5000213 3-07-65 (DNR) 5000214 3-07-70 (DNR) 5000215	55 Feet Approx. 1540 lbs 60 Feet Approx. 1935 lbs 65 Feet Approx. 2200 lbs 70 Feet Approx. 2640 lbs	Specification 1518




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Pole - Distribution, Tapered, Buck Arm	3-08-55 5001331 3-08-60 5000216	55 Feet Approx. 3280 lbs 60 Feet	Dwg Ts-193A, Ms-425 Specification 1520, 5350 Dwg Ts-229 Plus General Specifications
Steel Pole - Support	3-09-40 5000217	40 Feet	Dwg #MS419 Specification 1524
Fibreglass Distribution Pole	3-10-40 5000218	40 Feet	Shakespeare


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Precast Concrete Base for Steel Streetlight Pole Multiport Up to 25 Foot Single Davit Up to 35 Foot Single Davit Up to 35 Foot Double Davit Up to 40 Foot Single Davit Up to 60 Foot 18 Meter and Highway	 4-01-25 5000219 4-01-35 5000220 4-01-40 5000221 4-01-60 5000222	<u>Bolt Spacing</u> 7 1/16" (179 mm) O.C. Approx. 1000 lbs 8 1/8" (206 mm) O.C. Approx. 1500 lbs 9 3/16" (233 mm) O.C. Approx. 1900 lbs 10" (254 mm) O.C. Approx. 2300 lbs	 Dwg. L2s-176 Dwg. L2s-124 Dwg. L2s-130 Dwg. L2s-173
Decorative Base Includes Two Interchangeable Halves 	4-02-10 5000223 4-02-20 5000224 4-02-30 5000225	Broadway - 30" Octagon Spadina Promenade - 36" (For Shaft 4-15-21) Octagon Brighton (For Shaft 4-15-70) Round	Dwg. L2s - 135 Dwg. L2s - 162
Steel Anchor Base for Steel Street Light Pole 18' Pathway 25' & 30' Single Overbraced 30' & 35' Single Davit 35' Single Overbraced 30' Double Overbraced 35' Double Davit 50' Two Fixtures	4-03-18 5001332 4-03-30 5001333 4-03-35 5001334 4-03-50 5001335	6 3/8" to 8 1/2" OC (162mm to 216mm) 48" Long, 6.63" Dia 6 3/8" to 9 7/8" OC (162mm to 252mm) 84" Long, 6.63" Dia 7 3/4" to 12" OC (198mm to 305mm) 84" Long, 8.6" Dia 9 7/8" to 11 5/8" OC (252mm to 296mm) 120" Long, 10.75" Dia	HUB SA1122305 RED LEAF 04-06-12 MACP D06048BBB08118V HUB T1121051 RED LEAF 7612 MACP D06084BBB08148V HUB C11242QG4VP RED LEAF 7-08-14 MACP D08084BBB11178V HUB T1121083 RED LEAF 10-10-16 MACP D10120BBB11170V



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Steel Streetlight Pole For Single or Double Davit Arm</p> 	<p>4-10-20 5000226</p> <p>4-10-24 5000227</p> <p>4-10-25 5000228</p>	<p>Shaft - 11 ft. long 20 ft. (6m) fxt height Galvanized</p> <p>Shaft - 15 ft. long 24 ft. (7m) fxt height Green</p> <p>Shaft - 15 ft. long 24 ft. (7m) fxt height Galvanized</p>	<p>Specification 5200, 5350 Dwg L2s-191</p> <p>Specification 5200, 5350, 5365, 5390 Dwg L2s-184</p> <p>Specification 5200, 5350 Dwg L2s-184</p>
<p>Steel Streetlight Pole For Single or Double Davit Arm</p> 	<p>4-10-30 5000229</p> <p>4-10-31 5000230</p> <p>4-10-32 5000231</p> <p>4-10-33 5001336</p>	<p>Shaft 30 ft (9m) fxt. height 7 5/8" to 9 1/4" Blt Sp 19.7' (6m) long</p> <p>Green</p> <p>Black</p> <p>Grey</p> <p>Galvanized</p>	<p>Specification 5200, 5350, 5365, 5390 Dwg L2s-138</p> <p>Dwg L2s-197</p> <p>Specification 5350</p>
<p>Steel Streetlight Pole For Single or Double Davit Arm</p> 	<p>4-10-35 5000232</p> <p>4-10-36 5000233</p> <p>4-10-37 5000234</p> <p>4-10-38 5000235</p> <p>4-10-39 5000236</p>	<p>Shaft 35 ft (11m) fxt. height 7 5/8" to 9 7/8" Blt Sp 26.2' (8m) long</p> <p>Green</p> <p>Black</p> <p>Red</p> <p>Grey</p> <p>Galvanized</p>	<p>Specification 5200, 5350, 5365, 5390 Dwg L2s-139</p> <p>Dwg L2s-198</p> <p>Specification 5350</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Pole For Single or Double Davit Arm 	4-10-43 5000237	Shaft 40 ft (12m) fxt. ht 7 1/2" to 9 1/4" Blt Sp 30.2' (9.2m) long Galvanized	Specification 5200 5350 Dwg L2s-174 Specification 5350
Steel Streetlight Pole For Single or Double Davit Arm 	4-10-60 5000238	Shaft 59 ft (18m) fxt. ht 9 3/4" to 10 1/4" Blt Sp 49.2' (15m) long Galvanized	Specification 5200 Dwg L2s-155 Specification 5350
Steel Streetlight Arm Single Davit 	4-10-70 5000239 4-10-71 5000240 4-10-73 5000241	Arm 8 ft (2.5m) overhang Green Black Galvanized	Specification 5200, 5350, 5365, 5390 Dwg L2s-137 Specification 5350



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Steel Streetlight Arm Single Davit</p> 	<p>4-10-75 5000242</p> <p>4-10-79 5000243</p>	<p>Arm 10 ft (3m) overhang</p> <p>Green</p> <p>Galvanized</p>	<p>Specification 5200, 5350, 5365, 5390 Dwg L2s-136</p> <p>Specification 5350</p>
<p>Steel Streetlight Arm Double Davit</p> 	<p>4-10-80 5000244</p> <p>4-10-81 5000245</p> <p>4-10-83 5000246</p> <p>4-10-85 5000247</p>	<p>Arm 10 ft (3m) overhang</p> <p>Green</p> <p>Black</p> <p>Galvanized</p> <p>Arm 15 ft (3m) overhang</p> <p>Galvanized</p>	<p>Specification 5200, 5350, 5365, 5390 Dwg L2s-227</p> <p>Specification 5200, 5350</p> <p>Dwg L2s-234</p>
<p>Steel Streetlight Arm</p> <p>For Use in Evergreen</p>	<p>4-10-90 5000248</p>	<p>Galvanized</p>	<p>Specification 5200 Dwg L2s-199</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Steel Streetlight Pole For Single or Double Overhead Wired Arm</p> 	<p>4-11-25 5000249</p> <p>4-11-30 5000250</p> <p>4-11-35 5000251</p>	<p>Galvanized</p> <p>Shaft 25 ft (7.6m) fxt. ht. 7" to 7 3/4" Blt Sp 25' (7.8m) long</p> <p>Shaft 30 ft (9m) fxt. ht. 7 1/2" to 8 1/4" Blt Sp 30' (9.1m) long</p> <p>Shaft 35 ft (11m) fxt. ht. 7 1/2" to 9 1/4" Blt Sp 35' (10.7m) long</p>	<p>Specification 5200, 5350 Dwg L2s-220-01</p> <p>Dwg L2s-220-02</p> <p>Dwg L2s-220-03</p>
<p>Steel Streetlight Arm Overhead Wired NOT FOR WOOD POLES</p>  <p>Old Style</p> 	<p>4-11-75 5000252</p> <p>4-11-85 5000253</p>	<p>Galvanized</p> <p>Arm 10 ft (3m) overhang</p> <p>Arm 15 ft (4.5m) overhang</p>	<p>Specification 5200, 5350 Dwg L2s-220-04</p> <p>Dwg L2s-220-05</p>
<p>Steel Streetlight Pole For Double Elliptical Arm</p>	<p>4-13-37 5000254</p>	<p>Shaft 34 ft (10.4m) fxt. ht. 8 1/2" to 9 1/2" Blt Sp 27.3' (8.3m) long</p> <p>Red</p>	<p>Specification 5200, 5350, 5365, 5390 Dwg L2s-149-01</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Arm Double Elliptical	4-13-76 5000255 4-13-77 5000256	Arm 10 ft (3m) overhang Black Red	Specification 5200, 5350, 5365, 5390 Dwg L2s-149-02
Steet Streetlight Pole For Vector or Mongoose Lighting Bottom Section Top Section	4-14-25 5000257 4-14-50 5000258	Galvanized 7.874 m 25' 10" 7.38 m 25' 8" 50' (15.24m Pole)	Specification 5200, 5350 Dwg L2s-160
Steel Streetlight Pole For PTL, Washington, Marine & Shoebox Fixtures 	4-15-11 5000259 4-15-12 5000260 4-15-13 5000261	<u>Bolt Spacing</u> 6 3/4" to 8 1/8" 12 ft (3.66m) Base 6" Black Red Brown	Specification 5200, 5350, 5365, 5390 Dwg. L2s-148



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Steel Streetlight Pole For Washington Fixture Only</p> 	<p>4-15-21 5000262</p>	<p><u>Bolt Spacing</u> 6 3/4" to 8 1/8" 12 ft (3.66m) Base 4.75"</p> <p>Black For Ornamental Base</p>	<p>Specification 5200, 5350, 5365, 5390 Dwg. L2s-169</p>
<p>Steel Streetlight Pole For PTL & Marine Fixture</p> 	<p>4-15-30 5000263</p> <p>4-15-31 5000264</p> <p>4-15-33 5000265</p> <p>4-15-35 5000266</p>	<p><u>Bolt Spacing</u> 6 3/4" to 8 1/8" 18 ft (5m)</p> <p>Green</p> <p>Black</p> <p>Brown</p> <p>Grey</p>	<p>Specification 5200, 5350, 5365, 5390 Dwg. L2s-165</p>
<p>Steel Streetlight Pole</p> <p>For Use in Evergreen</p>	<p>4-15-50 5000267</p>	<p><u>Bolt Spacing</u> 6 3/4" to 8 1/8" 18 ft (5m)</p> <p>Galvanized</p>	<p>Specification 5200 & 5350 Dwg L2s-200</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Streetlight Pole Brighton Subdivision	4-15-70 5000268	Black	Specification 5200, 5350, 5365, 5390 Dwg L2s-239
Steel Streetlight Arm Brighton Subdivision	4-15-80 5000269	Black	Specification 5200, 5350, 5365, 5390 Dwg L2s-237
Steel Streetlight Pole For Invue Fixture	4-16-10 5000270 4-16-12 5000271 4-16-16 5000272 4-16-23 5000273	Graphite Metallic 10 Foot 12 Foot 16 Foot 23 Foot	Specification 5200, 5350, 5365, 5390 Dwg L2s-185-02 Dwg L2s-185-01 Dwg L2s-185-03 & Dwg L2s-185-04 Dwg L2s-185-05



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Steel Streeilight Arm For Invue Fixture</p> <p>Flite Style</p>  <p>Slide Style</p> 	<p>4-16-30 5000274</p> <p>4-16-32 5000275</p> <p>4-16-34 5000276</p>	<p>Graphite Metallic</p> <p>Arm Flite Style</p> <p>Arm Slide Style</p> <p>Arm Slide Style 250 Watt Only</p>	<p>CP FLS-ARM-GM</p> <p>CP SLS-ARM-GM</p> <p>CP SDM1-ARM-GM</p>
<p>Invue Decorative Base</p>	<p>4-16-50 5000277</p> <p>4-16-51 5000278</p>	<p>4" Hole</p> <p>5" Hole</p>	<p>CP 1000D49H01GM</p>
<p>Invue 18" Pole Extension & Cap</p>	<p>4-16-52 5000279</p>	<p>Graphite Metallic</p> <p>For use with 4-16-30 @ 12'Mounting height</p>	<p>Dwg L2s-185-01</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Icon Style Streetlighting</p> <p>Pole</p> <p>Arm</p>	<p>4-17-16 5000280</p> <p>4-17-30 5000281</p>	<p>16' Stone Grey</p> <p>Upsweep</p>	<p>Specification 5174 Dwg L2s-215</p> <p>CP VA1006 Specification 5174 Dwg L2s-215</p>
<p>Streetlight Elliptical Arm FOR WOOD POLES</p> 	<p>4-20-02 5000282</p> <p>4-20-06 5000283</p> <p>4-20-10 5000284</p> <p>4-20-12 5000285</p> <p>4-20-18 5000286</p>	<p>1 1/2" x 2'</p> <p>2" x 6'</p> <p>2" x 10'</p> <p>2" x 12'</p> <p>2" x 18'</p>	<p>Specification 5200, 5350 Dwg L2s-196-01</p> <p>Dwg L2s-196-02</p> <p>Dwg L2s-196-03</p> <p>Dwg L2s-196-04</p> <p>Dwg L2s-161-01&02</p>
<p>Streetlight Arm For Marine Fixtures</p> 	<p>4-21-30 5000287</p> <p>4-21-31 5000288</p> <p>4-21-32 5000289</p> <p>4-21-33 5000290</p>	<p>30"</p> <p>Green</p> <p>Red</p> <p>Blue</p> <p>Black</p>	<p>Specification 5390 Dwg L2s-154 Colour as per Application</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Streetlight Arm For Marine Pendant Fixture</p> 	<p>4-22-30 5000291</p>	<p>Black</p>	<p>Specification 5390 Dwg L2s-188</p>
<p>Streetlight Arm Steel</p> <p>For use on 3rd Avenue</p> <p>For use in Kensington</p> <p>LED Floodlight Arm Attachment to wood pole</p>	<p>4-22-40 5000292</p> <p>4-22-50 5000293</p> <p>4-23-15 5000294</p>	<p>6' Straight Graphite Metallic</p> <p>Decorative Black</p>	<p>Specification 5200, 5350, 5390 Dwg Ls-417-04</p> <p>Dwg L2s-230</p> <p>Dwg L2s-228</p>
<p>Streetlight Arm & Bracket For Washington Fixtures</p> 	<p>4-23-30 5000295</p> <p>4-23-31 5000296</p>	<p>Black</p>	<p>HCI A316-1A-CM-6- RAL9011-BLACK</p> <p>HCI CLAMP-6- RAL9011-BLACK</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Streetlight Arms</p> <p>For Washington Fixtures on Wood Poles</p> <p>For Offset Lighting - Double Bullhorn Mongoose/Vector</p> <p>For Offset Lighting - Triple Bullhorn Mongoose/Vector</p>	<p>4-23-40 5000297</p> <p>4-24-20 5000299</p> <p>4-24-21 5000300</p>	<p>Black</p> <p>Galvanized</p> <p>Galvanized</p>	<p>Dwg L2s-168</p> <p>Dwg L2s-186-01</p> <p>Dwg L2s-186-03</p>
<p>Arm Shoebox LED - Brown Single Arm</p>  <p>Double Arm</p> 	<p>4-25-05 5000301</p> <p>4-25-06 5026150</p>	<p>Sepia Brown</p> <p>Sepia Brown</p>	<p>Dwg L2s-226-02</p> <p>Dwg L2s-226-03</p>
<p>Steel Extensions For Combination Traffic and Streetlight Poles</p> <p>Black - For use in Kensington</p>	<p>4-26-04 5000302</p> <p>4-26-06 5000303</p> <p>4-26-12 5000305</p> <p>4-26-13 5000306</p>	<p>Graphite Metallic Extension 4' Octagonal Pole</p> <p>Galvanized Extension 6' Octagonal Pole</p> <p>Extension 12' Octagonal Pole</p> <p>Extension 13' Octagonal Pole</p>	<p>Dwg L2s-193</p> <p>Dwg L2s-170</p> <p>Dwg L2s-179</p> <p>Dwg L2s-229</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Steel Pole Tenon Adapter For Washington, Marine & PTL Fixtures	4-27-01 500307	Small Round (4") Sepia Brown (RAL8014)	Dwg L2s-158-01
	4-27-04 500308	Octagonal (4 5/8") Black	Dwg L2s-147
	4-27-05 500309	Small Round (5") Black	Dwg L2s-158-01
	4-27-06 500310	Medium Round (6") Black	Dwg L2s-158-01
	4-27-07 500311	Large Round (7") Blue	Dwg L2s-158-01
	4-27-09 500312	Large Round (9") Blue	Dwg L2s-158-01
Steel Pole Tenon Adapter For Mongoose Fixture	4-27-20 500313		Dwg L2s-158-02
Base Plate Adapter for Steel Pole  (Electronic Shop also use these)	4-28-07 500314 4-28-12 500315	Galvanized 1" Dia. Bolt <u>Bolt Spacing</u> 6 3/4" to 8 1/8" Height 7" 1" Dia. Bolt <u>Bolt Spacing</u> 6 3/4" to 8 1/8" Height 12"	POLE Dwg L2s-133 POLE Dwg L2s-133




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Steel Streetlight Pole Extension</p> 	<p>4-29-12 5000316</p>	<p>Galvanized Bolt Spacing 7 11/16" to 10" Height 12"</p>	<p>Dwg L2s-195</p>
<p>Reaction Plates - Breakaway Base Small</p> <p>Medium & Large</p> 	<p>4-33-35 5000317</p> <p>4-33-50 5000318</p>	<p>Use on New Installs With 4-36-35</p> <p>With 4-36-40 & 4-36-50</p>	<p>Dwg L2S-232-04</p> <p>Dwg L2S-232-05</p>
<p>Couplers - Breakaway Base For Repairs</p> <p>35 Foot Single Davit</p> <p>35 Foot Double Davit 40 Foot Single Davit 50 Foot Highway</p>	<p>4-36-35 5000319</p> <p>4-36-40 5000320</p>	<p>1" Dia. Bolt Round</p> <p>1 1/4" Dia. Bolt Round</p>	<p>SB C-5</p> <p>SB C-7</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Shroud - Breakaway Base</p> <p>35 Foot Single Davit</p> <p>35 Foot Double Davit 40 Foot Single Davit</p> <p>50 Foot Vector Lighting</p> 	<p>4-37-35 5000321</p> <p>4-37-40 5000322</p> <p>4-37-50 5000323</p>	<p>Stainless Steel</p> <p>For 8 1/8" On Square</p> <p>For 9 3/16" On Square</p> <p>For 10 1/4" On Square</p>	<p>Dwg L2S-232-01 SB S-3C</p> <p>Dwg L2S-232-02 SB S-5C</p> <p>Dwg L2S-232-03 SB S-8C</p>
<p>Hand Hole Assembly</p> 	<p>4-38-01 5000324</p> <p>4-38-21 5000325</p> <p>4-38-30 5000326</p> <p>4-38-40 5000327</p>	<p>Bolt to be cadmium</p> <p>6" - Primed</p> <p>12" - Galvanized</p> <p>12" Rectangle- Primed</p> <p>12" For 4" Round Pole Graphite Metalic</p>	<p>CIM</p> <p>Dwg L2s 194-01</p> <p>Dwg L2s 194-02</p> <p>Dwg L2s 194-03</p> <p>Dwg L2s 194-04</p>
<p>Backer Bar for Handhole</p>  <p>Tamper Proof Bolts</p>	<p>4-38-50 5000328</p> <p>4-39-01 5000329</p>	<p>14" x 1.5" x .25" c/w Threaded Insert</p> <p>3/8" x 4" SS</p>	<p>BRYCE 3GMRR37400</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Cable Retainer</p> 	<p>4-40-10 5000331</p>	<p>6" Foundation Anchor</p>	<p>PELCO SP-6200-GLV</p>
<p>Cobra Head Fixture - LED Local Roadway</p> 	<p>4-51-05 5000332</p>	<p>34 Watt 120/277 Volt w receptacle</p>	<p>Leotek GCJ1-20H-MV-WW- 2R-GY-530-PCR7</p>
<p>Cobra Head Fixture - LED Collector Roadway</p> 	<p>4-51-10 5000333</p>	<p>47 Watt 120-277 Volt w receptacle</p>	<p>GE Current ERL1006B330- AXXXXILR</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Cobra Head Fixture - LED Arterial Roadway</p> 	<p>4-51-15 5000334</p> <p>4-51-18 5000335</p> <p>4-51-20 5000336</p>	<p>64 Watt 120-277 Volt w receptacle</p> <p>64 Watt 347 Volt w receptacle</p> <p>120-277 Volt w receptacle</p> <p>LED Roadway (134W) L0-60M-5-7-2ES-7-S- GY-3-UL-2-S-A</p> <p>Leotek (123 W) GCM3-60J-MV-30K-2R-GY-170- PCR7-SP2-WL</p> <p>ACUITY (130W) ATB2-60BLEDE70-MVOLT- R2-3K-P7-RAL7035-RFD312465</p>	<p>LEO GCJ3-30J-MV- 30K-2R-GY-90- PCR7-WL</p> <p>LEO GCJ3-30J-HV- 30K-2R-GY-075- PCR7-WL</p>
<p>Highway Fixture - LED</p> 	<p>4-57-51 5000343</p>	<p>120/240V RSX2-P3/147W</p> <p>120/277V 4 Square/164W</p> <p>120/240V VETLOR P1 PS3/89W</p>	<p>LITH RSX2 LED P3 30K R3 MVOLT IS PER7 DNAXD</p> <p>CP GLAN-SA4B-730- U-T2R-SP-AP-TH-PR7</p> <p>LEO VT LOR-216A- MV-30K7-T2R-GY-P1- SF-PS3-PCR7-WL</p>
<p>Highway Fixture - LED</p> 	<p>4-57-52 5000344</p>	<p>347/600V RSX2-P3/147W</p> <p>347/600V 4 Square/164W</p> <p>347/600V VETLOR P1 PS3/89W</p>	<p>LITH RSX2 LED P3 30K R3 HVOLT IS PER7 DNAXD</p> <p>CP GLAN-SA4B-730- 9-T2R-SP-AP-TH-PR7</p> <p>LEO VT LOR-216A- HV-30K7-T2R-GY-P1- SF-PS3-PCR7-WL</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Highway Fixture - LED</p> 	<p>4-57-54 5000345</p>	<p>120/240V Horizontal Tenon RSX2-P3/147W</p> <p>120/240V Horizontal Tenon 4 Square/164W</p> <p>120/240V Horizontal Tennon VETLOR P1 PS3/89W</p>	<p>LITH RSX2 LED P3 30K R3 MVOLT MA PER7 DNAXD</p> <p>CP GLAN-SA4B-730- 9-T2R-SP-AP-TH-PR7</p> <p>LEO VTOR-216A- MV-30K7-T2R-GY-P1- MAF-PS3-PCR7-TB- WL</p>
<p>Highway Fixture - LED</p> 	<p>4-57-81 5000346</p>	<p>120/240V RSX3-P3/266W</p> <p>120/240V 7 Square/286W</p> <p>120/240V VETLOR P1/180W</p>	<p>LITH RSX3 LED P3 30K R3 MVOLT IS PER7 DNAXD</p> <p>CP GLAN-SA7B-730- U-T2R-SP-AP-TH-PR7</p> <p>LEO VTOR-216A- MV-30K7-T2R-GY-P1- SF-PCR7-WL</p>
<p>Highway Fixture - LED</p> 	<p>4-57-82 5000347</p>	<p>347/600V RSX3-P3/266W</p> <p>347/600V 7 Square/286W</p> <p>347/600V VETLOR P1/180W</p>	<p>LITH RSX3 LED P3 30K R3 HVOLT IS PER7 DNAXD</p> <p>CP GLAN-SA7B-730- 9-T2R-SP-AP-TH-PR7</p> <p>LEO VTOR-216A- HV-30K7-T2R-GY-P1- SF-PCR7-WL</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Highway Fixture - LED 	4-57-91 5000348 4-57-92 5000349	120/240V 8 Square/325W 120/240V VETLOR P5/317W 347/600V 8 Square/325W 347/600V VETLOR P5/317W	CP GLAN-SA8B-730-U-T2R-SP-AP-TH-PR7 LEO VTOR-216A-MV-30K7-T2R-GY-P5-SF-PCR7-WL CP GLAN-SA8B-730-9-T2R-SP-AP-TH-PR7 LEO VTOR-216A-HV-30K7-T2R-GY-P5-SF-PCR7-WL
High Mast Fixture 	4-58-10 5026247	582 Watt LED 347/600 Volt	HOL HMLED4 P4 30K HVOLT HGR AW-PR7 PCL3
Washington Fixture 	4-60-05 5000350 4-60-25 5000351	Black 35 Watt LED 120/240 Volt 120 Watt LED 120/240 Volt	STERN PT-A850SRLE D5P-2ARC27T3R-MDL03-A-BK No Substitutes STERN PT-A850S RLED-5P-24L27T4-MDL018-A-BK No Substitutes

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Fixtures - For use on 2nd Ave</p> <p>Pathway Fixture LED</p>  <p>Roadway Fixture LED</p>	<p>Charcoal Grey</p> <p>4-61-05 5000352</p> <p>4-61-10 5000353</p>	<p>20 Watt 120/277 Volt</p> <p>100 Watt 120/277 Volt</p>	<p>CYCLONE CLE17T4C-FGC-4-20W-3K-240-R30-RAL7026-TX</p> <p>CYCLONE CLE17T4C-FGC-4-100W-3K-240-R30-RAL7026-TX</p>
<p>Euro Series Fixture</p> 	<p>4-62-03 5000354</p>	<p>For Central Avenue</p> <p>20 Watt LED</p>	<p>STERN E350LED-SF-12L30T5-MDL006-SV1/BKT</p>
<p>Villa Maria Fixture</p> 	<p>4-63-05 5020814</p> <p>4-63-10 5020805</p>	<p>23 Watt LED 120/240 Volt</p> <p>112 Watt LED 120/240 Volt</p>	<p>CYCLONE VMAT4A-NL-T1-P10-30K-MVOLT-10KV-R30-BK-TX</p> <p>CYCLONE VMAT4A-NL-T3M-P70-30K-MVOLT-10KV-R30-BK-TX</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Marine Fixture LED</p> 	<p>4-65-01 5000355</p> <p>4-65-02 5000356</p>	<p>35 Watt 120/277 Volt 23" Brim Blue</p> <p>35 Watt 120/277 Volt 23" Brim Black Currant</p>	<p>HCI SF130-S-CPC-LED35W-3000K-120-277V-TYPEIII-DIM-RAL5015</p> <p>HCI SF130-S-CPC-LED35W-3000K-120-277V-TYPEIII-DIM-RAL3005</p>
<p>Marine Fixture LED</p> 	<p>4-65-07 5000357</p> <p>4-65-08 5000358</p>	<p>35 Watt 120/277 Volt 23" Brim Green</p> <p>35 Watt 120/277 Volt 23" Brim Red</p>	<p>HCI SF130-S-CPC-LED35W-3000K-120-277V-TYPEIII-DIM-RAL6029</p> <p>HCI SF130-S-CPC-LED35W-3000K-120-277V-TYPEIII-DIM-RAL3002</p>
<p>Marine Fixture LED</p> 	<p>4-65-10 5000359</p> <p>4-65-11 5000360</p>	<p>55 Watt 120/277 Volt 23" Brim Green</p> <p>35 Watt 120/277 Volt 23" Brim Black</p>	<p>HCI SF130-S-CPC-LED55W-3000K-120-277V-TYPEIII-DIM-RAL6029</p> <p>HCI SF130-S-CPC-LED35W-3000K-120-277V-TYPEIII-DIM-RAL9017</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Marine Fixture HPS</p> 	<p>4-65-27 5000361</p>	<p>250 Watt 120/240 Volt 32" Brim Blue</p>	<p>SDL SLF985-RD3-250S-120/240-CC Specification 5150, 5390 Dwg L2s-153</p>
<p>Pendant Marine Fixture - LED</p> 	<p>4-66-10 5001337</p> <p>4-66-25 5001338</p>	<p>Black</p> <p>54 Watt LED 120/277 Volt</p> <p>100 Watt LED 120/277 Volt</p>	<p>HCI F172-L-MOD-54WLED-120-277V-IES3-HSS-RAL9011</p> <p>HCI F172-L-MOD-100WLED-120-277V-IES3-HSS-RAL9011</p>
<p>LED Retro Fit Kit for Marine Fixture</p>	<p>4-66-30 5017828</p> <p>4-66-35 5017839</p>	<p>54 Watt LED 120/277 Volt</p> <p>100 Watt LED 120/277 Volt</p>	<p>HCI RETRO-FIT-KIT-HCI-5436LMS(54W)-3000k-120-IES3</p> <p>HCI RETRO-FIT-LED-F172-L-MOD-100WLED-120-277V-IES3</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Fixtures & Poles - For use on 3rd Avenue</p> <p>Pedestrian Pole & Fixture</p> <p>Historical Pendant Fixture</p>	<p>4-67-05 5000362</p> <p>4-67-25 5000363</p>	<p>Graphite Metallic</p> <p>12' & 50 Watt MH</p> <p>120 Watt LED 347 Volt</p>	<p>Specification 5111 Dwg L2s-218</p> <p>HCI F302-MOD-CTG- 120W-LED-347V- IES3-3000K-FINIAL- MOD-CUSTOM- COLOR</p>
<p>Fixtures - For use in Kensington</p> <p>Historical Pendant Fixture LED Collector Roadway</p> 	<p>4-68-10 5000365</p>	<p>Black</p> <p>120 Watt 120-277 Volt 4000K</p>	<p>HCI F302-MOD-L- LTG-120W-LED- 3000K-120-277V-IES3- MOD-FINIAL- RAL9017</p>
<p>Fixture Brighton Pendant LED</p> 	<p>4-69-05 5000366</p>	<p>Black</p> <p>140 Watt 120/277 Volt</p>	<p>CYCLONE CO12P1B-FGC-4- 140W-3K-240-R30- RAL7026-TX</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Pathway Fixture</p> 	<p>4-71-05 5000368</p>	<p>15 Watt 120/277 V, 3000K with receptacle RAL8014-Sepia Brown</p>	<p>Leotek GCJ0-15H-MV-WW- 2R-CC-300-PCR7</p>
<p>Wallpack Fixture</p>  	<p>4-72-07 5000369</p> <p>4-72-08 5000370</p> <p>4-72-10 5000371</p> <p>4-72-11 5000372</p>	<p>30 Watt LED 120/277 Volt Fail Safe</p> <p>30 Watt LED 347 Volt Fail Safe</p> <p>Bronze 30/40/60W Selectable 120-347V, 3000K/4000K/5000K Selectable</p> <p>40 Watt LED 347 Volt, 3000K5 w/o receptacle</p>	<p>CP G12-LD4-30W-30- CL-UNV-EDC1- CSTG/BZ</p> <p>CP G12-LD4-30W-30- CL-347V-EDC1- CSTG/BZ</p> <p>Keene WP-60-SCT- G2-10-BZ LEDVANCE WALPAKN9AS060- UNHD8SC2BZP</p>
<p>Floodlight Fixture - LED</p> <p>Traffic Bridge Pedestrian</p> 	<p>4-73-00 5000373</p> <p>4-73-25 5000374</p> <p>4-73-26 5000375</p>	<p>Bronze</p> <p>25 Watt LED</p> <p>Order Slipfit knuckle</p> <p>129 Watt LED 120/277 Volt, 3000K</p> <p>Top & Side Visor</p>	<p>HUB FSL-10L-25-3K- RM-U-K-DB S-302-M51</p> <p>CP NFFLD-C40-E- UNV-66-S-CB-7030 No alternates</p> <p>CP TS2/NFFLD-CB</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Invue Fixture - LED</p> 	<p>4-76-05 5000377</p> <p>4-76-10 5000378</p> <p>4-76-25 5000379</p>	<p>Graphite Metallic</p> <p>25 Watt LED</p> <p>50 Watt LED</p> <p>125 Watt LED</p>	<p>CP ICS-E01-LED-E1-T3-GM-LCF</p> <p>CP ICS-E02-LED-E1-T3-GM-LCF</p> <p>CP ICM-E05-LED-E1-T3-GM-LCF</p>
<p>Icon Fixture - LED</p> 	<p>4-77-10 5000380</p>	<p>Stone Grey</p> <p>50 Watt LED</p>	<p>CP ICS-E02-LED-E1-T3-RAL7030-LCF (VA1006-xx) Specification 5174 Dwg Ls-215</p>
<p>LED Fixture - For Use In Evergreen</p> <p>Pathway</p> <p>Roadway (Wide)</p> 	<p>4-78-05 5000381</p> <p>4-78-15 5000383</p>	<p>22 Watt LED w/o Receptacle</p> <p>107 Watt LED 120/240 Volt w/o Receptacle</p>	<p>LED SAT-24S-280mA-T2</p> <p>LED SAT-72M-450mA-T3</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>High Pressure Sodium Vapor Lamp Mogul Base, 30,000 Hour Non-cycling</p> 	<p>4-80-05 5000384</p> <p>4-80-07 5001339</p> <p>4-80-10 5001340</p> <p>4-80-15 5001341</p>	<p>30,000 Hour Non-cycling</p> <p>50 Watt</p> <p>70 Watt</p> <p>100 Watt</p> <p>150 Watt</p>	<p>SYL LU50/Plus/Eco</p> <p>SYL LU70/Plus/Eco GE LU70/Eco/NC</p> <p>SYL LU100/Plus/Eco GE LU100/Eco/NC</p> <p>SYL LU150/Plus/Eco GE LU150/Eco/NC</p>
<p>High Pressure Sodium Vapor Lamp Mogul Base</p> 	<p>4-80-20 5000385</p> <p>4-80-25 5000386</p> <p>4-80-40 5000387</p>	<p>60,000 Hour Non-cycling</p> <p>200 Watt</p> <p>250 Watt</p> <p>400 Watt</p>	<p>SYL LU200/Plus/XL/Eco</p> <p>SYL LU250/Plus/XL/Eco</p> <p>SYL LU400/Plus/XL/Eco</p>
<p>Metal Halide Lamp Medium Base</p> 	<p>4-81-07 5000391</p> <p>4-81-40 5000394</p>	<p>70 Watt</p> <p>400 Watt Mogul Base</p>	<p>PHI MHC70/U/M/4K/ELITE</p> <p>PHI CDM330/U/O/4K/ED28</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>LED Lamp - Warm White</p> <p>LED Lamp - Cool White</p> <p>LED Lamp - Red</p> <p>LED Lamp - Green</p> <p>LED Lamp - Blue</p>	<p>4-82-01 500395</p> <p>4-82-02 500396</p> <p>4-82-04 500397</p> <p>4-82-05 500398</p> <p>4-82-06 500399</p>	C7	Specifications 5430
<p>LED Lamp - Warm White</p> <p>LED Lamp - Cool White</p> <p>LED Lamp - Yellow</p> <p>LED Lamp - Red</p> <p>LED Lamp - Green</p> <p>LED Lamp - Blue</p>	<p>4-82-11 500400</p> <p>4-82-12 500401</p> <p>4-82-13 500402</p> <p>4-82-14 500403</p> <p>4-82-15 500404</p> <p>4-82-16 500405</p>	C9	Specifications 5430
<p>Pigtail Socket</p> 	<p>4-83-01 500406</p>	120 Volt Only	Leviton 55 Eaton 145

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>In-Line Fuse Holder Breakaway For 240 & 347 V</p> 	<p>4-83-05 5000407</p> <p>4-83-06 5000408</p>	<p>600 Volt 30 Amp 100 kA #12 to #12</p> <p>600 Volt 30 Amp 100 kA #2 to #6</p>	<p>AM 65U (No Subs)</p> <p>SHAW FEB-41-41-BA</p>
<p>Photo Electric Cell</p>  <p>Latitude IQ</p>	<p>4-83-10 5001342</p> <p>4-83-11 5000409</p> <p>4-83-12 5000410</p>	<p>120 Volt 1000 Watt</p> <p>120 Volt 1800 Watt</p> <p>120 Volt Green</p>	<p>FP 7760 SS9 PREC EXDV-AP-TD INT LED4536SC</p> <p>INT LC4536</p>
<p>Photo Electric Cell Bracket 3 Prong Type</p> 	<p>4-83-20 5001343</p>		<p>FP S476-71 PREC M2A</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Photo Electric Cell Shorting Cap</p> 	<p>4-83-25 5001344</p>	<p>Min 15A Max 480V</p>	<p>FP FPS1039 PREC JP275 Ripley Lighting Controls 6005M-320V</p>
<p>Street Light Relay Double Pole</p> 	<p>4-83-30 5000411</p>	<p>100 Amp 120/240 Volt</p>	<p>Dwg L2-210</p>
<p>Contactor - Three Pole</p> 	<p>4-83-35 5000412</p> <p>4-83-36 5000413</p>	<p>60 Full Amp 75 Resistance Load Amps</p> <p>90 Full Amp 120 Resistance Load Amps Coil 120 Volt</p>	<p>Sq D 8910DPA63V02</p> <p>Sq D 8910DPA93V02</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Coils</p>  <p>For 60A Contactor</p> <p>For 90A Contactor</p>	<p>4-83-40 5000414</p> <p>4-83-41 5000415</p> <p>4-83-42 5000416</p> <p>4-83-43 5000417</p>	<p>120 Volt</p> <p>240 Volt</p> <p>120 Volt</p> <p>240 Volt</p>	<p>Sq D 9998DA2V02</p> <p>Sq D 9998DA2V09</p> <p>Sq D 9998DA3V02</p> <p>Sq D 9998DA3V09</p>
<p>Primary Oil Switch Single Phase (Solenoid operated)</p> 	<p>4-83-50 5000418</p>	<p>70 Amp 2400 Volt</p>	
<p>Circuit Breaker 1 Pole</p> 	<p>4-83-55 5000419</p>	<p>120/240 Volt 15 Amp</p>	<p>SQ D QOU115</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Circuit Breaker 2 Pole</p>	<p>4-83-60 5000420</p> <p>4-83-65 5000421</p>	<p>120/240 Volt 60 Amp</p> <p>120/240 Volt 100 Amp</p>	<p>SQ D QOU 260</p> <p>SQ D QOU 2100</p>
<p>Weatherhead For Overbraced Street Light Pole</p>	<p>4-83-75 5000422</p>	<p>3/4" CAST ALUMINUM SERVICE ENTRANCE</p>	<p>IBV CIEFSA-3/4</p>
<p>Power Distribution Block</p> 	<p>4-84-10 5000423</p>	<p>3 Pole/460 Amps</p>	<p>ILS PDB-212-4/0-3</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
LED Retro Fit Kit for Invue Fixture	4-92-05 5000441 4-92-10 5000442 4-92-25 5000443	25 Watt replaces 50 Watt MH 120/240 Volt 50 Watt replaces 100 Watt MH 120/240 Volt 125 Watt replaces 250 Watt MH 120/240 Volt	CP PDR64597-FLS-E01-LED-E1-T3-GM-RETRO CP PDR60272-SDS-E02-LED-E1-T3-GM-RETRO CP PDR60271-SDM-E05-LED-E1-T3-GM-RETRO
Ballast for Pedestrian Fixture	4-92-45 5000444 4-92-50 5000445	50 Watt MH 120/277/347 Volt 100 Watt MH 120/277/347 Volt	STAN 10067 STAN 10069
Refractor Wallpack Fixture  PTL Fixture Trouble Shift	4-93-10 5000446 4-93-11 5000447	100 Watt HPS Glass or Acrylic 100 Watt	HOL 579B AE RK245 R2/R3 AY



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Black Acorn Globe for Washington Fixture	4-93-20 5000448	50 Watt	DIV HS1-BLK
Banner Hardware Bracket Black Arm	4-95-01 5000450 4-95-02 5000451	Black 31" Black Casting Fibreglass Rod	BannerFlex D3 BannerFlex D3
Electrical Boxes, Receptacle, Covers Receptacle Electrical Box Threaded Nipple LockNut Weather Proof Cover	4-96-05 5027777 4-96-10 5027779 4-96-15 5027781 4-96-20 5027783 4-96-25 5027785	3/4" KO 3/4X1-3/8 - close nipple	LEVITON CR15-I - Ivory CR15-W - white RAB D5633 - 3/4" KO SCF GALV NIP 3/4X1-3/8 Iberville CI1706 Cooper Eagle EAG S1962 - Gray




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Parallel Groove Copper Compression Connector 	5-00-01 5001345 5-00-02 5001346 5-00-04 5001347 5-00-05 5001348	4 STR - 6 STR 4 STR - 4 STR 2 STR - 4 STR 2 STR - 2 STR	BUR Crimpit YC4C6 ILS ULT-4-Z T&B BC46 BUR Crimpit YC4C4 ILS ULT-5-Z T&B BC44 BUR Crimpit YC2C4 ILS ULT-6-Z T&B BC24 BUR Crimpit YC2C2 ILS ULT-7-Z T&B BC22
Parallel Groove Copper Compression Connector 	5-00-06 5001349 5-00-07 5001350 5-00-08 5001351	1/0 2/0 STR - 1/0 2/0 STR 3/0-4/0 - #6-#2 3/0 4/0 - 1/0 2/0 STR	BUR Crimpit YC26C26 T&B BC2020 ILS ULT-9-Z T&B CC402 HOM CC402 BUR Crimpit YC28C2 ILS ULT-10-Z BUR Crimpit YC28C26 HOM CC4020 T&B BC4020 ILS ULT-11-Z
Parallel Groove Copper Compression Connector 	5-00-09 5001352	3/0 4/0 - 3/0 4/0 STR	BUR Crimpit YC28C28 ILS ULT12-Z T&B BC4040




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Copper Compression Connector - Grounding</p> 	<p>5-00-12 5001353</p> <p>5-00-14 5001354</p>	<p>#2 2/0 STR 5/8" Rod</p> <p>300 500 MCM 5/8" Rod</p>	<p>BUR YGHR 26C58 ILS RLT3 T&B GR58-202</p> <p>BUR YGHR 34C58 ILS RLT8 T&B GR58-300500</p>
<p>Copper Compression Connector - Grounding</p> 	<p>5-00-16 5001355</p> <p>5-00-17 5001356</p>	<p>2/0 to #8, #2</p> <p>300 - 500 MCM Run to 300 - 500 MCM Tap</p>	<p>BUR YC26C2 T&B BC202</p> <p>BUR YGHC34C34 T&B CTP500500</p>
<p>Copper Compression Connector - Grounding</p> 	<p>5-00-18 5001357</p> <p>5-00-19 5001358</p>	<p>1/0, 2/0 STR 250, 500 MCM</p> <p>350 MCM Run to 350 MCM Tap</p>	<p>BUR YGHP 34C26 ILS GGC-6 T&B 54890</p> <p>BUR YGHP 34C34 ILS GGC-8 T&B 54900</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Parallel Groove Aluminum Compression Connector for Copper, Aluminum, ACSR, AAAC & 5005</p> 	<p>5-00-30 5023024</p> <p>5-00-31 5000452</p> <p>5-00-32 5000453</p>	<p>3/0, 2/0, 1/0 STR 2/0, 1/0, 1 ACSR</p> <p>St. Ltg. Trp. 6, 4 ACSR 2, 4 ACSR Comp. 6, 4, 2 STR Alum & Cu 14 SOL, 8 STR Alum & CU</p> <p>6, 4, 3, 2 SOL - 6, 4, 3, 2 SOL 6, 4, 3 STR 6, 4 ACSR - 6, 4 ACSR</p>	<p>BLK WR279</p> <p>BLK WR9 NO SUBS</p> <p>BLK WR159 NO SUBS</p>
<p>Parallel Groove Aluminum Compression Connector for Copper, Aluminum, ACSR, AAAC & 5005</p> 	<p>5-00-33 5000454</p> <p>5-00-34 5000455</p>	<p>2, 1, 1/0, 2/0 STR - 6, 4, 3, 2 1 STR 2, 1, 1/0 2/0 ACSR - 6, 4 3, 2, 1 ACSR</p> <p>1/0, 2/0 STR - 1/0, 2/0 STR 1/0, 2/0 ACSR - 1/0, 2/0 ACSR</p>	<p>BLK WR189 NO SUBS</p> <p>BLK WR259 NO SUBS</p>
<p>Parallel Groove Aluminum Compression Connector for Copper, Aluminum, ACSR, AAAC & 5005</p> 	<p>5-00-35 5000456</p> <p>5-00-36 5000457</p>	<p>2/0, 3/0 STR - 3, 2, 1 STR 1/0, 2/0, 3/0 ACSR - 4, 3, 2, 1 ACSR</p> <p>4/0, 250 STR - 3/0, 4/0 250 STR 3/0, 4/0 ACSR - 3/0, 4/0 ACSR</p>	<p>BLK WR289 NO SUBS</p> <p>BLK WR419 NO SUBS</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Parallel Groove Aluminum Compression Connector for Copper, Aluminum, ACSR, AAAC & 5005</p> 	<p>5-00-37 5000458</p> <p>5-00-38 5000459</p> <p>5-00-39 5000460</p>	<p>4/0, 250 STR - 1/0, 2/0, 3/0 STR 4/0 ACSR - 1/0 2/0 ACSR</p> <p>4/0, 250 STR - 3, 2, 1 STR 4/0 ACSR - 4, 3, 2, 1 ACSR</p> <p>477 MCM STR - 4, 2/0 STR 477 MCM ACSR - 6, 1/0 ACSR</p>	<p>BLK WR399 NO SUBS</p> <p>BLK WR379 NO SUBS</p> <p>BLK WR815 NO SUBS</p>
<p>Parallel Groove Aluminum Compression Connector for Copper, Aluminum, ACSR, AAAC & 5005</p> 	<p>5-00-41 5000461</p> <p>5-00-43 5000462</p> <p>5-00-45 5000463</p>	<p>336, 477 ACSR - 250, 500 STR 2/0, 4/0 ACSR - 2/0, 4/0 STR</p> <p>336, 477 ACSR 250, 500 STR - 336 ACSR 250, 350 STR</p> <p>477 ACSR/Alum - 477ACSR/Alum</p>	<p>BLK WR835 NO SUBS</p> <p>BLK WR875 NO SUBS</p> <p>BLK WR885 NO SUBS</p>
<p>Split Bolt Connector For Copper to Copper</p> 	<p>5-01-01 5001359</p> <p>5-01-02 5001360</p> <p>5-01-04 5001361</p>	<p>MAIN Max-6 SOL Min-10 SOL TAP Max-6 SOL Min-12 SOL</p> <p>MAIN-#2 STR TAP Max-#2 STR Min-#14 STR</p> <p>MAIN-#4 STR TAP Max-#4 STR Min-#14 STR</p>	<p>BLK 6H BUR KS-17 ILS IK-6</p> <p>BLK 1H BUR KS23 ILS IK-2</p> <p>BLK 2H BUR KS22 ILS IK3</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Split Bolt Connector For Copper to Copper 	5-01-06 5001362 5-01-07 5001363 5-01-08 5001364	MAIN-#6 STR TAP Max-#6 STR Min-#14 STR 2/O MAIN Max-250 Min-2/0 TAP Max-250 Min-8 SOL	BLK 4H BUR KS20 ILS IK-4 BLK 20H BUR KS26 ILS IK-2/O BLK 40H ILS IK-250
Split Bolt Post Connector for Cable to Flat Bar 	5-01-12 5001365 5-01-13 5001366	10, 3 STR - 10, 2 SOL 3/8" - 16 Stud 2/O	BUR KC22 T&B SP3SL PU SSS-3A1 BUR KC26B1 T&B SP6SL PU SSS-6A1
Two Bolt Connector 	5-01-22 5001367	Up to 800 MCM	BUR KVSU40 ILS IKB-800




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Bonding Jumper Clamp 	5-01-30 5000464	#6 CU - 1/4"STR	BLK K1
Ampact Connector 	5-02-05 5000465 5-02-07 5000466 5-02-09 5000467 5-02-13 5000468 5-02-14 5028526 5-02-15 5000469 5-02-17 5000470	2/0-2/0, 3/0-1/0, 4/0-2 4/0 - 2/0 4/0 - 4/0 336 - 4/0 266-266 336 - 336 477 - 2/0	AMP 600411 AMP 600459 AMP 600466 AMP 602004 AMP 602046-9 AMP 602007 AMP 1-602031-8
Ampact Connector 	5000471 5-02-19 5000471 5-02-21 5000472 5-02-22 5000473 5-02-24 5000474 5-02-27 5000475 5-02-29 5000476	477 - 4/0 477 - 336 477 - 477 750 - 336 750 - 4/0 750 - 477	AMP 1-602031-6 AMP 1-602031-4 AMP 1-602031-3 AMP 602121-7 AMP 602121-9 AMP 602121




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Ampact Deadend Connector</p> 	<p>5-02-30 5025366</p> <p>5-02-32 5025368</p> <p>5-02-34 5025370</p> <p>5-02-36 5025372</p>	<p>4/0 AAC & ACSR</p> <p>266 ACSR, 336 AAC & ACSR</p> <p>477 AAC</p> <p>477 ACSR</p>	<p>AMP 83843-7</p> <p>AMP 83843-2</p> <p>AMP 83843-3</p> <p>AMP 83843-4</p>
<p>Ampact Shell</p> <p>Blue</p> <p>Red</p> <p>Yellow</p> <p>White</p> 	<p>5-02-41 5000477</p> <p>5-02-42 5000478</p> <p>5-02-44 5000479</p> <p>5-02-46 5000480</p>		<p>AMP 69338-1</p> <p>AMP 69338-2</p> <p>AMP 69338-4</p> <p>AMP 69338-5</p>
<p>Ampact Insulated Cover</p> 	<p>5-02-52 5000481</p> <p>5-02-53 5000482</p>	<p>Medium</p> <p>Large</p>	<p>AMP 602107</p> <p>AMP 602284 HOM PT-COVER-C</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Connector Stirrup Powder-Actuated Style</p> 	<p>5-02-69 5000483</p> <p>5-02-70 5000484</p> <p>5-02-72 5000485</p> <p>5-02-74 5000486</p> <p>5-02-76 5000487</p> <p>5-02-78 5000488</p>	<p>Main: #6 Al/Cu Bail Size: #2</p> <p>Main: #4 - #2 Al/Cu Bail Size: #2</p> <p>Main: 1/0 - 2/0 Al/Cu Bail Size: #2</p> <p>Main: 4/0 Al/Cu Bail Size: #2</p> <p>Main: 266.8 ACSR, 336 AAC, 350 Cu Bail Size: 1/0</p> <p>Main: 477 Al, 500 Cu Bail Size: 1/0</p>	<p>AMP 602585</p> <p>AMP 602586</p> <p>AMP 600464</p> <p>AMP 600469</p> <p>AMP 600474</p> <p>AMP 602047</p>
<p>Connector Stirrup Clamp Style</p> 	<p>5-03-01 5000489</p> <p>5-03-03 5000490</p>	<p>Main: #4 - 2/0 Al/Cu Bail Size: #2</p> <p>Main: 2/0 - 477 Al/Cu Bail Size: 2/0</p>	<p>EPAC ASB-6-4/0 RIC BCASC2/0-E- W-45</p> <p>RIC BCASC397-E-45</p>
<p>Connector Stirrup Shearbolt Style</p> 	<p>5-03-10 5000491</p>	<p>Use With</p> <p>Main: #6 - #2 Al/Cu Bail Size: #2</p>	<p>CPI102011-2</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Sleeve Copper and Copperweld Full Tension 	5-04-02 5000492 5-04-03 5000493	2/0 (7, 19) STR 4/0 (7, 19) STR	BUR Hysplice YDS26 BUR Hysplice YDS28
Compression Sleeve Copper & Copperweld Full Tension 	5-04-07 5000494 5-04-08 5000495 5-04-09 5000496 5-04-10 5000497 5-04-11 5000498 5-04-12 5000499	#4 - #6 SOL Copper #6 SOL Copper #4 SOL Copper #2 SOL #4 STR Copper 3/0 SOL 2/0 STR Copper #2 SOL to #4 SOL	SL Nico Press 1-204X162P BUR YDS6W BUR YDS4W BUR YDS2W SL Nico Press 1-365/7G3 SL Nico Press Reducer 1-258X204X
Compression Sleeve Copper Repair 	5-04-22 5000500	4/0 STR	BUR YCU28




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Sleeve Aluminum Full Tension 	5-04-34 5000501 5-04-35 5000502 5-04-36 5000503 5-04-37 5000504	2/0 Alum 4/0 Alum 336 MCM 477 MCM	BUR YDS26AT BUR YDS28AT BUR YDS301AT HOM 2176 BUR YDS331AT
Compression Sleeve Aluminum Jumper 	5-04-41 5000505 5-04-42 5000506 5-04-43 5000507 5-04-44 5000508	4/0 Alum 336 MCM Alum 477 MCM Alum 477 MCM ACSR	BUR YCS28RL BUR YCS321R BUR YCS35R HOM 874 BUR YCS36R
Compression Sleeve ACSR Repair	5-04-47 5000509	4/0 ACSR	BUR YVU28R

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Sleeve Aluminum Repair 	5-04-50 5000510 5-04-51 5000511	336.4 MCM 477 MCM	BUR YCU301A BUR YOU331A
Compression Sleeve Combination Aluminum & ACSR Full Tension 	5-04-62 5000512 5-04-63 5000513	2/0 4/0	BUR Unisplice YDS26RL BUR Unisplice YDS28RL
Compression Sleeve ACSR Full Tension 	5-04-75 5000514 5-04-76 5000515 5-04-77 5000516 5-04-78 5000517 5-04-79 5000518	477 MCM Alum Section 477 MCM Steel Section 266 MCM Alum Section 266 MCM Steel Section 336 MCM Oriole Steel Section	BUR YDS37RP1 BUR YDS36RP2 BUR YDS30RP1 BUR YDS30RP2 BUR YDS33R




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Automatic Splice</p> 	<p>5-04-84 5000519 5-04-86 5000520 5-04-88 5000521 5-04-89 5000522 5-04-90 5001368 5-04-92 5001369 5-04-94 5000523</p>	<p>1/0 and 2/0 ALUM and ACSR 2/0 Copper 4/0 ALUM and ACSR 4/0 Copper 336 ALUM 477 ALUM 477 ACSR 26/7 Strand</p>	<p>REL 7654AP REL 207 REL 7656AP REL 407 REL 7658AP FAR GL410 MP 7659 BLK ATS397477 HUB GLSF412 HUB GLSF412KR HUB GLT1319A NO SUBS</p>
<p>Compression Sleeve Steel Guy Strand Full Tension</p> 	<p>5-04-98 5000524 5-04-99 5000525</p>	<p>3/8 Steel Wire 5/16" Grade 110</p>	<p>SL 5-7/120G92 SLNico Press 5-7/104W</p>
<p>Compression Sleeve Insulated Service Entrance</p> 	<p>5-05-02 5001370 5-05-05 5001371 5-05-06 5001372 5-05-07 5001373</p>	<p>6 ACSR - 6 ACSR Blue-Blue 4 ACSR - 6 ACSR Orange-Blue 4 ACSR - 4 ACSR Orange-Orange 2 ACSR - 6 ACSR Red-Blue</p>	<p>BLK ICS64 BUR ES6R6R PU P1K44 BLK ICS67 BUR ES4R6R PU P1K24 BLK ICS68 ILS P1K22 BLK ICS71 BUR ES2R6R PU P1K14</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Compression Sleeve Insulated Service Entrance 	5-05-08 5001374 5-05-09 5001375	2 ACSR - 4 ACSR Red-Orange 2 ACSR - 2 ACSR Red-Red	BUR ES2R4R BLK ICS72 PU P1K12 BUR ES2R2R BLK ICS73 PU P1K11
Compression Sleeve Insulated Service Entrance 	5-05-10 5001376 5-05-11 5001377 5-05-12 5001378 5-05-13 5001379	1/0 - #2 Yellow-Red 2/0 - #2 Grey-Red 2/0 - 2/0 Grey-Grey 3/0 - #2 Black-Red	BLK IKL35 PU P1K01 BLK IKL45 PU P1K201 BLK IKL47 PU P1K2020 BLK IKL55 PU P1K301
Compression Sleeve Insulated Service Entrance 	5-05-14 5001380 5-05-15 5001381 5-05-16 5001382 5-05-20 5023007 5-05-22 5023017	4/0 - #2 Pink-Red 4/0 - 2/0 Pink-Grey 4/0 - 4/0 Pink-Pink 2/0 - 1/0 4/0 - 1/0	BLK IKL65 PU P1K401 BLK IKL67 PU P1K4020 BLK IKL69 PU P1K4040 BLK IKL46 BLK IKL66

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Connector Insulation Piercing</p> 	<p>5-05-24 5025436</p> <p>5-05-26 5025438</p>	<p>#6 - 3/0 Main #12 - #2 Tap</p> <p>#4 - 4/0 Main & Tap</p>	<p>TE P2X95 U Mk2</p> <p>TE P3X4/0</p>
<p>Compression Sleeve Noninsulated Service Entrance</p> 	<p>5-05-33 5001383</p> <p>5-05-34 5000526</p> <p>5-05-35 5000527</p>	<p>6 ACSR</p> <p>4 ACSR or ALUM</p> <p>2 ACSR or ALUM</p>	<p>BUR YSS6RG2 HOM SNG66 NO SUBS</p> <p>HOM SNG44</p> <p>HOM SNG22</p>
<p>GelCap c/w Connector For Streetlight Connections</p> 	<p>5-05-70 5000528</p> <p>5-05-74 5000529</p>	<p>600 V #14-2/0</p> <p>600 V #14-2/0 4 Conductor</p>	<p>RAY GelCap SL 2/0-3 hole</p> <p>TYCO GTap-2</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Tinned Copper Compression Sleeve 	5-06-29 5001384 5-06-31 5001385 5-06-32 5001386 5-06-33 5001387 5-06-35 5001388	#6 STR #4 STR #2 STR #1 STR 2/0 STR	BUR YS-6C ILS CTL-6 BUR YS-4C ILS CTL-4 BUR YS-2C PAND SCL2-Q ILS CTL-2 BUR YS-1C ILS CTL-1 BUR YS-26 PAND SCL2/0X ILS CTL-2/0
Tinned Copper Compression Sleeve 	5-06-37 5001389 5-06-38 5001390 5-06-39 5001391 5-06-40 5001392 5-06-42 5001393 5-06-50 5000530	4/0 STR 250 MCM 350 MCM 500 MCM 750 MCM 500 - 750 MCM Transition	BUR YS-28 ILS CTL-4/0 BUR YS-29 ILS CTL-250 BUR YS-31 ILS CTL-350 BUR YS-34 ILS CTL-500 BUR YS-39 ILS CTL-750 3M2000T 500-750 cu/al
Sleeve Compression AL Non-Insulated 	5-06-60 5022804	1/0 - 1/0	Ilsco ASN-1/0 Blackburn CS78 Homac U1B1010




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Buchanan Splice Sleeve</p>  <p>Buchanan Insulator Cap</p> 	<p>5-07-01 5000531</p> <p>5-07-03 5000532</p> <p>5-07-05 5000533</p> <p>5-07-07 5000534</p>	<p>Small</p> <p>Large</p> <p>Small</p> <p>Large</p>	<p>BUCH 2006S 100 pieces/box</p> <p>BUCH 2011S 50 pieces/box</p> <p>BUCH 2007</p> <p>BUCH 2014</p>
<p>Luminaire Disconnect</p>  	<p>5-07-15 5021127</p> <p>5-07-17 5021129</p>	<p>2 Wire</p> <p>3 Wire</p>	<p>IDI PowerPlug 30-102</p> <p>IDI PowerPlug 30-103X</p>
<p>Bolted Lug - 1 Hole</p> 	<p>5-08-01 5000535</p> <p>5-08-02 5000536</p> <p>5-08-03 5000537</p> <p>5-08-04 5000538</p>	<p>1/0 - 2/0</p> <p>3/0 - 4/0</p> <p>250 - 350</p> <p>400 - 500</p>	<p>BUR Qiklug QA-26-B</p> <p>BUR Qiklug QA-28-B</p> <p>BUR Qiklug QA-31-B</p> <p>BUR Qiklug QA-34-B</p>





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Bolted Lug 	5-08-54 5000539 5-08-55 5000540 5-08-56 5000541	Min #14 Max #8 Min #14 Max #4 Min #4 Max 2/0	T&B L35 T&B L70 T&B Cone Screw Lug 71010
Shearbolt Splice Connector 	5-08-65 5001394 5-08-70 5001395 5-08-75 5000542	#2 - 250 MCM For use with 7-92-13 4/0 - 500 MCM For use with 7-92-15 350 MCM - 750 MCM For use with 7-92-16 & 7-92-17	3M USMF-1 PRY CUS53821 3M USMF-2 PRY CUS53783 PRY CUS53826
Shearbolt Lug Connector Threaded 	For Use with 6-70-50, 6-70-55 Elbow & 15/25kV LRTP 5-08-80 5000543 5-08-85 5000544	#3 AWG - 300 MCM 15/16" Threaded Hole Bimetal 350 - 750 MCM 15/16" Threaded Hole Bimetal	RICHARDS/3M P6AL-R1-15/16 RICHARDS/3M P6AL-R4-15/16




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Shearbolt Lug Connector Non-Threaded</p> 	<p>For Use with 6-70-50, 6-70-55 Elbow & Plug & Cap</p> <p>5-08-91 5001495</p> <p>5-08-94 5001496</p>	<p>#3 AWG - 300 MCM 11/16" Non-Threaded Bimetal</p> <p>350 - 750 MCM 11/16" Non-Threaded Bimetal</p>	<p>RICHARDS/3M P6AL-R1</p> <p>RICHARDS/3M P6AL-R4</p>
<p>Compression Type Lug for ACSR, Aluminum or Copper - 2 Hole Nema</p> 	<p>5-09-00 5000545</p> <p>5-09-01 5001396</p> <p>5-09-02 5001397</p>	<p>#2</p> <p>2/0</p> <p>4/0</p>	<p>BLK AL4 HOM SA 2 N</p> <p>BLK AL8 HOM SA 2/0 N</p> <p>BLK AL12 HOM SA 4/0 N</p>
<p>Compression Type Lug for ACSR or Aluminum 2 Hole Nema</p> 	<p>5-09-03 5001398</p> <p>5-09-04 5024983</p> <p>5-09-05 5001399</p> <p>5-09-06 5001400</p>	<p>336 ALUM</p> <p>266 ACSR</p> <p>477 ALUM</p> <p>477 ACSR</p>	<p>BLK AL20 BUR YCA321R2N HOM AL 350 N</p> <p>BLK AL16 BUR YCA30R2N HOM AL 350 N</p> <p>BLK AL24 BUR YCA35R2N HOM AL 500 N</p> <p>BLK AL28 BUR YCA37R2N HOM AL 600 N</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Compression Type Lug Copper - 1 Hole</p> 	<p>5-09-07 5001401</p> <p>5-09-08 5001402</p> <p>5-09-09 5000546</p>	<p>1/2" Stud #4 UC</p> <p>#2 Short Barrel</p> <p>2/0</p>	<p>PAND LCA4-12-L ILS CSWS-4-12</p> <p>PAND LCA2-12-Q T&B X54145 NO SUBS</p> <p>T&B 54951BE</p>
<p>Compression Type Lug for Copper - 2 Hole</p> 	<p>5-09-10 5001403</p> <p>5-09-11 5001404</p> <p>5-09-12 5001405</p> <p>5-09-13 5001406</p>	<p>2/0</p> <p>4/0</p> <p>250 MCM</p> <p>350 MCM</p>	<p>BUR Hylug YA26-2N ILS CLND-2/0-12-134 T&B 54862BE</p> <p>BUR Hylug YA28-2N PAND LCC4/0-12 ILS CLND-4/0-12-134 T&B 54866BE</p> <p>BUR Hylug YA29-2N PAND LCC250-12 ILS CLND-250-12-134 T&B 54868BE</p> <p>BUR Hylug YA31-2N PAND LCC350-12 ILS CLND-350-12-134 T&B 54872BE</p>
<p>Compression Type Lug for Copper - 2 Hole</p> 	<p>5-09-14 5001407</p> <p>5-09-15 5001408</p> <p>5-09-16 5001409</p>	<p>500 MCM</p> <p>750 MCM</p> <p>1000 MCM</p>	<p>BUR Hylug YA34-2N PAND LCC500-12 ILS CLND-500-12-134 T&B 54876BE</p> <p>BUR Hylug YA39-2N PAND LCC750-12 BLK LCN-75 ILS CLND-750-12-134 T&B 54880BE</p> <p>BUR Hylug YA44-2N PAND LCC1000-12 ILS CLND-1000-12-134</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Compression Type Lug for Copper - 1 Hole Type</p> 	<p>5-09-17 5001410</p> <p>5-09-18 5001411</p> <p>5-09-19 5025078</p>	<p>1/2" Stud #1 CU</p> <p>4/0</p> <p>3/8" Stud #6 CU</p>	<p>PAND LCA1-12-E T&B 54150 3M 40029 BUR YA1CL6</p> <p>BUR YA28 T&B 54970BE</p> <p>PAND LCA6-38-L ILS CSWS-6-38</p>
<p>Compression Type Lug for Copper - Universal Rod</p> 	<p>5-09-20 5000547</p>	<p>#1</p>	<p>3M SC0001</p>
<p>Compression Type Lug for Aluminum - 1 Hole</p> 	<p>5-09-30 5023021</p>	<p>1/0</p>	<p>Richards ALCD9</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Compression Type Lug for ACSR, Aluminum or Copper - 2 Hole Nema</p> 	<p>5-09-40 5026119</p>	<p>1/0</p>	<p>BLK AL6 HOM SA 1/0 N</p>
<p>Bolted Type "T" Connector</p> 	<p>5-11-02 5000548</p>	<p>750 MCM Run - 500 MCM Tap for Network</p>	<p>RIC MT23-18 NO SUBS</p>
<p>Station Connector Bar Tap</p> 	<p>5-13-01 5000549</p>	<p>3" IPS 4 N</p>	<p>BUR WAB20A4N</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Station Connector</p> <p>Bus Support</p> 	<p>5-13-02 5000550</p>	<p>3" IPS 5" B.C.</p>	<p>BUR WOH20A5</p>
<p>Station Connector</p> <p>End Terminal Centre Formed</p>  <p>Corona Bell</p> 	<p>5-13-03 5000551</p> <p>5-13-04 5000552</p>	<p>3" IPS 4N</p> <p>3" IPS</p>	<p>BUR WAC20A4N</p> <p>BUR LB20A</p>
<p>Station Connector</p> <p>Bus Coupler</p> 	<p>5-13-05 5000553</p>	<p>3" IPS 12"</p>	<p>Dwg. Gs-249</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Station Connector</p> <p>Expansion Bus Support Coupler</p> 	<p>5-13-06 5000554</p>	<p>3" IPS 5" B.C.</p>	<p>BUR WXHP20A5</p>
<p>Station Connector</p> <p>Expansion Terminal Center Formed</p> 	<p>5-13-07 5000555</p>	<p>3" IPS 4 N</p>	<p>BUR WXA20A4N</p>
<p>Station Connector</p> <p>Separator for 477 Cosmos</p> 	<p>5-13-08 5000556</p>	<p>477 ALUM 3"</p>	<p>Dwg. Gs-248</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Network Protector Brazed Terminal Assembly (Antlers)</p> 	<p>5-14-01 5026232</p>	<p>6 Tabs</p>	<p>Dwg. A1s-165F-01 EATON 6416C96G01 RIC 351-0109-00</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Single Phase - Deadfront 2400 - 120/240	6-04-05 5025815	50 KVA	Covered by 6-04-07
	6-04-07 5025817	75 KVA	Specification 2104 & Addendum
	6-04-10 5025820	100 KVA	Specification 2104 & Addendum
Padmount Transformer Single Phase - Livefront 4160/2400 - 120/240	6-10-01 (DNR) 5025804	25 KVA	Covered by 6-04-07
	6-10-03 (DNR) 5025806	37.5 KVA	Covered by 6-04-07
	6-10-05 (DNR) 5025809	50 KVA	Covered by 6-04-07
	6-10-07 (DNR) 5025811	75 KVA	Covered by 6-04-07
	6-10-09 (DNR) 5025813	100 KVA	Covered by 6-04-10
	6-10-13 (DNR) 5000557	167 KVA	Covered by 6-11-13
Padmount Transformer Single Phase - Deadfront Dual Voltage 2400 - 120/240 8320 - 120/240 200 Amp Bushings	6-10-25 5001412	50 KVA	Specification 2132 & Addendum
	6-10-27 5000558	75 KVA	Specification 2132 & Addendum



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Padmount Transformer Single Phase - Deadfront Dual Voltage 2400 - 120/240 8320 - 120/240 600 Amp Bushing</p> 	<p>6-11-05 5000559</p> <p>6-11-07 5000560</p> <p>6-11-09 5000561</p> <p>6-11-13 5000562</p>	<p>50 KVA</p> <p>75 KVA</p> <p>100 KVA</p> <p>167 KVA</p>	<p>Specification 2132 & Addendum</p> <p>Specification 2132 & Addendum</p> <p>Specification 2132 & Addendum</p> <p>Specification 2132 & Addendum</p>
<p>Padmount Transformer Single Phase - Deadfront Dual Voltage 2400 - 240/480 8320 - 240/480</p> 	<p>6-12-05 5000563</p>	<p>50 KVA</p>	<p>Specification 2132 & Addendum</p>
<p>Padmount Transformer Single Phase - Deadfront 8320 - 120/240</p> 	<p>6-13-05 5000564</p> <p>6-13-07 5000565</p> <p>6-13-09 5000566</p> <p>6-13-13 5000567</p>	<p>50 KVA</p> <p>75 KVA</p> <p>100 KVA</p> <p>167 KVA</p>	<p>Specification 2104 & Addendum</p> <p>Specification 2104 & Addendum</p> <p>Specification 2104 & Addendum</p> <p>Specification 2104 & Addendum</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Single Phase - Deadfront 14400 - 120/240 	6-14-03 5000568 6-14-05 5000569 6-14-07 5000570 6-14-09 5000571 6-14-13 5000572	37.5 KVA 50 KVA 75 KVA 100 KVA 167 KVA	Specification 2104 & Addendum Specification 2104 & Addendum Specification 2104 & Addendum Specification 2104 & Addendum Specification 2104 & Addendum
Padmount Transformer Single Phase - Deadfront 14400 - 240/480	6-15-02 5001497 6-15-05 (DNR) 5025832	25 KVA 50 KVA	Specification 2104 & Addendum Covered by 6-15-02
Padmount Transformer Three Phase - Livefront 4160 - 240 Delta	6-20-04 (DNR) 5025834	45 KVA	


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Livefront 4160 - 120/208	6-22-07 (DNR) 5000573 6-22-11 (DNR) 5025822 6-22-13 (DNR) 5025824 6-22-15 (DNR) 5025826 6-22-17 (DNR) 5025828 6-22-19 (DNR) 5025830	75 KVA 112.5 KVA 150 KVA 225 KVA 300 KVA 500 KVA	Covered by 6-27-15 Covered by 6-27-15 Covered by 6-27-15 Covered by 6-27-30 Covered by 6-27-30 Covered by 6-27-50
Padmount Transformer Three Phase - Deadfront 4160 - 120/208 Radial Feed 	6-24-13 (DNR) 5000574 6-24-15 (DNR) 5000575 6-24-17 (DNR) 5000576 6-24-19 (DNR) 5000577	150 KVA 225 KVA 300 KVA 500 KVA Approx. 4890 lbs (2222 kgs)	Covered by 6-27-15 Covered by 6-27-30 Covered by 6-27-30 Covered by 6-27-50
Padmount Transformer Three Phase - Livefront 4160 - 347/600	6-26-11 (DNR) 5025836 6-26-13 (DNR) 5025797 6-26-15 (DNR) 5025799 6-26-17 (DNR) 5025801 6-26-19 (DNR) 5025839	112.5 KVA 150 KVA 225 KVA 300 KVA 500 KVA	Covered by 6-28-30 Covered by 6-28-30 Covered by 6-28-30 Covered by 6-28-30 Covered by 6-28-75


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 4160 - 120/208 Loop Feed	6-27-15 5025888	150 KVA	Specification 2114 & Addendum
	6-27-30 5025890	300 KVA	Specification 2114 & Addendum
	6-27-50 5025902	500 KVA	Specification 2114 & Addendum
Padmount Transformer Three Phase - Deadfront 4160 - 347/600 Radial Feed	6-28-15 (DNR) 5000578	225 KVA	Covered by 6-28-30
	6-28-17 (DNR) 5000579	300 KVA	Covered by 6-28-30
	6-28-19 (DNR) 5000580	500 KVA	Covered by 6-28-75
	6-28-21 (DNR) 5000581	750 KVA	Covered by 6-28-75
Padmount Transformer Three Phase - Deadfront 4160 - 347/600 Loop Feed	6-28-30 5025843	300 KVA	Specification 2114 & Addendum
	6-28-50 5025841	500 KVA	Specification 2114 & Addendum
	6-28-75 5025846	750 KVA	Specification 2114 & Addendum


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 14.4 KV - 240 Loop Feed	6-29-13 (DNR) 5000582	150 KVA	Specification 2134 & Addendum
Padmount Transformer Three Phase - Deadfront 14.4 KV - 120/208 Radial Feed	6-30-07 (DNR) 5025854 6-30-13 (DNR) 5025857 6-30-15 (DNR) 5025859 6-30-17 (DNR) 5025861 6-30-19 (DNR) 5000583 6-30-23 (DNR) 5000585	75 KVA 150 KVA 225 KVA 300 KVA 500 KVA 1000 KVA Approx. 9020 lbs (4100 kgs)	Covered by 6-31-13 Covered by 6-31-13 Covered by 6-31-17 Covered by 6-31-17 Covered by 6-31-19
Padmount Transformer Three Phase - Deadfront 14.4 KV - 120/208 Loop Feed 	6-31-07 5000586 6-31-13 5000587 6-31-17 5000588 6-31-19 5025864	75 KVA 150 KVA 300 KVA 500 KVA	Specification 2114 & Addendum Specification 2114 & Addendum Specification 2114 & Addendum Specification 2114 & Addendum

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 14.4 KV - 120/208 Loop Feed 600A 	6-31-67 5000589	300 KVA	Specification 2114 & Addendum
Padmount Transformer Three Phase - Livefront 14.4 KV - 347/600 Loop Feed	6-32-15 (DNR) 5025867 6-32-19 (DNR) 5025869	225 KVA 500 KVA	Covered by 6-33-17 Covered by 6-33-19
Padmount Transformer Three Phase - Deadfront 14.4 KV - 347/600 Loop Feed 	6-33-13 5000590 6-33-17 5000591 6-33-19 5000592 6-33-21 5000593 6-33-23 5000594	150 KVA 300 KVA 500 KVA 750 KVA 1000 KVA	Specification 2114 & Addendum Specification 2114 & Addendum Specification 2114 & Addendum Specification 2114 & Addendum Specification 2114 & Addendum

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Padmount Transformer Three Phase - Deadfront 14.4 KV - 347/600 Loop Feed</p> 	<p>6-33-25 5000595</p> <p>6-33-27 5000596</p>	<p>1500 KVA</p> <p>2000 KVA</p>	<p>Specification 2114 & Addendum</p> <p>Specification 2114 & Addendum</p>
<p>Padmount Transformer Three Phase - Deadfront 14.4 KV - 347/600 Radial Feed</p>	<p>6-34-13 (DNR) 5000597</p> <p>6-34-15 (DNR) 5025871</p> <p>6-34-17 (DNR) 5025873</p> <p>6-34-19 (DNR) 5025875</p> <p>6-34-21 (DNR) 5025877</p> <p>6-34-23 (DNR) 5000598</p>	<p>150 KVA</p> <p>225 KVA</p> <p>300 KVA</p> <p>500 KVA</p> <p>750 KVA</p> <p>1000 KVA</p>	<p>Covered by 6-33-13</p> <p>Covered by 6-33-17</p> <p>Covered by 6-33-17</p> <p>Covered by 6-33-19</p> <p>Covered by 6-33-21</p> <p>Covered by 6-33-23</p>
<p>Padmount Transformer Three Phase - Deadfront 14.4 KV - 347/600 Radial Feed</p> <p>Network - 3 Bushing</p>	<p>6-34-25 (DNR) 5025879</p> <p>6-34-27 (DNR) 5025881</p>	<p>1500 KVA</p> <p>2000 KVA</p>	<p>Covered by 6-33-25</p> <p>Covered by 6-33-27</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 14.4 KV - 4160 Radial Feed	6-36-19 (DNR) 5000599	500 KVA	Covered by 6-38-20
	6-36-27 (DNR) 5000600	2000 KVA	Covered by 6-38-20
Padmount Transformer Three Phase - Deadfront 14.4 KV - 4160 Loop Feed	6-38-05 5025884	500 KVA	Specification 2118 & Addendum
	6-38-20 5025886	2000 KVA	Specification 2118 & Addendum
Padmount Transformer Three Phase - Deadfront 24940 - 120/208 V Loop Feed 	6-40-13 5000601	150 KVA	Specification 2114 & Addendum
	6-40-15 (DNR) 5000602	225 KVA	Covered by 6-40-17
	6-40-17 5000603	300 KVA	Specification 2114 & Addendum



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 24940 - 347/600 V Radial Feed	6-42-15 (DNR) 5000604 6-42-17 (DNR) 5000605 6-42-19 (DNR) 5000606	225 KVA 300 KVA 500 KVA	Covered by 6-43-15 Covered by 6-43-19 Covered by 6-43-19
Padmount Transformer Three Phase - Deadfront 24940 - 347/600 V Loop Feed 	6-43-15 5000607 6-43-19 5000608 6-43-23 5000609 6-43-27 5000610	225 KVA 500 KVA 1000 KVA 2000 KVA	Specification 2114 & Addendum Specification 2114 & Addendum Specification 2114 & Addendum Specification 2114 & Addendum
Padmount Transformer Three Phase - Deadfront 24940 - 4160 V Radial Feed	6-44-17 (DNR) 5000611 6-44-23 (DNR) 5000612	300 KVA 1000 KVA	Covered by 6-45-03 Covered by 6-45-10


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Padmount Transformer Three Phase - Deadfront 24940 - 4160 V Loop Feed 	6-45-03 5025905 6-45-10 5025908 6-45-15 (DNR) 5000613	300 KVA 1000 KVA 225 KVA	Specification 2118 & Addendum Specification 2118 & Addendum Covered by 6-45-03
15 KV Switching Cubicle 2 Way - c/w Interrupter 3 Way 321, (600A LI), (200A 3PH FI) 321, (600A LI), (600A 3PH FI) 422, (200A LI), (200A 3PH FI)x2 413, (600A LI), (200A 3PH FI)x3 switch type/sources/interrupter	6-53-01 5000614 6-53-06 5000615 6-53-07 5000616 6-53-08 5000617 6-53-11 5000618 6-53-12 5000619	NOTE: Joslyn Fuses Load Interrupter = LI, Fault Interrupter = FI 600 Amp 600 Amp 600 Amp S&C 933212-M1P103T1-E243 S&C 853212-L2M10P94P103-E135 S&C 934222-M4P94P103ST2-S356 S&C 924132-L2M10P94P103	6-72-06 + 7-51-20 Specification 2220 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210
15 KV Switching Cubicle 440, (600A LI) 422, (600A LI), (200A 1PH FI)x2 431, (600A LI), (200A FI) 422, (600A LI), (200A 3PH FI)x2 523, (600A LI x 2), (200A FI x 3) 532, (600A LI x 3), (200A FI x 2) 6 Way - c/w Interrupter - 624	6-53-14 5000620 6-53-15 5001413 6-53-16 5000621 6-53-17 5000622 6-53-19 5000623 6-53-21 5000624 6-53-31 5000625	S&C 934222-L2M10P94P103T0-S411 S&C 934312-M1P103T1-E151 S&C 924222-L2M10P94P103 600 Amp 200 Amp	Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
25 KV Switching Cubicle 3 Way - c/w Interrupter - 321 3 Way - 330 321, (600A LI), (200A 3PH FI) 321, (600A LI), (200A 1PH FI) 4 Way - 440	6-55-03 5000626 6-55-06 5000627 6-55-07 5000628 6-55-09 5000629 6-55-10 5000630	200 Amp 200 Amp 600 Amp S&C 933213-L2M10P94P103T1-E139 S&C 933213-L2M10P94P103T0-E140 200 Amp	Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210
25 KV Switching Cubicle 4 Way - c/w Interrupter - 422 422, (600A LI), (200A 1PH FI)x2 422, (600A LI), (200A FI)x2 6 Way - c/w Interrupter - 624 switch type/sources/interrupter	6-55-11 5000631 6-55-15 5001414 6-55-17 5000632 6-55-31 5000633	200 Amp 200 Amp S&C 934223-M1P94T0-E203 600 Amp 200 Amp	Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210 Spec 2200 & 2210
138 KV Load Break Switch	6-57-13 5028077	138 KV	Spec

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Precast Concrete Base for Padmount Transformer Three Phase Box Pad	6-58-06 5000634	750 KVA & Up 1.630 x 1.895 x 1.150 m - Pad (64" x 74" x 45") Appr 6650 lbs	Dwg WS-263
Fibreglass Pad for Padmount Transformers Single Phase Short Single Phase Standard 4500 kg/9900 lb Three Phase Large (Can be used S&C 2, 3, & 4 Way Sw Cub) 8200 kg/18,040 lb S&C 2 Way Interrupter	6-59-01 5000635 6-59-02 5000636 6-59-05 5000637 6-59-06 5000638 6-59-08 5000639	42" x 48" x 15" Top opening 26"x 12" 38" x 50" x 28" Top opening 30"x 20" 66" x 58" x 28" Top opening 39"x 15" 69" x 63" x 28" Top opening 45" x 16" (10,000 lbs) 63" x 69" x 28"	Dwg. WS-421 SCT 02902 Dwg. WS-420 SCT 02903 SCT 02911
Fibreglass Pad for Dry Type Transformers	6-59-10 5000640	31" x 25" x 28" No Cut Out	SCT 02909




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Precast Concrete Box Base for Switching Cubicle 3 Way Switch 4 Way Switch	6-61-03 5000641 6-61-05 5000642 Suitable for ABB Solid Dielectric Switch Installation 6-61-07 5000643 6-61-09 5000644	1.524 x 2.222 x .991m 60" x 87" x 39" Approx. 3660 lbs 1.498 x 1.664 x .990m 59" x 66" x 39" Approx 3270 lbs 1.498 x 1.981 x .990m 79" x 60" Approx. 3620 lbs 1.905 x 2.007 x .990m 75" x 79" x 39" Approx. 4080 lbs	Specification 2429 Dwg. WS-241 Specification 2429 Dwg. WS-257 Specification 2429 Dwg WS-264 Specification 2429 Dwg. WS-266
Precast Concrete Box Base for Switching Cubicle Trayer 5 Way Switch Canada Power Products 6 Way Switch	6-61-10 5026761 6-61-11 5000645	1.982 x 2.439 x .990m 78" x 96" x 39" Approx. 5350 lbs 2.310 x 1.752 x .991m 90" x 69" x 39" Approx. 4420 lbs	Specification 2429 Dwg WS-425 Specification 2429 Dwg WS-298
Precast Concrete Box Base for Switching Cubicle For S & C 2, 3 & 4 Way For S & C 3 & 4 Way (old) For S & C 5 & 6 Way For S & C 4 Way	6-61-14 5000646 6-61-15 5000647 6-61-16 5000648 6-61-18 5000649	1.930 x 1651 x 990m 76" x 65" x 39" 1.930 x 1752 x 990m 76" x 69" x 39" Approx. 4713 lbs 2.692 x 1752 x 990m 106" x 69" x 39" Approx. 5972 lbs 87" x 54.25" x 39" Approx. 4000 lbs	Dwg Ws-365 Dwg Ws-361-2 Dwg Ws-362-2 Dwg Ws-422

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Precast Concrete Box Base for 75 to 500 KVA Transformer	6-61-23 5000650	64" x 56" x 39" 1.626 x 1.422 x .991m	Specification 2429 Dwg Ws-383
Pedestal Joint Use 	6-63-02 5001415 6-63-03 5000651	secondary buss panel for 6-63-03 24" x 24" x 48" (no secondary buss)	Dwg W-221-2 Dwg W-221-3
Pedestal - Street Lighting 	6-63-04 5000652 6-63-05 5026148	10" x 10" x 32" Orange	SMW 2114





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Underground Junction Box HDPE Body & Lid</p> 	<p>6-63-06 5000653</p>	<p>13 3/4" x 23 1/4" Opening 18" Deep</p>	<p>CHANNELL BULK218N07204</p>
<p>Pedestal - Metering</p> <p>Pedestal - Base (for above pedestal)</p> <p>Pedestal - Metered</p>	<p>6-63-10 5000654</p> <p>6-63-12 5000655</p> <p>6-63-14 5000656</p>	<p>200 AMP 240/480 V</p>	<p>Dwg L2-209-01</p> <p>Dwg L2-209-01</p> <p>Dwg L2s-235</p>
<p>Fault Indicator</p>  <p>Test Tool</p> 	<p>6-66-10 5000657</p> <p>6-66-20 5000658</p> <p>6-66-30 5000659</p>	<p>100 Amp Adaptive trip LED, 4 hour reset</p> <p>Test & Reset Tool</p> <p>Lithium Battery</p>	<p>FP 1548FH-BNC3-L-N-A-1</p> <p>FP AT2186-10</p> <p>ABB A615-REP</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Distribution Overhead</p> <p>Horstmann Fault Indicator</p> 	<p>6-66-50 5022891</p>	<p>100 Amp Adaptive Trip LED, 4 hour reset Single Flash</p>	<p>HOR 41-2001-301</p>
<p>Horstmann Test Tool</p> 	<p>6-66-60 5022912</p>	<p>Test & Reset Tool</p>	<p>HOR 49-6001-002</p>
<p>Horstmann Battery</p>	<p>6-66-70 5022915</p>	<p>Lithium-Ion Battery</p>	<p>HOR 49-6002-023</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Fault Indicator Fits Test Point on Elbow</p>  <p>Fits on Cable</p> 	<p>6-67-01 5001416</p> <p>6-67-02 5001417</p> <p>6-67-03 5000660</p> <p>6-67-04 5021090</p>	<p>200 Amp Elbow 400 Amp Trip</p> <p>600 Amp Elbow 800 Amp Trip</p> <p>800 Amp Trip</p> <p>400 Amp Trip</p>	<p>ELMD TPMVF-LT CP STLO</p> <p>ELMD TPMVF-HT CP STHI</p> <p>CP SDHI-4 HOR 29-0228-800A-4H</p> <p>CP SDLO-4 (Cooper Only)</p>
<p>Fibre Optic Display for Fault Indicator</p> <p>Internal Fault Detector</p> 	<p>6-67-05 5021115</p> <p>6-68-01 5000661</p>	<p>6' Cable</p> <p>c/w 5 PSI Pressure</p>	<p>FP FO-CABLE 06</p> <p>IFD IFD-PT-5PSI-R5- BLK</p>
<p>Elbow Probe</p> 	<p>6-69-01 5001418</p> <p>6-69-03 5000662</p>	<p>200 Amp 15 KV</p> <p>200 Amp 25 KV</p>	<p>ELMD 165LRFR RTE 2637552-C-03</p> <p>ELMD 274 LRF</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Elbow Stud Long W/Blunt Start Threads For 600A T-Body & Bushing</p> <p>Elbow Connector</p> 	<p>6-69-05 5000663</p> <p>6-69-10 5001419</p>	<p>600A T-Body</p> <p>#1 STR 200 AMP 15/25 KV</p>	<p>CP Stud T</p> <p>ELMD 02500230 RTE 2639043-A-05</p>
<p>Elbow 200 Amp</p> 	<p>6-70-04 5000664</p> <p>6-70-05 5001420</p> <p>6-70-06 5028514</p> <p>6-70-07 5001421</p> <p>6-70-09 5028510</p>	<p>200 AMP 25 KV #1 STR. Posi-break</p> <p>200 AMP 15KV 2/0 5 KV XLPE</p> <p>200 AMP 25 KV 4/0 STR. Posi-break</p> <p>200 AMP 15 KV #1 STR UD Cable</p> <p>200 AMP 15 KV 250 STR UD Cable</p>	<p>CP PLE 225D05T0</p> <p>ELMD 162LR-A-5220 RTE2604600-B-05-2/0</p> <p>CP PLE 225DD09TX</p> <p>ELMD 162LR-B-5230 RTE LE215A05T HUB 21LBT2B8B</p> <p>RIC 21LBT2C13B RTE LE215CC10T</p>
<p>Elbow 600 Amp c/w Copper Compatible Connector</p> 	<p>6-70-12 5001424</p> <p>6-70-15 5022717</p> <p>6-70-20 5001425</p>	<p>15 KV 250 MCM</p> <p>15 KV 500 MCM</p> <p>5 KV 500 MCM</p>	<p>T&B 656 LRTP-J-0280-DRG</p> <p>T&B 656LRTP-K-0330-DRG HUB 615LRTPSK33TC</p> <p>T&B 656 LRTP-H-0330-DRG HUB 615LRTPSH33TC</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Elbow 600 Amp c/w Copper Compatible Connector</p> 	<p>6-70-30 5028515</p>	<p>15 KV 500 MCM 600Amp/200Amp</p> <p>*comes with Cable Adapter, Lug, Insulated Cap</p>	<p>RICHARDS 618NT3KR3-JB</p>
<p>Elbow 600 Amp Cold Shrink T-Body Kit</p>  <p>Kit Components: T-Body, 15/16" Threaded Shear-Bolt Lug, Stud, Silica Gel</p> <p>LRTP & Cap OR Insulating Plug & Cap are separate from T-Body Kit</p> <p><i>*If using Plug & Cap, 11/16" lug is required.</i></p>	<p>6-70-50 5000665</p> <p>6-70-55 5000666</p>	<p>15 KV #1AWG (6-70-40) 15 KV 250 MCM (6-70-12)</p> <p>5 KV 500 MCM (6-70-20) 15 KV 500 MCM (6-70-15) 15 KV 750 MCM (6-70-17) 25 KV 350 MCM (6-70-09) 25 KV 500 MCM (6-70-08)</p>	<p>RICHARDS/3M 62CSHT1OR1-15/16-JB</p> <p>RICHARDS/3M 62CSHT1PR4-15/16-JB</p>
<p>LRTP 200 Amp 15/16" Threaded</p>  <p>Protective Cap is not included and needs to be ordered separately</p> <p>Will only fit onto T-Bodies that are equipped with 15/16" lugs</p>	<p>**Order 1 LRPT & Cap OR Insulating Plug & Cap per T-Body Kit</p> <p>6-70-60 5001426</p> <p>6-70-65 5001427</p>	<p>15 KV Protective Cap 6-81-00</p> <p>25 KV Protective Cap 6-81-04</p>	<p>3M P615LRTP CP LRTP615 HUB LRTP615 T&B 650LRTPA3</p> <p>3M P625LRTP CP LRTP625 HUB LRTP625 T&B K650LRTPA2</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Insulating Plug & Cap Assembly 1 1/16" Non-Threaded 	6-70-70 5001428	15 - 25 KV	3M 625HIP CP DIP625A HUB 625BIP T&B K650BIP
Compression Lug 	6-71-01 5000667 6-71-05 5000668 6-71-06 5000669 6-71-07 5000670	#1AWG 1 1/16" Non- Threaded Bimetal 250 MCM 1 5/16" Threaded Bimetal 500 MCM 1 5/16" Threaded Bimetal 750 MCM 1 5/16" Threaded Bimetal	RICHARDS/3M P7ALCU-08 RICHARDS/3M P7ALCU-13-15/16 RICHARDS/3M P7ALCU-18-15/16 RICHARDS/3M P7ALCU-23-15/16
Bushing Well Insert  Feed Y-Bushing 	6-72-00 5001429 6-72-02 5001430 6-72-03 5001431 6-72-04 5001432	200 Amp 15 KV 200 Amp 25 KV 200 Amp 15 KV 200 Amp 25 KV	ELMD 1601A4 RTE LBI215X ELMD 2701A4 RTE LBI225X ELMD 1602A3 RTE 2637869C01 ELMD 2702A1 RTE 2637881-C01MC




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Feed-Through c/w Universal Mount 15 KV 200 Amp</p> <p>25 KV 200 Amp</p>	<p>6-74-13 5001434</p> <p>6-74-14 5001435</p> <p>6-74-23 5001436</p>	<p>3 Position</p> <p>4 Position</p> <p>3 Position</p>	<p>ELMD 164J3 CP LJ215C3B NO SUBS</p> <p>ELMD 164J4 RTE 2637172B03M NO SUBS</p> <p>ELMD 271J3 RTE 2637160B02MC NO SUBS</p>
<p>Feed-Through c/w Universal Mount 15/25 KV 600 Amp</p> 	<p>6-74-32 5001437</p> <p>6-74-33 5001438</p> <p>6-74-34 5001439</p>	<p>2 Position</p> <p>3 Position</p> <p>4 Position</p>	<p>RIC 625JD62B ELMD 650J2-U</p> <p>RIC 625JD63B ELMD K650J3-U</p> <p>RIC 625JD64B ELMD 650J4-U</p>
<p>Feed Through Connectors c/w U-Straps 15/25 KV Compatible with 6-77-05 and 6-77-07</p>  	<p>6-75-01 5000675</p> <p>6-75-03 5000676</p> <p>6-75-05 5000677</p> <p>6-75-09 5029192</p>	<p>1 200A Well, 2 600A Bushings</p> <p>3 15kV 200A Loadbreak bushings</p> <p>3 600A Bushings</p> <p>3 25kV 200A Loadbreak bushings</p>	<p>Eaton JBI25C1W2BU HUB 628TM626U</p> <p>Eaton LJ215C3U HUB 215J3U</p> <p>Eaton DJ625C3U</p> <p>Eaton LJ225C3U HUB 228J3U</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Portable Feed-Through</p> 	<p>6-76-01 5001440</p> <p>6-76-02 5001441</p>	<p>2 Position 200 Amp 15 KV</p> <p>2 Position 200 Amp 25 KV</p>	<p>CP LPF215H ELMD 164FT</p> <p>CP LPF225U ELMD 274FT</p>
<p>Cabinet for Mounting Feed Through Connectors</p> 	<p>6-77-05 5000678</p> <p>6-77-07 5029193</p>	<p>Three Phase</p> <p>Single Phase</p>	<p>Eaton SEC34823F0000MGG</p> <p>Hubbell 63388046</p> <p>Eaton SEC13023F0000M0G Hubbell 63388036</p>
<p>Base for Feed Through Connector Cabinet</p> 	<p>6-77-10 5000679</p> <p>6-77-12 5029195</p>	<p>For 6-77-05</p> <p>For 6-77-07</p>	<p>Dwg Ws-424</p> <p>Nordic Fiberglass GS-72-40-18-TMS-MG</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Standoff Bushing 	6-78-01 5001442 6-78-03 5001443 6-78-05 5001444	200 Amp 15 KV 600 Amp 15 KV or 25 KV 200 Amp 25 KV	ELMD 161S0P CP ISB215 ELMD K650S0P RTE 2604791B01 ELMD 272S0P RTE 2625064B01-MC
Fused Elbow 200 Amp 15 KV 	6-79-01 5000680 6-79-03 5000681	#1 - 15 KV CN 3 - 45 Amp Fuse #1 - 15 KV CN 65 - 80 Amp Fuse	ELMD 168FLR1-B0230 ELMD 168FLR3-B0230
Arrestor Elbow 200 Amp 	6-79-11 5001445 6-79-12 5001446	15 KV 25 KV	ELMD 167ESA-10 RTE 323811C10M ELMD 273ESA-18 RTE 3238019C18M




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Protective Cap</p> 	<p>6-81-00 5001447</p> <p>6-81-02 5001448</p> <p>6-81-04 5001449</p>	<p>200 Amp 15 KV</p> <p>600 Amp 15 KV or 25 KV</p> <p>200 Amp 25 KV Posi-break</p>	<p>CP LPC215 HUB 215ICI T&B 160DRG 3M 21LBICG</p> <p>CP 2625041A01 ELMD 656 DR</p> <p>CP PLPC225 HUB 9U01BEW500 T&B 273DRG 3M 22LBICG</p>
<p>Bushing Well</p> 	<p>6-84-01 5000682</p>	<p>200 Amp 15 KV or 25 KV</p>	<p>ELMD K1601PCC</p>
<p>One Piece Bushing with Clamping Plate</p> 	<p>6-85-03 5000683</p>	<p>600 Amp 15 KV or 25 KV</p>	<p>RTE Body-2637019B04 Clamp-2637023B01 Gasket-0501517A20 Stud-2638100B03</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
Single Phase Overhead Distribution Transformer 2400 - 120/240 	6-90-02 (DNR) 5025910 6-90-03 (DNR) 5025912 6-90-05 5000684 6-90-07 5000685 6-90-10 5000686	25 KVA 37.5 KVA 50 KVA 75 KVA 100 KVA	Covered by 6-90-05 Covered by 6-90-05 Spec 1100 & Addendum Spec 1100 & Addendum Spec 1100 & Addendum
Single Phase Overhead Distribution Transformer 2400 - 120/240 	6-90-14 (DNR) 5025914 6-90-16 (DNR) 5000687	150 KVA 167 KVA	Covered by 6-90-07 Covered by 6-11-13
Single Phase Overhead Distribution Transformer 4160 - 347 	6-90-33 (DNR) 5000688	333 KVA	Spec 1100 & Addendum PARKTOWN HOTEL



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Single Phase Overhead Distribution Transformer 2 HV Bushings 14.4 KV - 120/240</p> 	<p>6-91-03 (DNR) 5025921</p> <p>6-91-05 5000689</p> <p>6-91-07 (DNR) 5000690</p> <p>6-91-10 (DNR) 5000691</p> <p>6-91-16 (DNR) 5000692</p>	<p>37.5 KVA</p> <p>50 KVA</p> <p>75 KVA</p> <p>100 KVA</p> <p>167 KVA</p>	<p>Covered by 6-91-27</p> <p>Spec 1100 & Addendum</p> <p>Covered by 6-91-27</p> <p>Covered by 6-91-30</p> <p>Covered by 6-13-13</p>
<p>Single Phase Overhead Distribution Transformer Single HV Bushing 14.4 KV - 120/240</p> 	<p>6-91-23 (DNR) 5025934</p> <p>6-91-25 5000693</p> <p>6-91-27 5000694</p> <p>6-91-30 5000695</p> <p>6-91-31 (DNR) 5000696</p>	<p>37 KVA</p> <p>50 KVA</p> <p>75 KVA</p> <p>100 KVA</p> <p>167 KVA</p>	<p>Covered by 6-91-25</p> <p>Spec 1100 & Addendum</p> <p>Spec 1100 & Addendum</p> <p>Spec 1100 & Addendum</p> <p>Covered by 6-14-13</p>
<p>Three Phase Overhead Distribution Transformer 4160 - 240 Delta</p> 	<p>6-92-04 (DNR) 5025936</p> <p>6-92-07 (DNR) 5000697</p> <p>6-92-11 (DNR) 5000698</p> <p>6-92-15 (DNR) 5000699</p> <p>6-92-22 (DNR) 5000700</p>	<p>45 KVA</p> <p>75 KVA</p> <p>112 KVA</p> <p>150 KVA</p> <p>225 KVA</p>	<p>Covered by 6-90-05</p> <p>Covered by 6-90-05</p> <p>Covered by 6-90-05</p> <p>Covered by 6-90-05</p> <p>Covered by 6-90-05</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Three Phase Overhead Distribution Transformer 4160 - 120/208</p> 	<p>6-93-07 5000701</p> <p>6-93-11 (DNR) 5000702</p> <p>6-93-15 5000703</p> <p>6-93-22 (DNR) 5000704</p>	<p>75 KVA</p> <p>112 KVA</p> <p>150 KVA</p> <p>225 KVA</p>	<p>Spec 1101 & Addendum</p> <p>Covered by 6-93-15</p> <p>Spec 1101 & Addendum</p> <p>Covered by 6-27-30</p>
<p>Three Phase Overhead Distribution Transformer 4160 - 347/600</p> 	<p>6-94-11 (DNR) 5000705</p> <p>6-94-15 5000706</p> <p>6-94-22 (DNR) 5000707</p>	<p>112 KVA</p> <p>150 KVA</p> <p>225 KVA</p>	<p>Covered by 6-94-15</p> <p>Spec 1101 & Addendum</p> <p>Covered by 6-28-30</p>
<p>Three Phase Overhead Distribution Transformer 14.4 KV - 120/208</p> 	<p>6-95-07 5000708</p> <p>6-95-11 5000709</p> <p>6-95-15 5000710</p> <p>6-95-22 (DNR) 5000711</p>	<p>75 KVA</p> <p>112 KVA</p> <p>150 KVA</p> <p>225 KVA</p>	<p>Spec 1101 & Addendum</p> <p>Spec 1101 & Addendum</p> <p>Spec 1101 & Addendum</p> <p>Covered by 6-31-17</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Three Phase Overhead Distribution Transformer 14.4 KV - 347/600</p> 	<p>6-96-11 (DNR) 5000712</p> <p>6-96-15 5000713</p> <p>6-96-22 (DNR) 5000714</p>	<p>112 KVA</p> <p>150 KVA</p> <p>225 KVA</p>	<p>Covered by 6-96-15</p> <p>Spec 1101 & Addendum</p> <p>Covered by 6-33-17</p>
<p>Single Phase Overhead Distribution Transformer Single HV Bushing 8320 - 120/240</p> 	<p>6-97-03 (DNR) 5000715</p> <p>6-97-05 5001450</p> <p>6-97-07 5000716</p> <p>6-97-10 5000717</p> <p>6-97-12 (DNR) 5000718</p>	<p>37 KVA</p> <p>50 KVA</p> <p>75 KVA</p> <p>100 KVA</p> <p>167 KVA</p>	<p>Covered by 6-97-05</p> <p>Spec 1100 & Addendum</p> <p>Spec 1100 & Addendum</p> <p>Spec 1100 & Addendum</p> <p>Covered by 6-13-13</p>
<p>Single Phase Overhead Distribution Transformer Single HV Bushing 8320 - 240/480</p> 	<p>6-97-15 5000719</p>	<p>50 KVA</p>	<p>Spec 1100 & Addendum</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Single Phase Overhead Distribution Transformer 2 HV Bushings 8320 - 120/240</p> 	<p>6-97-25 5000720</p> <p>6-97-27 (DNR) 5000721</p>	<p>50 KVA</p> <p>75 KVA</p>	<p>Spec 1100 & Addendum</p> <p>Covered by 6-97-07</p>
<p>Three Phase Overhead Distribution Transformer 14.4 KV - 240 Delta</p> 	<p>6-98-04 (DNR) 5017894</p> <p>6-98-07 (DNR) 5001498</p> <p>6-98-09 (DNR) 5000722</p> <p>6-98-12 (DNR) 5025939</p>	<p>45 KVA</p> <p>75 KVA</p> <p>112 KVA</p> <p>225 KVA</p>	<p>Covered by 6-97-05</p> <p>Covered by 6-97-05</p> <p>Covered by 6-97-05</p> <p>Covered by 6-97-05</p>
<p>Three Phase Overhead Distribution Transformer 24940 - 240 Delta</p> 	<p>6-98-14 (DNR) 5025941</p> <p>6-98-17 (DNR) 5000723</p> <p>6-98-21 (DNR) 5025943</p> <p>6-98-25 (DNR) 5000724</p>	<p>45 KVA</p> <p>75 KVA</p> <p>112 KVA</p> <p>150 KVA</p>	<p>Covered by 6-91-25</p> <p>Covered by 6-91-25</p> <p>Covered by 6-91-25</p> <p>Covered by 6-91-25</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE / WEIGHT	ORDERING INFORMATION
<p>Three Phase Overhead Distribution Transformer 24940 - 120/208</p> 	<p>6-98-27 5000725</p> <p>6-98-31 5000726</p> <p>6-98-35 5000727</p> <p>6-98-42 (DNR) 5000728</p>	<p>75 KVA</p> <p>112 KVA</p> <p>150 KVA</p> <p>225 KVA</p>	<p>Spec 1101 & Addendum</p> <p>Spec 1101 & Addendum</p> <p>Spec 1101 & Addendum</p> <p>Covered by 6-40-17</p>
<p>Three Phase Overhead Distribution Transformer 24940 - 347/600</p> 	<p>6-98-51 5000729</p> <p>6-98-62 (DNR) 5000730</p>	<p>112 KVA</p> <p>225 KVA</p>	<p>Spec 1101 & Addendum</p> <p>Covered by 6-43-15</p>
<p>Three Phase Network Transformer 14700 - 347/600</p>	<p>6-99-01 5025525</p>	<p>2000 KVA</p>	<p>Spec 4102</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Cookie Terminal Strips and Covers</p> 	<p>7-00-10 5023035</p>		<p>ILSCO N8247AQ2T</p>
<p>Insulated Roll-On Splice Cover For UG #2-2/0</p> 	<p>7-00-20 5023009</p>		<p>Raychem RVS-11(B50)</p>
<p>Secondary Terminal Block</p> <p>Rubber Sleeve</p>	<p>7-04-20 5000731</p> <p>7-04-30 5000732</p>	<p>6 Position C/W Cover</p>	<p>HOM FS6-125</p> <p>CP CSN-2011</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Transformer Bushing Primary Voltage	7-05-06 5000733 7-05-20 5000734	14.4 KV 25 KV	FER-P B101024180 WEST Dwg. POB DL25A
SMU-40 Fuse Unit Standard 	7-41-40 5000735	200 AMP 15 KV 25,000 Interrupting	S&C SMU-40-144 No Subs
EE1-Nema Universal Screw 23" Button Link Type "K" Fast 	7-42-06 5001451 7-42-08 5001452 7-42-10 5001453 7-42-12 5001454	6 Amp 8 Amp 10 Amp 12 Amp	AB M6KA23 CP FL3K6 KRN 31006 AB M8KA23 CP FL3K8 KRN 31008 AB M10KA23 CP FL3K10 KRN 31010 AB M12KA23 CP FL3K12 KRN 31012

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
EE1-Nema Universal Screw 23" Button Link Type "K" Fast 	7-42-15 5001455 7-42-20 5001456 7-42-25 5001457 7-42-30 5001458	15 Amp 20 Amp 25 Amp 30 Amp	AB M15KA23 CP FL3K15 KRN 31015 AB M20KA23 CP FL3K20 KRN 31020 AB M25KA23 CP FL3K25 KRN 31025 AB M30KA23 CP FL3K30 KRN 31030
EE1-Nema Universal Screw 23" Button Link Type "K" Fast 	7-42-40 5001459 7-42-50 5001460 7-42-65 5001461 7-42-80 5001462	40 Amp 50 Amp 65 Amp 80 Amp	AB M40KA23 CP FL3K40 KRN 31040 AB M50KA23 CP FL3K50 KRN 31050 AB M65KA23 CP FL3K65 KRN 31065 AB M80KA23 CP FL3K80 KRN 31080
EE1-Nema Universal Screw 23" Button Link Type "K" Fast 	7-42-81 5001463 7-42-83 5001464 7-42-85 5001465	100 Amp 140 Amp 200 Amp	AB M100KA23 CP FL3K100 KRN 31100 AB M140KA23 CP FL3K140 KRN 31140 AB M200KA23 CP FL3K200 KRN 31200




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
EE1-Nema Universal Screw 23" Button Link Type "T" Slow 	7-43-06 5001466	6 Amp	AB M6TA23 CP FL3T6 KRN 51006
	7-43-08 5001467	8 Amp	AB M8TA23 CP FL3T8 KRN 51008
	7-43-12 5001468	12 Amp	AB M12TA23 CP FL3T12 KRN 51012
	7-43-15 5001469	15 Amp	AB M15TA23 CP FL3T15 KRN 51015
EE1-Nema Universal Screw 23" Button Link Type "T" Slow 	7-43-20 5001470	20 Amp	AB M20TA23 CP FL3T20 KRN 51020
	7-43-25 5001471	25 Amp	AB M25TA23 CP FL3T25 KRN 51025
	7-43-30 5001472	30 Amp	AB M30TA23 CP FL3T30 KRN 51030
	7-43-40 5001473	40 Amp	AB M40TA23 CP FL3T40 KRN 51040
EE1-Nema Universal Screw 23" Button Link Type "T" Slow 	7-43-50 5001474	50 Amp	AB M50TA23 CP FL3T50 KRN 51050
	7-43-65 5001475	65 Amp	AB M65TA23 CP FL3T65 KRN 51065
	7-43-80 5001476	80 Amp	AB M80TA23 CP FL3T80 KRN 51080
	7-43-81 5001477	100 Amp	AB M100TA23 CP FL3T100 KRN 51100




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
EE1-Nema High Surge 23" Button Link Type "H" 	7-45-01 5000736 7-45-02 5000737 7-45-03 5000738 7-45-05 5000739	1 Amp 2 Amp 3 Amp 5 Amp	CP FL3H1 CP FL3H2 CP FL3H3 CP FL3H5
Distribution Fuse Link Type "X" 	7-46-67 5000740 7-46-68 5000741 7-46-76 5000742	250X Amp 7.5 KV 300X Amp 7.5 KV 200X Amp 15 KV	PUR UAX 75250 PUR UAX 75300 PUR SX 15200
Distribution Fuse Link Type "F"	7-46-87 5000743 7-46-88 5000744 7-46-98 5000745	250F Amp 7.5 KV 300F Amp 7.5 KV 300F Amp 15 KV	PUR UAF 75250 PUR UAF 75300 PUR UAF 15300



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Padmount Fuse Unit 8 KV	7-47-12 5000746	12K Amp	S&C 511012R1
	7-47-15 5000747	15K Amp	S&C 511015R1
	7-47-20 5000748	20K Amp	S&C 511020R1
	7-47-25 5000749	25K Amp	S&C 511025R1
Padmount Fuse Unit 8 KV	7-47-30 5000750	30K Amp	S&C 511030R1
	7-47-40 5000751	40K Amp	S&C 511040R1
	7-47-50 5000752	50K Amp	S&C 511050R1
Plastic Latch 	7-48-01 5000753	For NX Hinged Fuses 7-48-xx	CP FM2E1C


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Indoor Current Limiting Fuse Type NX - 4.3 KV 	7-48-12 5000754 7-48-18 5000755 7-48-25 5000756 7-48-35 5000757	12 Amp 18 Amp 25 Amp 35 Amp	CP FA2A12 CP FA27A18 CP FA27A25 CP FA27A35
Indoor Current Limiting Fuse Type NX - 4.3 KV 	7-48-50 5000758 7-48-75 5000759 7-48-81 5000760	50 Amp 75 Amp 100 Amp	CP FA27A50 CP FA27A75 CP FA27A100
Indoor Current Limiting Fuse Type NX - 15.5 KV	7-49-12 5000761 7-49-18 5000762 7-49-25 5000763 7-49-40 5000764	12 Amp 18 Amp 25 Amp 40 Amp	CP FA30A12 CP FA30A18 CP FA30A25 CP FA30A40



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Outdoor Current Limiting Fuse 8.3 KV</p> 	<p>7-49-43 5000765</p> <p>7-49-45 5000766</p>	<p>25 Amp</p> <p>40 Amp</p>	<p>Specification 1 AB K-Mate-25 C70L31KABO</p> <p>Specification 1 AB K-Mate-40 C70L21KABO</p>
<p>Indoor Loadbreak Switchblade Type NX - 8.3 KV</p> 	<p>7-49-50 5000767</p>	<p>200 Amp</p>	<p>CP FA7B1 CP FA1B1</p>
<p>Fuse Holder for Wet Well Assembly Side Wall Mounted</p>  <p>Fuse Cartridge With End Plug</p>	<p>7-49-56 5000768</p> <p>7-49-58 5000769</p>	<p>14.4 KV</p> <p>14.4 KV</p>	<p>RTE 4001030B52M</p> <p>RTE 4001686-A-53</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Padmount Bayonet Fuse Dual Sensing 	7-49-60 500770 7-49-61 500771 7-49-62 500772	8 Amp 15 Amp 25 Amp	RTE 4000358C05 RTE 4000358C08 RTE 4000358C10
Padmount Bayonet Fuse Current Sensing 	7-49-65 500773 7-49-66 500774 7-49-67 500775 7-49-68 500776	40 Amp 65 Amp 100 Amp 140 Amp	RTE 4000353C12 RTE 4000353C14 RTE 4000353C16 RTE 4000353C17
Padmount Oil Immersible Bayonet Fuse 15.5 KV Current Limiting Clip Style Current Limiting Back-Up Screw Type Current Limiting Back-Up Clip Style 	7-49-70 500777 7-49-78 500778 7-49-79 500779	8 Amp 100 Amp 100 Amp	RTE 3534008M11 RTE 3544100M51 RTE 3544100M11

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Padmount Dry Canister Clip Style Fuse Type NX 4.3 KV</p> 	<p>7-49-82 5000780</p> <p>7-49-83 5000781</p>	<p>50 Amp</p> <p>75 Amp</p>	<p>CP FA1H50</p> <p>CP FA1H75</p>
<p>Padmount Dry Canister Clip Style Fuse Type ELX 8.3 KV</p> 	<p>7-49-84 5028885</p>	<p>25 Amp</p>	<p>RTE ELX 3563025M11</p>
<p>Padmount Dry Canister Clip Style Fuse Type NX 15.5 KV</p> 	<p>7-49-86 5000782</p> <p>7-49-87 5000783</p> <p>7-49-88 5000784</p> <p>7-49-89 5000785</p>	<p>6 Amp</p> <p>8 Amp</p> <p>10 Amp</p> <p>12 Amp</p>	<p>CP FA4H6</p> <p>CP FA4H8</p> <p>CP FA4H10</p> <p>CP FA4H12</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Padmount Dry Canister Clip Style Fuse Type NX 15.5 KV 	7-49-91 5000786 7-49-92 5000787 7-49-93 5000788	18 Amp 25 Amp 40 Amp	CP FA4H18 CP FA4H25 CP FA4H40
Padmount Dry Canister Clip Style Fuse Type CX 15.5 KV 	7-49-95 5000789	8C Amps	CH 5980C19G07
Drywell Canister	7-49-97 5000790	14.4KV	


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Current Limiting Fuse Holder for Drywell Canister</p> 	<p>7-49-98 5000791</p> <p>7-49-99 5000792</p>	<p>14.4 KV</p> <p>14.4 KV</p>	<p>CGE 7559ZB1099</p> <p>CGE 7559ZB3199</p>
<p>Refill Power Fuse Unit Type SM-4 - 7.2 KV</p>	<p>7-50-02 5000793</p> <p>7-50-04 5000794</p> <p>7-50-06 5000795</p>	<p>40E Amp Std</p> <p>50E Amp Std</p> <p>200E Amp Slow</p>	<p>S&C 121060R4</p> <p>S&C 121075R4</p> <p>S&C 251300R4</p>
<p>Refill Power Fuse Unit Type SM-4 - 14.4 KV</p>	<p>7-50-07 5000796</p> <p>7-50-08 5000797</p>	<p>100E Amp Std</p> <p>200E Amp Std</p>	<p>S&C 122150R4</p> <p>S&C 122300R4</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Refill Power Fuse Unit Type SM-5 - 14.4 KV 	7-50-12 5000798 7-50-16 5000799 7-50-18 5000800 7-50-20 5000801	80E Amp Std 125E Amp Slow 200E Amp Slow 400E Amp Std	S&C 132125R4 S&C 262200R4 S&C 262300R4 S&C 132600R4
Power Fuse Barrel Type Sm-4 - Outdoor (Without snuffler)  Type SM-4S - Indoor (With snuffler)	7-50-40 5000802 7-50-41 5000803	200E Amp 7.2 KV 200E Amp 7.2 KV	S&C 86051 S&C 86631R1
Power Fuse Type RBA-ROB-400	7-50-50 5000804	250E Amps 15 KV	WEST 423D815A44





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Switching Cubicle Fuse</p>  	<p>7-51-01 5000805</p> <p>7-51-05 5000806</p> <p>7-51-07 5000807</p> <p>7-51-09 5000808</p>	<p>8.3 KV 200 Amp Current Limiting c/w cartridge</p> <p>25 KV SLC-90 Current Limiting</p> <p>25 KV SLE-90 Oil Expulsion</p> <p>25 KV 95A 65E ELSG</p>	<p>RTE 3437851B01M</p> <p>AB C705-0424</p> <p>AB E553-3651</p> <p>RTE 3595065M02M</p>
<p>Elbow Fuse 8.3 KV</p> <p>** For in field replacement only Not compatible with current 6-79-01</p> <p>** For in field replacement only Not compatible with current 6-79-01</p>	<p>7-51-11 5000809</p> <p>7-51-12 ** 5000810</p> <p>7-51-13 5000811</p> <p>7-51-15 ** 5000812</p> <p>7-51-16 5000813</p> <p>7-51-17 5000814</p> <p>7-51-18 5000815</p>	<p>8 Amp (use with 6-79-01)</p> <p>8 Amp</p> <p>30 Amp (use with 6-79-01)</p> <p>30 Amp</p> <p>45 Amp (use with 6-79-01)</p> <p>65 Amp (use with 6-79-03)</p> <p>80 Amp (use w 6-79-03)</p>	<p>ELMD EFX 083 008-E</p> <p>JOS PF8-8</p> <p>ELMD EFX 083 030-E</p> <p>JOS PF8-30</p> <p>ELMD EFX 083 045-E</p> <p>ELMD EFX 083 065-E</p> <p>ELMD EFX 083 080-E</p>
<p>SF6 Power Fuse</p> <p>Joslyn Switching Cubicle 1132-S (use with 6-72-06)</p> <p>Joslyn Switching Cubicle 1101-S (use with 6-72-08)</p>	<p>7-51-20 5000816</p> <p>7-51-21 5000817</p> <p>7-51-30 5000818</p>	<p>100 Amp 15 KV</p> <p>140 Amp 15 KV</p> <p>65 Amp 25 KV</p>	<p>ELMD F100K-15</p> <p>JOS F140K-15</p> <p>ELMD F65K27</p>





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Plug Fuse - 120 Volt 	7-52-06 5000819 7-52-10 5000820 7-52-20 5000821 7-52-30 5000822	6 Amp 10 Amp 20 Amp 30 Amp	BUSS W-6 (No Subs) BUSS W-10 (No Subs) GLD GP-20 BUSS P-20 GLD GP-30 BUSS P-30
One Time Fuse - 250 Volt, Class H Ferrule Type 	7-53-10 5000823 7-53-15 5000824 7-53-20 5000825 7-53-30 5000826 7-53-50 5000827 7-53-60 5000828	10 Amp 15 Amp 20 Amp 30 Amp 50 Amp 60 Amp	NRN 10 BUSS NON-10 NRN 15 BUSS PON-15 NRN 20 BUSS PON-20 NRN 30 BUSS PON-30 NRN 50 BUSS PON-50 NRN 60 BUSS PON-60
Mini Fuse One Time - 600 Volt, 100 KA Ferrule Type For 120V, 240V & 347V Fixtures 	7-53-68 5001478 7-53-70 5000829 7-53-74 5000831 7-53-76 5000833	6 Amp 10 Amp 20 Amp 30 Amp	BUSS KTK-6 MER ATM6 BUSS KTK-10 MER ATM10 BUSS KTK-20 MER ATM20 BUSS KTK-30 MER ATM30




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Mini Fuse Neutral Link</p> 	<p>7-53-98 5000835</p>		<p>SHAW MNL30 BUSS NNB</p>
<p>One Time Fuse - 250 Volt Knife Blade Type</p> 	<p>7-54-07 5000836</p> <p>7-54-10 5000837</p>	<p>70 Amp</p> <p>100 Amp</p>	<p>BUSS LPN-RK-70SP</p> <p>BUSS LPN-RK-100SP</p>
<p>PT Fuse</p>  <p>Main St, College Park & Lorne Ave SS</p> <p>Friebel, Taylor & Bunn SS</p> <p>For West PT's at Cowley & Ave C SS For Landfill</p>	<p>7-63-01 5000838</p> <p>7-63-07 5000839</p> <p>7-63-08 5000840</p> <p>7-63-09 5000841</p> <p>7-63-11 5000842</p> <p>7-63-12 5000843</p> <p>7-63-15 5000844</p>	<p>3/10 Amp, 2400 Volt</p> <p>2E Amp, 4800 Volt</p> <p>1/2E Amp, 7200 Volt</p> <p>1/2E Amp, 14400 Volt</p> <p>1E Amp, 14400 Volt</p> <p>1E Amp</p> <p>1/2 Amp, 25 KV</p>	<p>BUSS BNF1</p> <p>GE 328L497G13</p> <p>S&C 271000</p> <p>GE 328L497G19</p> <p>S&C T1265 Brush 15-12CAV1E</p> <p>GE 328L0497G20</p> <p>EATON 25CLPT-.5</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Secondary Fuse for Padmount Transformer & Pedestal 600 Volt HRC Form J Type	7-65-15 5000845	150 Amp	EE C150J SHAW A4J150 BUSS JKS-150
Limiter Fuse for Pedestal 	7-65-16 5000847 7-65-17 5000848	150 Amp Old Style - Pre 1990 150 Amp New Style - After 1990	BUR LF1025 BUSS UHW-K
Limiter Fuse For Pedestal Terminal Block	7-65-20 5000849 7-65-22 5000851 7-65-24 5000853	# 2 str. cu 2/0 str. cu 4/0 str. cu	CAB 2CL2BF FER 2CL2BF CAB 2CL20BF FER 2CL20BF CAB 2CL40BF FER 2CL40BF BUSS KPF



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Current Limiting Fuse HRC Form J 600 Volt</p> 	<p>7-65-40 5000855</p>	<p>400 Amp</p>	<p>EE C400J BUSS JKS-400</p>
<p>Network Limiter Fuse 600 Volt</p> 	<p>7-65-61 5000856</p> <p>7-65-63 5000857</p> <p>7-65-65 5000858</p>	<p># 2</p> <p>2/0</p> <p>500 MCM</p>	<p>GLD CP2C3 BUSS KDA</p> <p>GLD CP20C3 BUSS KDD</p> <p>BUSS KDM GLD CP500C3</p>
<p>Secondary Network Protector Fuse</p> 	<p>7-65-67 5000860</p> <p>7-65-68 5000861</p>	<p>600 Volt 2000 Amp 3 Hole</p> <p>600 Volt 2500 Amp 4 Hole</p>	<p>WEST 1300553</p> <p>WEST 1332318</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Network Fuse</p>  <p>In-Line Fuseholder</p>  <p>Waterproof Sleeve</p> 	<p>7-65-70 5000862</p> <p>7-65-71 5000864</p> <p>7-65-72 5000865</p>	<p>600 Volt 30 Amp 200 KA</p> <p>600 Volt 30 Amp 200 KA</p>	<p>BUSS KTKR-30 SHAW ATMR30</p> <p>SHAW FEC-11-11-BA</p> <p>BUSS 1A0512 SHAW FSB1</p>
<p>Primary Network Limiter Fuse Control Cabinet</p>	<p>7-65-84 5000867</p> <p>7-65-86 5000869</p>	<p>1 AMP 200,000 KA</p> <p>5 AMP 200,000 KA</p>	<p>BUSS KTK-R-1 GLD ATMR1</p> <p>BUSS KTK-R-5 GLD ATMR5</p>
<p>Secondary Network Protector Fuse Y & Z Copper Fuse</p> 	<p>7-65-90 5029207</p>	<p>0.375 thickness, Z-37.5 2500 Amps</p>	<p>EAT 8313A25H08</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Network Fuse Type NPL</p> 	<p>7-66-01 5000871</p>	<p>2825 Amp</p>	<p>WEST 140D318G02</p>
<p>Network Limiter Protection</p> <p>Rubber Sleeve</p> 	<p>7-69-00 5000872</p>		<p>HOM FS1175 GLD CPB10 part A2576B</p>
<p>Tape</p> <p>PVC</p>  <p>Self Amalgamating Polyisobutylene Rotunda Selotape</p> 	<p>7-72-01 5000874</p> <p>7-72-03 5000875</p> <p>7-72-05 5000876</p> <p>7-72-07 5000877</p> <p>7-72-09 5000878</p>	<p>3/4" x 66'</p> <p>3/4" x 66' x .0085" (For Winter Use)</p> <p>2"x36 yards x .0085"</p> <p>1" x 30' Linerless</p> <p>2" x 30'</p>	<p>3M Temflex</p> <p>3M - #88</p> <p>3M #88-2"</p> <p>3M - #130C</p> <p>Scapa 2501-2</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Tape</p>  <p>Semi-Conducting</p> <p>Silicon Splicing</p> <p>Busbar Heatshrink Insulation</p>	<p>7-72-16 500879</p> <p>7-72-20 500880</p> <p>7-72-38 500881</p>	<p>3/4"</p> <p>1" x 30'</p> <p>2" x 25'</p>	<p>3M #13 (No Substitutes)</p> <p>3M #70 (No Substitutes)</p> <p>RAY HVBT-2-R</p>
<p>Braid</p> <p>Tinned Copper Tinsel</p>  <p>Flexible</p> 	<p>7-72-40 500882</p> <p>7-72-42 500883</p>	<p>5/16"</p> <p>18" Strap</p>	<p>Belden 8663</p> <p>BUR BD18</p>
<p>Phase Tape</p> <p>Red</p> <p>Yellow</p> <p>Blue</p> <p>White</p>	<p>7-72-60 500884</p> <p>7-72-61 500885</p> <p>7-72-62 500886</p> <p>7-72-63 500887</p>	<p>3/4" x 66'</p> <p>3/4" x 66'</p> <p>3/4" x 66'</p> <p>3/4" x 66'</p>	<p>3M Colourflex-Red</p> <p>3M Colourflex-Yellow</p> <p>3M Colourflex-Blue</p> <p>3M Colourflex-White</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Phase Marker Disc Type</p> <p>Red</p> <p>Yellow</p> <p>Blue</p> 	<p>7-72-76 5000888</p> <p>7-72-77 5000889</p> <p>7-72-78 5000890</p>		
<p>Omni Marker Balls</p> <p>Red - Power</p> <p>Marker Plate</p> <p>Red - Power</p> 	<p>7-72-80 5000891</p> <p>7-72-82 5018269</p>	<p>Part #160</p> <p>1251 EMS Full Range</p>	<p>3M 80610221295</p>
<p>Cable Tags</p> 	<p>7-72-90 5000892</p> <p>7-72-91 5000893</p> <p>7-72-92 5000894</p> <p>7-72-93 5000895</p>	<p>North</p> <p>South</p> <p>East</p> <p>West</p>	




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Duxseal</p> 	<p>7-73-01 5000896</p>	<p>1 lb. Pug</p>	
<p>Aquaseal</p> 	<p>7-73-03 5000897</p>	<p>1/8" x 3 3/4" x 10'</p>	<p>KRN 104742</p>
<p>Cable Prep Kits</p>	<p>7-73-04 5000898</p>	<p>CC2</p>	<p>3M</p>









DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Cadweld Thermite Cartridge</p> 	<p>7-74-06 5000899</p> <p>7-74-09 5000900</p> <p>7-74-11 5000901</p> <p>7-74-20 5000902</p>	<p>#65</p> <p>#90</p> <p>#115</p> <p>#200</p>	<p>CAD 90PLUSF20</p> <p>CAD 115PLUSF20</p> <p>CAD 200PLUSF20</p>
<p>Man Hole Lid</p> <p>Man Hole Frame</p> <p>Man Hole Collar</p>	<p>7-78-01 5000903</p> <p>7-78-03 5000904</p> <p>7-78-05 5000905</p>	<p>813mm (32")</p> <p>813mm (32")</p> <p>50mm (2")</p>	<p>Dwg. A1s-103</p> <p>Dwg. A1s-103</p> <p>Dwg. A1s-103</p>
<p>Stress Cone Kit Indoor</p> 	<p>7-80-13 5000906</p> <p>7-80-17 5000907</p>	<p>15KV-500, 750, 1000 25KV-500</p> <p>1000 MCM - 15 KV XLPE Sh</p>	<p>3M 7655-T-150</p> <p>ELMD 35MSC-KB</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Stress Cone Kit - Cold Shrink Indoor	7-80-50 5000908	5KV 700-1500MCM 15KV 500-1000MCM	3M 7645-T-110
Sheild Adapter for Cold Shrink Stress Cones Constant Force Springs Use with 7-72-40	7-82-04 5000909 7-82-10 5000910	Up to 500 MCM 750 MCM and over	3M CFS-0.80/1.50 3M CFS-1.50/3.00
Stress Cone Kit Cold Shrink Concentric Neutral Outdoor	7-83-15 5000911 7-83-19 5000912 7-83-21 5000913	5 KV 4/0 - 400 MCM 15 KV #2 - 4/0 25 KV #2 - 1/0 5 KV 500-750 MCM 15 KV 4/0 - 500 MCM 25 KV 2/0 - 250 MCM 15 KV 750 MCM 15 KV 1000 MCM 25 KV 500 MCM	3M 7652-S-4 3M 7654-S-4 3M 7655-S-4

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Kellems Grip Mounting Bracket</p> 	<p>7-85-02 5000914</p>		<p>CPDM9B1</p>
<p>Cable Hanger Kellems Grip</p> 	<p>7-86-02 5000915</p> <p>7-86-04 5000916</p> <p>7-86-06 5000917</p>	<p>#1 - 15 KV 250 MCM - 15 KV #1 - 25 KV</p> <p>250 MCM - 15 KV 500 MCM - 15 KV 500 MCM - 5 KV</p> <p>750 MCM - 15 KV 1000 MCM - 15 KV</p>	<p>ELMD 35MTB1-B</p> <p>ELMD 35MTB1-A</p> <p>ELMD 35MTB1-D</p>
<p>Cable Hanger Kellems Grip For Substations Only</p> 	<p>7-86-12 5000918</p> <p>7-86-16 5000919</p> <p>7-86-17 5000920</p>	<p>500 MCM - 15 KV Grip Range 1.562"-1.687"</p> <p>750 MCM - 15 KV Grip Range 1.812"-1.937"</p> <p>1000 MCM - 15 KV Grip Range 2.062"-2.187"</p>	<p>HUB 07401034</p> <p>HUB 074011031</p> <p>HUB 074011033</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Cable Support Bracket</p> 	<p>7-86-22 500921</p> <p>7-86-24 500922</p> <p>7-86-26 500923</p> <p>7-86-28 500924</p>	<p>Cable OD Range</p> <p>1.0" - 1.25"</p> <p>1.0" - 1.5"</p> <p>1.5" - 2.0"</p> <p>2.0" - 2.5"</p>	<p>3M MB-3</p> <p>3M MB-4</p> <p>3M MB-5</p> <p>3M MB-6</p>
<p>Hooks for Cable Hangers</p> 	<p>7-86-50 500925</p> <p>7-86-55 500927</p>	<p>For Wood Poles</p> <p>For Steel Poles</p>	<p>MAC P J3316P SL 1316</p> <p>MAC P U2398</p>
<p>Kellems Grip Support for Three Cables Standard</p> 	<p>7-87-01 500928</p> <p>7-87-02 500929</p> <p>7-87-03 500930</p> <p>7-87-04 500931</p>	<p>3.50 - 3.99" 750 MCM - 15 KV</p> <p>3.00 - 3.49" 500 MCM - 15 KV 500 MCM - 25 KV</p> <p>2.50 - 3.00" 250 MCM - 15 KV</p> <p>2.00 - 2.49" #1 - 15 KV 250 MCM - 5 KV #1 - 25 KV</p>	<p>HUB 022-01-012</p> <p>HUB 022-01-011</p> <p>HUB 022-01-010</p> <p>HUB 022-01-009</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Kellems Grip Support for Three Cables Split</p> 	<p>7-87-11 5000932</p> <p>7-87-12 5000933</p> <p>7-87-14 5000934</p>	<p>3.50 - 3.99" 750 MCM - 15 KV</p> <p>3.00 - 3.49" 500 MCM - 15 KV 500 MCM - 25 KV</p> <p>2.00 - 2.49" #1 - 15 KV 250 MCM - 5 KV #1 - 25 KV</p>	<p>HUB 022-03-012 Eaton SGDR350</p> <p>HUB 022-03-011 Eaton SGDR300</p> <p>HUB 022-03-009 Eaton SGDR200</p>
<p>Kellem's Grip Support for Single Eye</p> 	<p>7-87-21 5023011</p> <p>7-87-22 5023032</p> <p>7-87-23 5023023</p>	<p>1" - 1.24"</p> <p>1.25" - 1.49"</p> <p>1.5" - 1.74"</p>	<p>02401041</p> <p>02401042</p> <p>02401043</p>
<p>Splice Kit - One Piece</p> 	<p>7-88-03 5024921</p> <p>7-88-05 5000935</p> <p>7-88-13 5001479</p> <p>7-88-15 5001480</p> <p>7-88-17 5000937</p>	<p>#1 - 15 KV To meet IEEE Standard 404</p> <p>#1 - 25 KV To meet IEEE Standard 404</p> <p>500 MCM - 15 KV</p> <p>750 MCM - 15 KV</p> <p>500 MCM - 25 KV</p>	<p>ELMD 15 PCJ-1F2 230</p> <p>ELMD 25 PCJ-1G2 230 CP SP25B003C</p> <p>ELMD 15PCJ1K2330 RTE 2604904 B35M</p> <p>ELMD 15PCJ1M2380 RTE 2604904 B09M</p> <p>ELMD 25PCJ1L2330</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Re-Jacketing Kit - Cold Shrink (Special instruction sheet in kit)	7-88-30 5000938	For use with 7-88-05	3M SJ-1A
	7-88-33 5000939	For use with 7-88-13, 7-88-15 & 7-88-17	3M SJ-3A
Separable Splice Parts Straight Receptacle Housing 	7-89-01 5000940	600 Amp 15 KV	ELMD K655 YBSR
Housing 	7-89-02 5000941	600 Amp 15 KV	ELMD K6561-HP
Insulated Cap c/w Bail 	7-89-12 5000942	600 Amp 15 KV	ELMD K655-YDR
Insulated Plug c/w Test Point 	7-89-14 5000943	600 Amp 15 KV	ELMD K650 YB1P
Separable Splice Parts 2 Way Insulated Bus Bar c/w Testpoint 	7-89-22 5000944	600 Amp 15 KV	ELMD K656I-BUS
3 Way Insulated Bus Bar 	7-89-23 5000945	600 Amp 15 KV	ELMD K656CY-BUS
4 Way Insulated Bus Bar 	7-89-24 5000946	600 Amp 15 KV	ELMD K656CH-BUS
Compression Lug 	7-89-32 5000947	500 MCM	ELMD 03702330
	7-89-33 5000948	750 MCM	ELMD 03702380


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>600 Amp Splice Parts</p> <p>Cable Adapter</p> 	<p>7-90-03 5000949</p> <p>7-90-07 5000950</p> <p>7-90-09 5000951</p>	<p>2/0 5KV Rubber 250MCM-5KV XLPE #1 - 15 KV XLPE CN or Sh</p> <p>250MCM-5KV Rubber 500MCM-5KV XLPE CN or Sh</p> <p>500 MCM - 5 KV Old Cable 250 MCM - 15 KV XLPE Sh</p>	<p>ELMD 655CA-F</p> <p>ELMD 655CA-H</p> <p>ELMD 655CA-J</p>
<p>600 Amp Splice Parts</p> <p>Cable Adapter</p> 	<p>7-90-11 5000952</p> <p>7-90-13 5000953</p> <p>7-90-15 5000954</p>	<p>500 MCM - 5 KV Rubber 500 MCM - 15 KV XLPE Sh & UD 350 MCM - 25 KV XLPE UD</p> <p>500 MCM - 25 KV XLPE CN Injection adapter for 250 MCM</p> <p>750 MCM - 15 KV XLPE CN or Sh Injection adapter for 500 MCM</p>	<p>ELMD 655CA-K</p> <p>ELMD 655CA-L</p> <p>ELMD 655CA-M</p>
<p>600 Amp Splice Parts</p> <p>Retaining Ring</p> 	<p>7-90-20 5000955</p> <p>7-90-21 5000956</p> <p>7-90-22 5000957</p> <p>7-90-24 5000958</p>	<p>250 MCM STR</p> <p>350 MCM STR</p> <p>500 MCM STR</p> <p>750 MCM STR</p>	<p>ELMD 650ARR-280</p> <p>ELMD 650ARR-300</p> <p>ELMD 650ARR-330</p> <p>ELMD 650ARR-380</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Heat Shrink Splice 600 Volt 	7-91-01 5018306 7-91-03 5000959 7-91-04 5000960 7-91-06 5000961 7-91-07 5000962	NO SUBS #8 AWG - 1/0 AWG 0.20" - .80" #2 AWG - 4/0 AWG 0.37" - 1.10" 3/0 AWG - 400 MCM 0.50" - 1.50" 250 - 750 MCM 0.65" - 2.0" 600 - 1200 MCM 1.0" to 3.0"	3M ITCSN-0800 3M ITCSN-1100 3M ITCSN-1500 3M ITCSN-2000 3M ITCSN-3000
Heat Shrink Splice 600 Volt  Heat Shrink Splice Clear 600 Volt Heat Shrink Cap	7-91-10 5018300 7-91-12 5018301 7-91-14 5018309 7-91-21 5000963 7-91-50 5025962	#16 AWG - #12 AWG 0.12" - 0.35" #12 AWG - #6 AWG 0.16" - 0.51" #6 AWG - #1 AWG 0.24" - 0.75" 2/0 Ground Leads 1" x 48" 500 MCM	T&B HS16-12-4 T&B HS12-6-4 T&B HS6-1-4 3M 3MFP301 ABB HSC300600
Cold Shrink Splice Kit - For Copper or Aluminum Conductors - JCN and CN Cables - Kits include Shear-bolt connectors 	7-92-01 5001481 7-92-03 5001482 7-92-05 5001483	15 KV #1 AWG 15 KV 250 MCM 15 KV 500 MCM 750 MCM	3M 5415A-QCI-2-250-SKLP PRY 15SDJCe-C-6-3/0-ALSB RIC 62SSCNOR1-S-SASK 3M 5416A-QCI-2-250-SKLP PRY 15SFJCe-C-1/0-500-ALSB RIC 62SSCNOR1-SASK 3M 5417A-QCI-350-750-SKLP PRY 15SIPJCe-C-350-750-ALSB RIC 62SSCNPR2-SASK




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Cold Shrink Splice Kit - continued Notes - 3M & Prysmian parts are not interchangeable. - Tape shielded cables require different splice kits or hand splices. - 1000 MCM splices are special order. - Contact Engineering Section (Spec 2326) if splicing an unknown cable in the field.	7-92-07 5001484 7-92-09 5001485	25 KV #1 AWG 25 KV 500 MCM	3M 5456A-QCI-2-250-SKLP PRY 25SEJCe-C-6-3/0-ALSB RIC62SSCNOR1-SASK 3M5457A-QCI-350-750-SKLP PRY 25SIPJCe-C-1/0-500-ALSB RIC62SSCNQR1-SASK







Voltage	#1 AWG	1/0 AWG	2/0 AWG	4/0 AWG	250 MCM	500 MCM	750 MCM
5 KV	7-92-01 3M • PRY			7-92-01 3M			
15 KV	7-92-01 3M • PRY RIC	Check with Engineering			7-92-03 3M • PRY RIC	7-92-05 3M • PRY RIC	7-92-05 3M • PRY 7-92-09 RIC
25 KV	7-92-07 3M • PRY RIC	Check with Engineering				7-92-09 3M • PRY RIC	

Cold Shrink Splice 	7-92-21 5000969 7-92-23 5000970 7-92-25 5000971 7-92-27 5000972	1000 Volt #6 - #4 1000 Volt #2 - 1/0 1000 Volt 2/0 - 250 MCM 1000 Volt 500 MCM - 800 MCM	3M 8423-6 3M 8425-8 3M 8426-11 3M 8428-18
---	--	---	--

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Grounding Sock for Splice Kits</p>  <p>Product is non current carrying</p>	<p>7-93-02 5000973</p>	<p>4/0 500 MCM</p>	<p>3M Product #SS 2</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Relay Substation Digital Protection SEL</p> <p>Relay Substation Transformer Differential Protection SEL</p>	<p>8-10-12 5029102</p> <p>8-10-14 5029104</p>		<p>SEL 0351S7X3D4F54X2</p> <p>SEL</p>
<p>Network Protector Relay</p>  <p>Grounded CT's</p>	<p>8-12-01 5020341</p> <p>8-12-02 5020353</p> <p>8-12-03 5026702</p> <p>8-12-04 5026704</p>	<p>MPCV-D Relay For use with: Eaton CM-D Eaton CM-52</p> <p>MNPR Relay For use with: Richards 31XNP</p> <p>MPCV-HV Relay For use with: Eaton CM-22 (Vault 13) PT Block required</p> <p>PT Block</p>	<p>EAT 6417C82G01</p> <p>RIC 521968-H5-RS485</p> <p>EAT 8231A80G02</p> <p>EAT 8311A45H01</p>
<p>Potential Transformer</p> 	<p>8-14-02 5026685</p> <p>8-14-04 5026687</p>	<p>For Eaton NP's 347:125 VAC 60Hz</p> <p>For Richards NP's 347:125 VAC 60Hz</p>	<p>EAT 8310A75H03</p> <p>ETI 313-0052-50</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Control Power Transformer</p> 	<p>8-14-12 5026689</p> <p>8-14-14 5026694</p> <p>8-14-16 5029215</p>	<p>For Eaton NP's 600:125/216 VAC 60Hz</p> <p>For Richards NP's 600:125/208 VAC 60Hz</p> <p>350VA 480/416V:125V MFR: MICRON P/N: B350-0515-8F</p>	<p>EAT 8230A18H02</p> <p>ETI 313-0051-70</p> <p>EAT C36030FB</p>
<p>Capacitor Replacement</p> 	<p>8-14-22 5026696</p>	<p>Solid State Module For Eaton CM-D style NP's Obsolete P/N's</p> <p>EAT 8310A96H01 EAT NMD0014H01 EAT NAS0279G01</p>	<p>EAT CTD-5-120</p>
<p>Network Protector Deadfront</p> 	<p>8-15-00 5027292</p>	<p>347/600 VAC 3000A</p>	<p>EAT ZN81CSA6G1G01 Specification 4204</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Network Protector Parts</p> <p>Motor Operator</p>  <p>Trip Actuator</p> 	<p>8-16-10 5029209</p> <p>8-16-15 5029210</p>	<p>125V</p>	<p>EAT NKB4001G05</p> <p>EAT 2C12491G11</p>
<p>Network Protector Parts - continued</p> <p>Auxillary Switch Assembly</p>  <p>Auxillary Switch Assembly, Color Code</p> 	<p>8-16-20 5029211</p> <p>8-16-25 5029212</p>		<p>EAT NKB4003G03</p> <p>EAT NKB4003G11</p>
<p>Network Protector Parts - continued</p> <p>EFA ASM IDM Module c/w Arms</p>  <p>GAP Module Assembly</p> 	<p>8-16-30 5029213</p> <p>8-16-35 5029214</p>	<p>NPARMS Power Supply</p>	<p>EAT 70C1554G01</p> <p>EAT NAS0426G01-ASM</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Electronic Meter, Single Phase 3 Wire, Self-Contained, 200A, 240V</p> <p>4-Jaw Socket Base</p>	<p>8-22-50 5018069</p>	<p>Form 2</p>	<p>Aclara I210+ 727X-200174</p>
<p>Electronic Meter, Single Phase 2 Wire, Transformer-Rated 20A, 120-480V (Auto Ranging)</p> <p>5-Jaw Socket Base, Demand with RS485 Communication and Mass Memory</p>	<p>8-23-72 5018070</p>	<p>Form 3</p>	<p>Honeywell A3RL ZDA210F00L4</p>
<p>Electronic Meter, Polyphase 3 Wire, 2 Element, Transformer-Rated 10A, 120-347V (Auto Ranging)</p> <p>A-Base, Demand with RS485 Communication and Mass Memory</p>	<p>8-24-22 5018080</p>	<p>Form 5</p>	<p>Honeywell A3RL ZD2210F00L4</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Electronic Meter, Polyphase 4 Wire, 3 Element, Transformer-Rated 10A, 120-347V (Auto Ranging)</p> <p>13-Jaw Socket Base, Demand with RS485 Communication and Mass Memory</p>	<p>8-25-72 5018087</p>	<p>Form 9</p>	<p>Honeywell A3RL ZD8210F00L4</p>
<p>Electronic Meter (AMI), Single Phase 2 Wire, Self-Contained, 100A, 120V</p> <p>A-Base</p> <p>4-Jaw Socket Base</p>	<p>8-31-00 5018081</p> <p>8-31-50 5026142</p>	<p>Form 1</p>	<p>Honeywell GREX ZGA7K000500</p> <p>Honeywell REXU ZHA120000004</p>
<p>Electronic Meter (AMI), Single Phase 3 Wire, Self-Contained, 100A, 240V</p> <p>A-Base</p> <p>4-Jaw Socket Base, Bidirectional</p> <p>4-Jaw Socket Base, Bidirectional with Remote Disconnect</p> <p>4-Jaw Socket Base, Bidirectional with Zigbee Communication</p>	<p>8-32-00 5018092</p> <p>8-32-54 5018093</p> <p>8-32-55 5018094</p> <p>8-32-56 5018215</p>	<p>Form 2</p>	<p>Honeywell GREX ZGC74000500</p> <p>Honeywell REXU ZHCWM000004</p> <p>Honeywell REXU ZHCWMA00004</p> <p>Honeywell R2S ZFCWM0B0000</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Electronic Meter (AMI), Single Phase 2 Wire, Transformer-Rated 20A, 120-480V (Auto Ranging)</p> <p>5-Jaw Socket Base</p> <p>5-Jaw Socket Base with Mass Memory</p> <p>5-Jaw Socket Base, Demand with Mass Memory</p> <p>5-Jaw Socket Base with External Antenna and Mass Memory</p>	<p>8-33-50 5018089</p> <p>8-33-52 5018095</p> <p>8-33-53 5018096</p> <p>8-33-58 5018097</p>	Form 3	<p>Honeywell REXU ZHA220000004</p> <p>Honeywell A3TL ZD2210PH082</p> <p>Honeywell A3RL ZDA210PH0L4</p> <p>Honeywell A3TL ZD2210PK082</p>
<p>Electronic Meter (AMI), Single Phase 2 Wire, Transformer-Rated 20A, 120-480V (Auto Ranging)</p> <p>5-Jaw Socket Base, Bidirectional Demand with Mass Memory</p> <p>5-Jaw Socket Base, Demand with External Antenna and Mass Memory</p> <p>5-Jaw Socket Base, Bidirectional Demand with External Antenna and Mass Memory</p>	<p>8-33-69 5018098</p> <p>8-33-70 5018099</p> <p>8-33-85 5018090</p>	Form 3	<p>Honeywell A3RAL ZDA210PH0LG</p> <p>Honeywell A3RL ZDA210PK0L4</p> <p>Honeywell A3RAL ZDA210PK0LG</p>
<p>Electronic Meter (AMI), Polyphase 3 Wire, 2 Element, Transformer-Rated 10A, 120-347V (Auto Ranging)</p> <p>A-Base with Mass Memory</p> <p>A-Base, Demand with Mass Memory</p> <p>A-Base, Demand with External Antenna and Mass Memory</p> <p>8-Jaw Socket Base, Demand with Mass Memory</p>	<p>8-34-02 5018100</p> <p>8-34-03 5018091</p> <p>8-34-20 5018101</p> <p>8-34-53 5018102</p>	<p>Form 35A</p> <p>Form 35A</p> <p>Form 35A</p> <p>Form 35S</p>	<p>Honeywell A3TL ZD530098082</p> <p>Honeywell A3RL ZD3210P80L4</p> <p>Honeywell A3RL ZD2B10P90L4</p> <p>Honeywell A3RL ZD2210PH0L4</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Electronic Meter (AMI), Polyphase 4 Wire, 3 Element, Transformer-Rated 10A, 120-347V (Auto Ranging) A-Base with Mass Memory</p> <p>13-Jaw Socket Base with Mass Memory</p> <p>13-Jaw Socket Base, Demand with Mass Memory</p> <p>13-Jaw Socket Base with External Antenna and Mass Memory</p> <p>13-Jaw Socket Base, Bidirectional Demand with Mass Memory</p>	<p>8-35-02 5018103</p> <p>8-35-52 5018112</p> <p>8-35-53 5018113</p> <p>8-35-58 5018104</p> <p>8-35-69 5018105</p>	Form 9	<p>Honeywell A3TL ZD8B10P8082</p> <p>Honeywell A3TL ZD3210PH082</p> <p>Honeywell A3RL ZD3210PH0L4</p> <p>Honeywell A3TL ZD3210PK082</p> <p>Honeywell A3RAL ZD3210PH0LG</p>
<p>13-Jaw Socket Base, Demand with External Antenna and Mass Memory</p> <p>13-Jaw Socket Base, Demand with KYZ Pulse and Mass Memory</p> <p>13-Jaw Socket Base, Bidirectional Demand with External Antenna and Mass Memory</p> <p>13-Jaw Socket Base, Bidirectional Demand with KYZ Pulse and Mass Memory</p> <p>13-Jaw Socket Base, Demand w External Antenna, KYZ Pulse and Mass Memory</p>	<p>8-35-70 5018114</p> <p>8-35-71 5018106</p> <p>8-35-85 5018107</p> <p>8-35-86 5018108</p> <p>8-35-88 5018109</p>	Form 9	<p>Honeywell A3RL ZD3210PK0L4</p> <p>Honeywell A3RL ZD3213PH0L4</p> <p>Honeywell A3RAL ZD3210PK0LG</p> <p>Honeywell A3RAL ZD3213PH0LG</p> <p>Honeywell A3RL ZD3213PK0L4</p>
<p>Electronic Meter (AMI), Polyphase 3 Wire, Network, Self-Contained 200A, 120/208V</p> <p>5-Jaw Socket Base, Bidirectional</p> <p>5-Jaw Socket Base, Bidirectional with Remote Disconnect</p>	<p>8-36-54 5018110</p> <p>8-36-55 5018115</p>	Form 12 (Network)	<p>Honeywell REXU ZF53K000000</p> <p>Honeywell REXU ZH53KA00000</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Electronic Meter (AMI), Polyphase 3 Wire, 2 Element, Delta, Self-Contained, 200A, 120-480V (Auto Ranging)</p> <p>5-Jaw Socket Base with Mass Memory</p> <p>5-Jaw Socket Base, Demand with Mass Memory</p>	<p>8-37-52 5018116</p> <p>8-37-53 5018117</p>	Form 12 (Delta)	<p>Honeywell A3TL ZD5310PH082</p> <p>Honeywell A3RL ZD2210PH0L4</p>
<p>Electronic Meter (AMI), Polyphase 4 Wire, 3 Element, Self-Contained 200A, 120-347V (Auto Ranging)</p> <p>7-Jaw Socket Base with Mass Memory</p> <p>7-Jaw Socket Base, Demand with Mass Memory</p> <p>7-Jaw Socket Base with External Antenna and Mass Memory</p> <p>7-Jaw Socket Base, Bidirectional Demand with Mass Memory</p>	<p>8-38-52 5018111</p> <p>8-38-53 5018122</p> <p>8-38-58 5018123</p> <p>8-38-69 5018124</p>	Form 16	<p>Honeywell A3TL ZD3310PH082</p> <p>Honeywell A3RL ZD3310PH0L4</p> <p>Honeywell A3TL ZD3310PK082</p> <p>Honeywell A3RAL ZD3310PH0LG</p>
<p>Electronic Meter (AMI), Polyphase 4 Wire, 3 Element, Self-Contained 200A, 120-347V (Auto Ranging)</p> <p>7-Jaw Socket Base, Demand with External Antenna and Mass Memory</p> <p>7-Jaw Socket Base, Demand with Special Multiplier x100 and Mass Memory</p> <p>7-Jaw Socket Base, Bidirectional Demand with External Antenna and Mass Memory</p>	<p>8-38-70 5018125</p> <p>8-38-74 5018118</p> <p>8-38-85 5018119</p>	Form 16	<p>Honeywell A3RL ZD3310PK0L4</p> <p>Honeywell A3RL ZD3310PH0L4</p> <p>Honeywell A3RAL ZD3310PK0LG</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Electronic Meter (AMI), Polyphase 4 Wire, 2.5 Element, Transformer-Rated 10A, 120-480V (Auto Ranging)</p> <p>A-Base with Mass Memory</p> <p>A-Base with External Antenna and Mass Memory</p> <p>13-Jaw Socket Base, Demand with Mass Memory</p> <p>13-Jaw Socket Base, Bidirectional Demand with Mass Memory</p>	<p>8-39-02 5018120</p> <p>8-39-08 5018121</p> <p>8-39-53 5018132</p> <p>8-39-69 5018133</p>	Form 36	<p>Honeywell A3TL ZD8B10PH082</p> <p>Honeywell A3TL ZD8B10PK082</p> <p>Honeywell A3RL ZD8210PH0L4</p> <p>Honeywell A3RAL ZD8210PH0LG</p>
<p>Electronic Meter (AMI), Polyphase 4 Wire, 2.5 Element, Transformer-Rated 10A, 120-480V (Auto Ranging)</p> <p>13-Jaw Socket Base, Demand with External Antenna and Mass Memory</p> <p>13-Jaw Socket Base, Demand with KYZ Pulse and Mass Memory</p> <p>13-Jaw Socket Base, Bidirectional Demand with External Antenna and Mass Memory</p>	<p>8-39-70 5018126</p> <p>8-39-71 5018134</p> <p>8-39-85 5018127</p>	Form 36	<p>Honeywell A3RL ZD8210PK0L4</p> <p>Honeywell A3RL ZD3213P80L4</p> <p>Honeywell A3RAL ZD8210P9KLG</p>
<p>Electronic Meter (Power Quality), Polyphase 3 Wire, 2 Element, Transformer-Rated 10A, 120-347V (Auto Ranging)</p> <p>Flush Mount, Demand with Mass Memory</p> <p>Flush Mount, Demand with Totalized Billing and Mass Memory</p>	<p>8-44-03 5018128</p> <p>8-44-23 5018135</p>	Form 5	<p>SCHNEIDER ELEC ION7550</p> <p>SCHNEIDER ELEC ION7650</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Electronic Meter (Power Quality), Polyphase 4 Wire, 3 Element, Transformer-Rated 10A, 120-347V (Auto Ranging)</p> <p>Flush Mount, Demand with Mass Memory</p> <p>Flush Mount, Demand with Totalized Billing and Mass Memory</p> <p>13-Jaw Socket Base, Demand with Mass Memory</p>	<p>8-45-03 5018136</p> <p>8-45-23 5018129</p> <p>8-45-53 5018130</p>	<p>Form 9</p>	<p>SCHNEIDER ELEC ION7550</p> <p>SCHNEIDER ELEC ION7650</p> <p>SCHNEIDER ELEC ION8650</p>
<p>AMI Gatekeeper</p> <p>with Ethernet, Battery, Local LAN Ant and Polycarbonate NEMA4x Enclosure</p> <p>Modem Kit</p> <p>Battery</p> <p>Modem</p> <p>698-2700 MHz LTE Low Profile Antenna</p>	<p>8-50-00 5018131</p> <p>8-50-50 5018137</p> <p>8-50-51 5018138</p> <p>8-50-52 5018170</p> <p>8-50-53 5018142</p>		<p>HONEYWELL EE1110021100</p> <p>HONEYWELL 1C12599G01</p> <p>HONEYWELL</p> <p>SIERRA WIRELESS</p> <p>HONEYWELL 3A35573H01</p>
<p>AMI Gatekeeper</p> <p>NMP to N-RF Terminal Adapter</p> <p>9" Antenna Cable (RX Diversity)</p> <p>6" Antenna Cable (Primary Cellular)</p> <p>20" Ethernet Cable</p> <p>Modem Mount</p>	<p>8-50-54 5018143</p> <p>8-50-55 5018144</p> <p>8-50-56 5018145</p> <p>8-50-57 5018139</p> <p>8-50-58 5018140</p>		<p>HONEYWELL 3A35573H02</p> <p>HONEYWELL 1B11954G01</p> <p>HONEYWELL 1B11954G03</p> <p>HONEYWELL 1B11989G02</p> <p>HONEYWELL 1C12579H01</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
AMI Gatekeeper Electronic Assembly Timekeeping Battery Pure Lead Acid Battery Ethernet Surge Protective Device Power Supply/Lead Acid Battery Charger Thermostat	8-50-59 5018141 8-50-60 5018152 8-50-61 5018153 8-50-62 5018154 8-50-63 5018155 8-50-64 5018156		HONEYWELL 5D25648G92 HONEYWELL 1A46869H01 HONEYWELL 3A35552H02 HONEYWELL 1B12506G03 HONEYWELL 3A35590H01 HONEYWELL 3A35589H02
AMI Gatekeeper AC Power Fuses Surge Protective Device Heater LAN RF Filter LAN Antenna	8-50-65 5018157 8-50-66 5018158 8-50-67 5018146 8-50-68 5018159 8-50-69 5018160		HONEYWELL 7S1743H002 HONEYWELL 5D26081G01 HONEYWELL 3A35589H01 HONEYWELL 7S1735H002 HONEYWELL 7S1706H001
AMI Repeater 120V, Local LAN Antenna with NEMA4 enclosure 240V, Local LAN Antenna with NEMA4 enclosure Solar with Mounting Bracket (15 Degrees) DC, Internal or External Antenna without Battery and Regulator	8-51-00 5018161 8-51-01 5018162 8-51-02 5018147 8-51-03 5018148		HONEYWELL 7S40M0G006 HONEYWELL 7S40M0G002 HONEYWELL 7S40M0G003 HONEYWELL


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
AMI Repeater Solar Repeater Electronic Assembly Module Solar Repeater Battery Solar Repeater Controller Solar Repeater Powered Meter Heads Repeater Pole Mount Kit 10 7/8" to 13 3/4 Solar Repeater Powered Meter Heads	8-51-50 5018163 8-51-51 5018164 8-51-52 5018149 8-51-53 5018150 8-51-54 5018151 8-51-55 5025027	12V 3.2AH for AMI internal antenna external antenna	HONEYWELL 5D26170G54 Discover D1232 HONEYWELL 1B11886H01 HONEYWELL 7S40K0G001 HONEYWELL 7S1852G002 HONEYWELL 7S41R1G006
AMI Fieldsense CT-60 Dolphin Handheld, with MeterSense, Inspector and MeterCat Server RF Belt Clip Wireless OptoWave Bluetooth Wireless Optical Probe	8-52-00 5018165 8-52-50 5018172 8-52-51 5018173		HONEYWELL HONEYWELL HONEYWELL
Meter Seal ROTO Tooled Toolless	8-70-20 5000975 8-70-21 5000976	4"x.014"x8" wire 4"x.014"x8" wire	BRO ROTO SEAL 7050801-27 BRO ROTO SEAL 7470801-27


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Meter Seal Plastic: Black White Orange 	8-70-25 5000977 8-70-30 5000978 8-70-35 5000979	Stamped C.O.S. 1 Stamped C.O.S. 2 Stamped C.O.S. 3	(Numbered Consecutively) BRO 6302000-8-10 Model HL-8 BRO 6302000-8-10 Model HL-8 Model HL-8
Padlock Seal White with Green 	8-70-40 5000980	Stamped "SL&P Illegal to Tamper"	BRO 8001-SL&P
Meter Blankoff Cover Clear Polycarbonate	8-72-10 5000981		




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Handi-Ring</p> <p>Screw Type Stainless Steel</p> <p>Locking Barrel</p>  <p>Cap Seal for Locking Barrel</p> 	<p>8-73-00 5000982</p> <p>8-73-10 5000983</p> <p>8-73-15 5000984</p>	<p>F Style Key</p>	<p>EKS 10-9090</p> <p>BRO 8730019</p> <p>BRO 9750000-1</p>
<p>Adapter, Interbase Low Profile 4 Jaw</p>	<p>8-87-50 5000985</p>		<p>EKS LP-4J</p>
<p>Socket Adaptors</p> <p>SSD 2W Single Phase Residential</p> <p>SHD 3W Single Phase Residential</p> <p>PTR K 3 Phase Trans Type</p> <p>PTR N 3 Phase Trans Type</p>	<p>8-88-00 5000986</p> <p>8-88-05 5000987</p> <p>8-88-15 5000989</p> <p>8-88-20 5000990</p>	<p>2 Wire, 120 Volt</p> <p>3 Wire, 240 Volt</p> <p>3 Wire, 120/240 Volt</p> <p>4 Wire, Auto Range Voltage</p>	<p>BRO 1300002</p> <p>BRO 1300024</p> <p>BRO 0820014</p> <p>BRO 0820020</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Current Transformer - 600 Volt Class Type MV-7 3 Wire</p>  <p>** Discontinued MV6's will be returned from the field.</p>	<p>8-91-20 5000994</p> <p>8-91-30 5000995</p>	<p>200/200:5</p> <p>300/300:5</p>	
<p>Current Transformer - 600 Volt Class Type MV-7 3 Wire</p>  <p>** Discontinued MV6's will be returned from the field.</p>	<p>8-91-40 5000996</p> <p>8-91-50 5000997</p> <p>8-91-60 5000998</p> <p>8-91-80 5000999</p>	<p>400/400:5</p> <p>500/500:5</p> <p>600/600:5</p> <p>800/800:5</p>	
<p>Current Transformer - 700 Volt Class Type MV-7 2 Wire</p> 	<p>8-92-10 5001000</p> <p>8-92-20 5001001</p> <p>8-92-30 5001002</p> <p>8-92-40 5001003</p> <p>8-92-50 5001004</p>	<p>100:5</p> <p>200:5</p> <p>300:5</p> <p>400:5</p> <p>500:5</p>	


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Current Transformer 700 Volt Class Type MV-7 2 Wire</p>  <p>R6L c/w bar assembly</p>	<p>8-92-60 5001005</p> <p>8-92-80 5001006</p> <p>8-92-81 5001007</p> <p>8-92-82 5001008</p> <p>8-92-83 5001009</p>	<p>600:5</p> <p>800:5</p> <p>1000:5</p> <p>1200:5</p> <p>2000:5</p>	<p>ITRON 9092356-729</p>
<p>Current Transformer - 5 KV Class Type MV-50 2 Wire</p> 	<p>8-93-02 5001010</p> <p>8-93-05 5001011</p> <p>8-93-07 5001012</p> <p>8-93-10 5001013</p>	<p>25:5</p> <p>50:5</p> <p>75:5</p> <p>100:5</p>	
<p>Current Transformer - 5 KV Class Type MV-50 2 Wire</p> 	<p>8-93-15 5001014</p> <p>8-93-20 5001015</p> <p>8-93-30 5001016</p> <p>8-93-50 5001017</p>	<p>150:5</p> <p>200:5</p> <p>300:5</p> <p>500:5</p>	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Current Transformer - 5 KV Class Type MV-50 Dual Ratio	8-93-53 5001018	100/50:5	
Potential Transformer - 600 Volt Class Type MP-6 	8-94-36 5001019 8-94-60 5001020	360:120 600:120	
Potential Transformer - 5 KV Class	8-95-24 5001021	2400:120	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Potential Transformer - 15 KV Class</p> <p>For Landfill - NO SUBS</p>	<p>8-96-08 5001022</p> <p>8-96-14 5001023</p> <p>8-96-18 5001024</p>	<p>8400:120</p> <p>14400:120</p> <p>14400:120</p>	<p>WEST PT-15</p> <p>GE PV15F</p> <p>ABB 218D934A12 NO SUBS</p>
<p>Single Phase Dry Type Transformer - 600 - 120/240V</p> <p>Single Phase Epoxy Filled 600 - 120/240V Used in Vaults</p> <p>Three Phase 600 - 240V Delta Nema 3 Enclosure</p> <p>Three Phase 600 - 120/208V Nema 3 Enclosure</p>	<p>8-96-25 5001025</p> <p>8-96-36 5001026</p> <p>8-96-74 5001027</p> <p>8-96-75 5001028</p>	<p>25 KVA</p> <p>37 KVA</p> <p>75 KVA</p> <p>75 KVA</p>	<p>FER-P</p> <p>MARC RES37.5A2</p> <p>BEM UC3075S240DD Nema 3R</p> <p>BEM UC3075V Nema 3R</p>
<p>Test Block Single Phase</p> 	<p>8-97-01 5001029</p>		<p>Mesurina 910968</p>


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Test Block - Three Phase</p> <p>Three Wire</p> 	<p>8-97-03 5001030</p>		<p>SANG 909501</p>
<p>Test Block - Three Phase</p> <p>Four Wire</p> 	<p>8-97-06 5001486</p>	<p>Screw Type Compression Terminal</p>	<p>MESURINA 909762</p>
<p>Primary Metering Unit Three Phase Dry Type</p> 	<p>8-98-10 5001031</p>	<p>14400/8320 Primary 200/100:5 Current</p>	<p>ABB CMU33-110 SPEC 1510</p>



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Rigid Two Hole Pipe Strap 	9-04-31 5001032 9-04-32 5001033 9-04-33 5001034 9-04-34 5001035	1/2" 3/4" 1" 1 1/4"	
Rigid Two Hole Pipe Strap 	9-04-35 5001036 9-04-36 5001037 9-04-37 5001038 9-04-38 5001039	1 1/2" 2" 3" 4"	
Pyrotenax Clip 	9-05-01 5001040 9-05-02 5001041 9-05-03 5001042	426/465 396/425 346/387 2 Way	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Galvanized Pipe 	9-09-03 5001043	2" x 21'	
HDPE Pipe	9-10-06 5001044	50 mm (2")	Specification 2412
Corrugated Pipe Grey For UG Cart & Contractors	9-10-10 5001045 9-10-11 5017526	2" Corrugated 2000 Foot Reel 2" Corrugated 500 Foot Reel	Specification 2415 Specification 2415



DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Duct Pipe PVC DB2	9-10-25 5001049	4" 20' Lengths	IPEX 008241
	9-10-26 5001050	5" 20' Lengths	IPEX 008251
	9-10-35 5029190	4" 10' Lengths	IPEX 008240
	9-10-36 5029191	5" 10' Lengths	IPEX 008250
Bend for PVC DB2 Duct Pipe 4" Flared End	9-11-04 5001051	90 Degree 24" Radius	IPEX 129047
	9-11-06 5001052	90 Degree 36" Radius	IPEX 129095
	9-11-10 5017523	11 1/4 Degree 60" Radius	Custom Made to Order
	9-11-12 5001054	22 1/2 Degree 60" Radius	Custom Made to Order
	9-11-14 5001055	45 Degree 60" Radius	IPEX 129116
	9-11-16 5001056	90 Degree 60" Radius	IPEX 129096
Bend for PVC DB2 Duct Pipe 5" Flared End	9-11-22 5001057	22 1/2 Degree 42" Radius	IPEX 129249
	9-11-24 5001058	45 Degree 42" Radius	IPEX 129117
	9-11-26 5001059	90 Degree 42" Radius	IPEX 129097




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Bend for PVC Sched 40 4"	9-11-42 5001499	30 Degree 16" Radius	IPEX 69250
	9-11-44 5001500	45 Degree 16" Radius	IPEX 69210
	9-11-46 5001501	90 Degree 16" Radius	IPEX 69090
	9-11-47 5028893	90 Degree 24" Radius	IPEX 69275
	9-11-48 5001502	90 Degree 36" Radius	IPEX NSL 4-36
Bend for PVC Sched 40 5"	9-11-52 5001503	30 Degree 24" Radius	IPEX 69251
	9-11-54 5001504	45 Degree 24" Radius	IPEX 69211
	9-11-56 5001505	90 Degree 24" Radius	IPEX 69091
	9-11-58 5001506	90 Degree 36" Radius	IPEX 69263
Bellend for PVC DB2 Duct Pipe	9-12-00 5001060	4" Flared	IPEX 029064 (Bell 40) NO SUBS
	9-12-01 5001061	4" Flared c/w Knockout Plug	IPEX 029827
	9-12-20 5001062	5" Flared	IPEX 029065 (Bell 50) NO SUBS


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Plug for Bellend	9-13-00 5001063 9-13-20 5001064	4" Use with 9-12-00 5" Use with 9-12-20	IPEX 029078 IPEX 029079
Coupling for DB2 Duct/PVC Sched 40/ Corrugated Pipe 	9-14-02 5023438 9-14-04 5001065 9-14-05 5001066 9-14-06 5001067 9-14-07 5001068 9-14-08 5001069 9-14-09 5001070 9-14-10 5001071 9-14-11 5001072	2" Plastic Coupler 1 1/2" (Rubber) 2" (Rubber) 1 1/2" - 2" (Rubber) 2" (Threaded) 2" (Corrugated) Complete with threading 2" PVC Sched 40 4" PVC DB2 4" Thin to Thick Wall	DL ARN 20000123 Fernco 1056-150 Fernco 1056-22 Fernco 1056-215 DLArcticLock20094321 ETCO DEL-237 IPEX 077006 IPEX 029004 IPEX 029910
Coupling for DB2 Duct/PVC Sched 40/ Corrugated Pipe	9-14-12 5001073 9-14-15 5001074 9-14-18 5001075 9-14-20 5001076 9-14-21 5001077 9-14-22 5001078 9-14-40 5001507 9-14-50 5001508	4" 5 Degree Bend 5" - 4" Reducing 5" 5 Degree Bend 5" PVC DB2 5" Thin to Thick Wall 5" Rubber 4" PVC Sched 40 5" PVC Sched 40	IPEX 029044 IPEX 029026 IPEX 029045 IPEX 029005 IPEX 029517 Fernco 1056-25 IPEX 077010 IPEX 077011

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Spacer for PVC DB2 Duct Pipe</p> 	<p>9-15-01 5001079</p> <p>9-15-02 5001080</p>	<p>Base 4" x 1 1/2"</p> <p>Intermediate 4" x 1 1/2"</p>	<p>IPEX 029573 No Alternate Supplier Unless Approved</p> <p>IPEX 029557 No Alternate Supplier Unless Approved</p>
<p>Spacer for PVC DB2 Duct Pipe</p> 	<p>9-15-20 5001081</p> <p>9-15-22 5001082</p> <p>9-15-30 5001083</p> <p>9-15-32 5001084</p>	<p>Base 5" x 1 1/2"</p> <p>Intermediate 5" x 1 1/2"</p> <p>Base 5"x 2"</p> <p>Intermediate 5"x 2"</p>	<p>IPEX 029576 No Alternate Supplier Unless Approved</p> <p>IPEX 029560 No Alternate Supplier Unless Approved</p> <p>IPEX 029577</p> <p>IPEX 029561</p>
<p>Expansion Joints for PVC Rigid Conduit</p>	<p>9-16-02 5001085</p> <p>9-16-04 5001086</p> <p>9-16-05 5001087</p>	<p>2"</p> <p>4"</p> <p>5"</p>	<p>SCEP EJ35</p> <p>SCEP EJ55</p> <p>IPEX EJ60</p>






DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
PVC Duct Primer	9-18-01 5001088	950 ml	SCEP S100TQT
PVC Duct Cement	9-18-10 5001089	950 ml	SCEP S100QT
PVC To HD Polywater Bonduit	9-18-20 5001090		BT-KITB6
Sceptacon Pipe	9-20-22 5001091	2" x 20 FT 1900 FT/Lift	IPEX 106421
	9-20-41 5001092	4" x 10 FT 540 FT/Lift	IPEX 106440
	9-20-42 5001093	4" x 20 FT 1080 FT/Lift	IPEX 106441
	9-20-51 5001094	5" x 10 FT 380 FT/Lift	IPEX 106450
	9-20-52 5001095	5" x 20 FT 760 FT/Lift	IPEX 106451
Sceptacon Locking Strap	9-21-02 5001096	2" Pipe	IPEX
	9-21-04 5001097	4" Pipe	IPEX
	9-21-05 5001098	5" Pipe	IPEX

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION	
Sceptacon Repair Kit Conduit Rigid & DB2 Sceptacon Adapter Kit Conduit Rigid to DB2	9-21-14 5001099	4" Conduit EPR55	IPEX 077957	
	9-21-15 5001100	5" Conduit EPR60	IPEX 077956	
	9-21-24 5001101	4" Conduit EPRA55	IPEX 077854	
	9-21-25 5001102	5" Conduit EPRA60	IPEX 077855	
Drop In Anchor 	9-30-06 5001103 9-30-08 5001104 9-30-09 5001105	NO SUBS 1/4" Bolt Size 3/8" Bolt Size 1/2" Bolt Size	Anchor Products Power Fasteners 6304SD 6306SD 6308SD	
Single Phase Capacitor Unit Single Bushing 2400 V, No Rack 		9-31-10 5001106 9-31-20 5001107	100 KVAR 200 KVAR	GE 54L221RC5 Specification 6 Specification 6

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Single Phase Capacitor Unit Double Bushing 14.4 KV, No Rack</p> 	<p>9-32-10 5001108</p> <p>9-32-20 5001109</p>	<p>100 KVAR</p> <p>200 KVAR</p>	<p>GE 54L383RC41 Specification 8</p> <p>Specification 8</p>
<p>Single Phase Capacitor Unit Double Bushing 14.4 KV, No Rack</p> 	<p>9-33-10 5001110</p> <p>9-33-20 5001111</p>	<p>100 KVAR</p> <p>200 KVAR</p>	<p>GE 37V54L383WC48 Specification 2</p> <p>GE 17V58L400WC59 Specification 2</p>
<p>Three Phase Capacitor Bank 4160 V, c/w Rack</p> 	<p>9-34-30 5001112</p> <p>9-34-60 5001113</p>	<p>300 KVAR</p> <p>600 KVAR</p>	<p>GE 2V33F4130BA3 Specification 5</p> <p>Specification 5</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Three Phase Capacitor Bank 14.4 KV c/w Rack	9-35-50 5001114	300 KVAR	Specification 1
	9-35-60 5001115	600 KVAR	Specification 1
	9-35-70 5001116	1200 KVAR	GE 36F3144-1 Specification 1
Three Phase Capacitor Bank 25 KV, c/w Rack	9-36-60 5001117	600 KVAR	Specification 7
Master Padlock 	9-38-05 5001118 9-38-07 5001119 9-38-08 5001120	#3 Smaller #1 #1 Long Shank	Keyed to 3543 Keyed to 3543 Keyed to 3543 Master 1KALJ




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Padlocks High Line Switch Substations/Landfill Gas	9-38-14 5001121 9-38-16 5026403	1" Shackle 2 1/2" Shackle	American Lock Series 3700 #A3700Y Keyed to A25444 Master Lock Pro Series 7042 Keyed to TA41
Padlock For Metering Equipment 	9-38-20 5001122 9-38-25 5001123	3" Shackle 1 1/2" Shackle	Brooks 4920571 Brooks 4920541
Bandit 	9-40-04 5001124 9-40-06 5001125	3/4" Stainless Steel 3/4" Black	BAND C20699 BAND C206C9-P900

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Bandit Buckles</p> 	<p>9-41-04 5001126</p> <p>9-41-06 5001127</p>	<p>3/4" Stainless Steel</p> <p>3/4" Black</p>	<p>BAND C25699</p> <p>BAND C25699-D900</p>
<p>Heater Cabinet</p> 	<p>9-50-80 5001128</p>	<p>800W 120V C/W Thermostat</p>	
<p>Submersible Pump for Vaults 1/3 HP</p>  <p>Submersible Pump Float Switches</p>  	<p>9-51-00 5023010</p> <p>9-51-10 5028584</p> <p>9-51-20 5028832</p>	<p>46.1mm x 47.6mm NO 316 Stainless Steel</p>	<p>Little Giant 506271</p> <p>GEMS LS-1900-01901</p> <p>Little Giant DDD RFSN6</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Grounding Ferrules - Plain Type	9-60-01 5001129	2/0	AB C600-2632
	9-60-02 5001130	4/0	AB C600-2633
Grounding Ferrules - Threaded Shrouded Type	9-61-01 5001131	2/0 Copper	AB C600-2624
	9-61-03 5001132	Copper Tin Plated 2/0	MACP 01-M-038-2/0
Shrink Tubing for Ferrules	9-61-12 5001133	9"	AB P600-2069P HA P50349-9




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Clamps - Ground	9-62-01 5001134	#6 - 950 MCM	AB C600-0434
Clamps - Plain Eye Screw Switch	9-63-01 5001135	3/4" x 1/8" flat - 2 1/2" x 1/4" flat	MP 01-M-037 No Substitutions
Stud - Clamp Support	9-64-01 5001136 9-64-03 5001137	2 1/2" 1"	AB G3626 MACP HC-30029-1




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Grounding Cable	9-65-01 5001138	Yellow Jacket 2/0	AB S6118
	9-65-02 5001139	Yellow Jacket 4/0	AB S6119
Ty-Wraps - White 	9-70-05 5001140	5" x .14" 100/pk	T&B TY24M
	9-70-07 5001141	7" x .19" 100/pk	T&B TY25M
	9-70-11 5001142	11" x .19" 100/pk	T&B TY253M
	9-70-13 5001143	13" x .27" 50/pk	T&B TY27M
	9-70-14 5001144	14" x .14" 100/pk	T&B TY244M
Ty-Wraps - Black 	9-71-05 5001145	5" x .14" 100/pk	T&B TY24MX
	9-71-07 5001146	7" x .19" 100/pk	T&B TY25MX
	9-71-11 5001147	11" x .19" 100/pk	T&B TY253MX
	9-71-13 5001148	13" x .27" 50/pk	T&B TY27MX
	9-71-14 5001149	14" x .14" 100/pk	T&B TY244MX
	9-71-30 5001150	30" x .27" FOR BANNERS 50/pk	T&B TY29M0 T&B TY29MX WURTH 553.59010

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>Overhead Cable Support</p> <p>Ty-Wraps</p>  <p>Spacer</p> 	<p>9-72-00 5001151</p> <p>9-72-05 5001152</p>	<p>50 Per Bag</p> <p>250 Per Bag</p>	<p>T&B CSS-135</p> <p>T&B CSS-360</p>
<p>Cinch Tie with Grommet</p> 	<p>9-75-12 5001153</p>	<p>12" 10/pk</p>	<p>PAND UGCTC3S-XO</p>
<p>Locate Flags - For Buried Cable</p> <p>Locate Paint - Red Marking Paint</p>	<p>9-80-00 5001155</p> <p>9-80-10 5026014</p>	<p>Red 500/bundle</p> <p>Red 12/case</p>	<p>Harvest Community</p> <p>Aervoe 261</p>

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Gloves HV Class 0 14"	9-90-10	SZ 10	
	5001156		
	9-90-11	SZ 11	
	5001157		
	9-90-12	SZ 12	
	5001158		
	9-90-15	SZ 10.5	
	5001159		
	9-90-70	SZ 7.0	
	5001160		
	9-90-80	SZ 8.0	
	5001161		
	9-90-85	SZ 8.5	
	5001162		
9-90-90	SZ 9.0		
5001163			
9-90-95	SZ 9.5		
5001164			
Gloves HV Class 1 16"	9-91-10	SZ 10	
	5001165		
	9-91-11	SZ 11	
	5001166		
	9-91-12	SZ 12	
	5001167		
	9-91-15	SZ 10.5	
	5001168		
	9-91-70	SZ 7.0	
	5001169		
	9-91-80	SZ 8.0	
	5001170		
	9-91-85	SZ 8.5	
	5001171		
9-91-90	SZ 9.0		
5001172			
9-91-95	SZ 9.5		
5001173			
Gloves HV Class 2 16"	9-92-10	SZ 10	
	5001174		
	9-92-11	SZ 11	
	5001175		
	9-92-12	SZ 12	
	5001176		
	9-92-15	SZ 10.5	
	5001177		
	9-92-70	SZ 7.0	
	5001178		
	9-92-80	SZ 8.0	
	5001179		
	9-92-85	SZ 8.5	
	5001180		
9-92-90	SZ 9.0		
5001181			
9-92-95	SZ 9.5		
5001182			




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Gloves HV Class 3 18"	9-93-10	SZ 10	
	5001183		
	9-93-11	SZ 11	
	5001184		
	9-93-12	SZ 12	
	5001185		
	9-93-15	SZ 10.5	
	5001186		
	9-93-70	SZ 7.0	
	5001187		
	9-93-80	SZ 8.0	
5001188			
9-93-85	SZ 8.5		
5001189			
9-93-90	SZ 9.0		
5001190			
9-93-95	SZ 9.5		
5001191			
Mitts HV Class 2 16"	9-94-10	SZ 10	
	5001192		
	9-94-11	SZ 11	
5001193			
9-94-90	SZ 9.0		
5001194			
Mitts HV Class 3 18"	9-95-10	SZ 10	
	5001195		
	9-95-11	SZ 11	
5001196			
9-95-90	SZ 9.0		
5001197			




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
FR Shirts Pullover - Men's 	10-05-02 5020369 10-05-04 5020370 10-05-06 5020356 10-05-08 5020371 10-05-10 5020357 10-05-12 5020358	Small Medium Large XL 2XL 3XL	
FR Shirts Pullover - Men's 	10-05-14 5020359 10-05-16 5020372 10-05-18 5020373 10-05-20 5020361 10-05-22 5020374	Medium Tall Large Tall XL Tall 2XL Tall 3XL Tall	
FR Shirts Pullover - Women's 	10-06-02 5020375 10-06-04 5020552 10-06-06 5020383 10-06-08 5020376 10-06-10 5020384 10-06-12 5020377	Small Medium Large XL 2XL 3XL	




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>FR Shirts Buttoned - Men's</p> 	<p>10-07-02 5020385</p> <p>10-07-04 5020386</p> <p>10-07-06 5020387</p> <p>10-07-08 5020388</p> <p>10-07-10 5020378</p> <p>10-07-12 5020379</p>	<p>Small</p> <p>Medium</p> <p>Large</p> <p>XL</p> <p>2XL</p> <p>3XL</p>	
<p>FR Shirts Buttoned - Men's</p> 	<p>10-07-14 5020389</p> <p>10-07-16 5020390</p> <p>10-07-18 5020380</p> <p>10-07-20 5020381</p> <p>10-07-22 5020391</p>	<p>Medium Tall</p> <p>Large Tall</p> <p>XL Tall</p> <p>2XL Tall</p> <p>3XL Tall</p>	
<p>FR Shirts Buttoned - Women's</p> 	<p>10-08-02 5020392</p> <p>10-08-04 5020402</p> <p>10-08-06 5020393</p> <p>10-08-08 5020403</p> <p>10-08-10 5020394</p> <p>10-08-12 5020395</p>	<p>Small</p> <p>Medium</p> <p>Large</p> <p>XL</p> <p>2XL</p> <p>3XL</p>	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
FR Work Pants - Men's 	10-09-02 5020396 10-09-04 5020397 10-09-06 5020398 10-09-08 5020405 10-09-10 5020399 10-09-12 5020400	30" 32" 34" 36" 38" 40"	
FR Work Pants - Men's 	10-09-14 5020406 10-09-16 5020401 10-09-18 5020412 10-09-20 5020407 10-09-22 5020413	42" 44" 46" 48" 50"	
FR Work Pants - Women's 	10-10-00 5020414 10-10-02 5020415 10-10-04 5020416 10-10-06 5020417 10-10-08 5020418 10-10-10 5020419	0 (25-26") 2 (26-27") 4 (27-28") 6 (28-29") 8 (29-30") 10 (30-31")	




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>FR Work Pants - Women's</p> 	<p>10-10-12 5020420</p> <p>10-10-14 5020421</p> <p>10-10-16 5020422</p> <p>10-10-18 5020423</p> <p>10-10-20 5020424</p> <p>10-10-22 5020408</p>	<p>12 (31-32½")</p> <p>14 (32½-34")</p> <p>16 (34-35½")</p> <p>18 (35½-37½")</p> <p>20 (37½ - 39½")</p> <p>22 (39½ - 41½")</p>	
<p>FR Cargo Pants - Men's</p> 	<p>10-11-02 5020409</p> <p>10-11-04 5020425</p> <p>10-11-06 5020410</p> <p>10-11-08 5020433</p> <p>10-11-10 5020434</p> <p>10-11-12 5020442</p>	<p>30"</p> <p>32"</p> <p>34"</p> <p>36"</p> <p>38"</p> <p>40"</p>	
<p>FR Cargo Pants - Men's</p> 	<p>10-11-14 5020435</p> <p>10-11-16 5020555</p> <p>10-11-18 5020437</p> <p>10-11-20 5020443</p> <p>10-11-22 5020444</p>	<p>42"</p> <p>44"</p> <p>46"</p> <p>48"</p> <p>50"</p>	




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
FR Cargo Pants - Women's 	10-12-00 5020438 10-12-02 5020445 10-12-04 5020446 10-12-06 5020447 10-12-08 5020448	0 2 4 6 8	
FR Cargo Pants - Women's 	10-12-10 5020453 10-12-12 5020454 10-12-14 5020455 10-12-16 5020456 10-12-18 5020449	10 12 14 16 18	
FR Unlined Coveralls 	10-15-36 5020450 10-15-38 5020451 10-15-40 5020462 10-15-42 5020457 10-15-44 5020458 10-15-46 5020459	36 38 40 42 44 46	


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>FR Unlined Coveralls</p> 	<p>10-15-48 5020463</p> <p>10-15-50 5020464</p> <p>10-15-52 5020465</p> <p>10-15-54 5020460</p>	<p>48</p> <p>50</p> <p>52</p> <p>54</p>	
<p>FR Unlined Coveralls</p> 	<p>10-16-40 5020466</p> <p>10-16-42 5020467</p> <p>10-16-44 5020468</p> <p>10-16-46 5020469</p> <p>10-16-48 5020461</p>	<p>40 Tall</p> <p>42 Tall</p> <p>44 Tall</p> <p>46 Tall</p> <p>48 Tall</p>	
<p>FR Unlined Coveralls</p> 	<p>10-16-50 5020472</p> <p>10-16-52 5020473</p> <p>10-16-54 5020470</p>	<p>50 Tall</p> <p>52 Tall</p> <p>54 Tall</p>	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
FR Unlined Bib Overalls 	10-17-02 5020474 10-17-04 5020471 10-17-06 5020482 10-17-08 5020483 10-17-10 5020475 10-17-12 5020484	Small Medium Large XL 2XL 3XL	
FR Unlined Bib Overalls 	10-17-14 5020476 10-17-16 5020477 10-17-18 5020485 10-17-20 5020486 10-17-22 5020487	Medium Tall Large Tall XL Tall 2XL Tall 3XL Tall	
FR Lined Bib Overalls 	10-18-02 5020488 10-18-04 5020489 10-18-06 5020478 10-18-08 5020490 10-18-10 5020491 10-18-12 5020492	Small Medium Large XL 2XL 3XL	




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>FR Lined Bib Overalls</p> 	<p>10-18-14 5020480</p> <p>10-18-16 5020502</p> <p>10-18-18 5020503</p> <p>10-18-20 5020493</p> <p>10-18-22 5020494</p> <p>10-18-24 5020551</p>	<p>4XL</p> <p>Large Tall</p> <p>XL Tall</p> <p>2XL Tall</p> <p>3XL Tall</p> <p>4XL Tall</p>	
<p>FR Hooded Zipper Fleece</p> 	<p>10-20-02 5020496</p> <p>10-20-04 5020504</p> <p>10-20-06 5020505</p> <p>10-20-08 5020497</p> <p>10-20-10 5020498</p> <p>10-20-12 5020499</p>	<p>Small</p> <p>Medium</p> <p>Large</p> <p>XL</p> <p>2XL</p> <p>3XL</p>	
<p>FR Hooded Pullover Fleece</p> 	<p>10-21-02 5027487</p> <p>10-21-04 5027489</p> <p>10-21-06 5027491</p> <p>10-21-08 5027494</p> <p>10-21-10 5027496</p> <p>10-21-12 5027498</p>	<p>Small</p> <p>Medium</p> <p>Large</p> <p>XL</p> <p>2XL</p> <p>3XL</p>	




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
FR Winter Parka 	10-22-02 5020506 10-22-04 5020500 10-22-06 5020507 10-22-08 5020501 10-22-10 5020512 10-22-12 5020535	Small Medium Large XL 2XL 3XL	
FR Winter Parka 	10-22-14 5020513 10-22-16 5020514 10-22-18 5020508 10-22-20 5020515 10-22-22 5020509 10-22-24 5020510	4XL Large Tall XL Tall 2XL Tall 3XL Tall 4XL Tall	
FR Freezer Jacket 	10-23-02 5028674 10-23-04 5028675 10-23-06 5028676 10-23-08 5028677 10-23-10 5028678 10-23-12 5028679	Small Medium Large XL 2XL 3XL	





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
<p>FR Freezer Jacket</p> 	<p>10-23-16 5028680</p> <p>10-23-18 5028681</p> <p>10-23-20 5028682</p>	<p>Medium Tall</p> <p>Large Tall</p> <p>XL Tall</p>	
<p>FR Rain Overalls</p> 	<p>10-25-02 5020511</p> <p>10-25-04 5020516</p> <p>10-25-06 5020522</p> <p>10-25-08 5020536</p> <p>10-25-10 5020524</p> <p>10-25-12 5020517</p>	<p>Small</p> <p>Medium</p> <p>Large</p> <p>XL</p> <p>2XL</p> <p>3XL</p>	
<p>FR Rain Overalls</p> 	<p>10-25-14 5020518</p> <p>10-25-16 5020525</p>	<p>4XL</p> <p>5XL</p>	

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
FR Rain Jackets 	10-26-02 5020526 10-26-04 5020519 10-26-06 5020529 10-26-08 5020520 10-26-10 5020521 10-26-12 5020532	Small Medium Large XL 2XL 3XL	
FR Balaclava - Warm Weather FR Balaclava - Cold Weather FR Neck Gaiter FR Hard Hat Liner FR Toque	10-30-10 5020533 10-30-20 5020534 10-30-30 5020530 10-30-40 5020531 10-30-50 5020542	O/S O/S O/S O/S O/S	Pioneer C215 Helly Hansen 79896-560 Helly Hansen 79897-560 Helly Hansen 79898-560

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
SERVICE ITEMS Oil Filter 	5024235 11-01-10	ELEMENT AS Standard Efficiency	CAT 1R-0726 (no subs)
Oil Temperature Regulator 	5026673 11-01-15		CAT 7W-0371 (no subs)
Air Filter 	5024238 11-01-20	Axial Seal Primary Standard Efficiency	CAT 8N-6309 (no subs)
CCV Intake Filter 	5024239 11-01-25	Radial Seal Primary Standard Efficiency	CAT 2W-4246 (no subs)
Spark Plug 	5024270 11-01-30	#4	DENSO GI3-5 #4 CAT 243-4291




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Fuel Train Filter 	5024271 11-01-40	28" x 5.1 " (ID)	PARKER 7CVP51-280
CCV Coalescing Filter 	5024327 11-01-45	38.62" x 4.2"	FLUTEK FLK 16-02358 HILCO DM639-00-C
Oil 	5024329 11-01-50	1 Barrel/ Drum SAE 40	CHEVRON LFG40 HDAX 9500
SCAs 	5024240 11-01-55	5 Gallon Pail	CAT 8C-3680 (no subs)
Natural Gas Coolant 	5024257 11-01-60	1 Barrel/ Drum Premix 50/50	CAT 437-8201 (no subs)





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Oil Sample Kit	5024330 11-01-65	Natural Gas Engine Package	AGAT LABS 30-402 (no subs)
Oil Sample Cap & Probe 	5025632 11-01-67	Cap & Probe	CAT 177-9343
Coolant Sample Kit	5024258 11-01-70		CAT 320271114 (no subs)
Oil Sampling Cap 	5024261 11-01-90		CAT 8C-3445 (no subs)
GENERAL SENSORS Thermocouple 	5024262 11-02-10	Type K PYROC/ W 24" SS Braid 1/4" probe 1/4" tube OD x 1/4" MNPT SS tube fitting Male	ADV 5601-092-28 CAT 383-2989 Swagelok

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Timing Sensor 	5024263 11-02-30	Hex size 1.25" Thread size 3/8" - 16 13 VDC	CAT 522-1642 (no subs)
OIL SYSTEM Pre-lube Breaker 	5024265 11-03-10	30A	CAT 6N-9349 (no subs)
Oil Filter O-Ring 	5024266 11-03-30		CAT 6V-3907 (no subs)
CCV Boot 	5024280 11-03-50		CAT 217-6692
Pre-lube Pump	5024281 11-03-70		CAT 598-6002





DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
IGNITION SYSTEM Transformer Ignition Coil 	5024282 11-04-10	CAT 232-6346 changes up to CAT 418-4861	CAT 418-4861
Umbrella (Garter) Spring 	5026311 11-04-12	Free Length: 127.20mm	CAT 316-4262
Transformer Connector Body 	5024283 11-04-20		CAT 155-2270 Gregg's Distributing 763325B
Transformer Gasket 	5024284 11-04-30	ID: 36.2 mm/ OD: 46 mm/ Height: 7.25 mm/ Width: 4.94 mm	CAT 135-2651
Lower O-Ring 	5024286 11-04-50	Material: FKM/ ID: 0.468"/ OD: 0.624"/ Cross Section Diameter:0.078"	CAT 451-8550




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Upper O-Ring 	5024287 11-04-60	Material: FFKM/ ID: 0.546"/ OD: 0.824"/ Cross Section Diameter: 0.139"	CAT 187-3875
Transformer Insulator Extension 	5024288 11-04-70	Spark Plug Extension with O-ring Seal ID: 0:59" Thread Size: 3/8-16 Old Style: CAT 116-7649 with CAT 5P-6718 O-Ring	CAT 437-4043
Insulator O-Ring 	5026315 11-04-72	75A FKM 5.33 x 75.57mm	CAT 6V-5051
Knock Sensor 	5024289 11-04-80	Old p/n: CAT 163-4411	CAT 574-8678
COOLANT SYSTEM Exhaust Fan Belt 	5024332 11-05-01	B-74	Generic






DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Exhaust Fan Bearings	5024333 11-05-05	1-7/16" Pillow Block Bearing	MOTION INDUSTRIES SO 1-7/16 PILLOW BLOCK
EJW Flex Inlet/ Outlet 	5024334 11-05-10	5: X 15.5" Assembly Stainless Steel Flex 1-5" CAT Flange 1-5" X 150 lb Raised Face Flange	FLEXONICS/ 5" x 16" OAL MODEL 101 CAT FLG x S/O FLG
EJW Flex Gasket Engine Side 	5024290 11-05-14	8-Bolt	CAT 1S-5772
EJW Flex Gasket Outlet Side	5024335 11-05-18	5" - 150 PSI Raised Face Flange Gasket	Generic
A/C Flex 	5024336 11-05-20	3" X 16" Assembly Stainless Steel Flex 3 X 150 lbs Steel Flat Face Flange	FLEXONICS H-SS101-061FF061FF-048- 0016.00






DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Gasket Flange 3" Full Face for A/C Flex	<p>5024337 11-05-25</p>	3" - 150 PSI Raised Face Flange Gasket	<p>GARLOCK #37721-5103</p>
<p>Element</p> 	<p>5024338 11-05-35</p>	12 KW Element for CSM31205-000	<p>HOTSTART SALES RECSM31205</p>
<p>Contactor</p> 	<p>5024339 11-05-40</p>		<p>HOTSTART SALES PRP232117-000</p>
<p>Water Pump</p> 	<p>5024292 11-05-45</p>	<p>Book out with Water Pump Gasket Kit Part: 5024313 11-05-70</p>	<p>CAT 10R-1669</p>
<p>Aux. Pump</p> 	<p>5024293 11-05-50</p>	<p>Book out with Parts: 5024294 5024295 5024296 5024297 5024298 5024299 5024300 5026317</p>	<p>CAT 20R-8813</p>




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Water Temperature Regulator 	5026317 11-05-52	Length: 3.6" Height: 2.8"	CAT 204-6708
O-Ring for Water Temperature Regulator 	5027621 11-05-53	O-Ring 72.39mm ID	CAT 6V-1454
Seal for Oil & Water Temperature Regulator 	5027623 11-05-54	Qty 1 used with 11-01-15 Qty 2 used with 11-05-52	CAT 3S-9643
Rad Fan Motor	5024340 11-05-55	2 HP 1180RPM 3-phase 575V 60hz Shaft: 1 1/8" Bearings: DE6206 ODE 6205 Frame Size 184T	GENERIC - Any supplier can match specs
Fan Motor Bearings - Front 	5024341 11-05-60	Front	MOTION INDUSTRIES 6207LLUC3


DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Fan Motor Bearings - Rear 	5024342 11-05-65	Rear	MOTION INDUSTRIES 6206VVCE
Water Pump Gasket Kit	5024313 11-05-70		CAT 304-7216
ORDER ALL O-RINGS AND GASKETS WITH AUX. PUMP (CAT 20R-8813)			
Auxiliary Water Pump - O-Ring 1 	5024294 11-05-71	Material: NBR/ ID: 3.975"/ OD: 4.395"/ Cross Section Diameter: 0.21"	CAT 4F-7387
Auxiliary Water Pump - O-Ring 2 	5024295 11-05-72	Material: FKM/ ID: 0.725"/ OD: 1.145"/ Cross Section Diameter: 0.21"	CAT 6V-3348
Auxiliary Water Pump - O-Ring 3 	5024296 11-05-73	Material: FKM/ ID: 9.234"/ OD: 9.512"/ Cross Section Diameter: 0.139"	CAT 235-3546




DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Auxiliary Water Pump - O-Ring 4 	5024297 11-05-74	Material: EPDM/ ID: 2.475"/ OD: 2.895"/ Cross Section Diameter: 0.21"	CAT 8T-1919
Auxiliary Water Pump - Gasket 1 	5024298 11-05-81	Material: NMF Rubber ID: 1.50"/ OD: 2.60" Thickness: 0.06" Hole Size: 0.41" (2X) Distance between flange holes: 2.61"	CAT 5N-1940
Auxiliary Water Pump - Gasket 2 	5024299 11-05-82	Material: Sheet Overall Length: 116 mm Overall Width: 116 mm	CAT 3P-6061
Auxiliary Water Pump - Gasket 3 	5024300 11-05-83	Material: Sheet ID: 4.25" Length: 3.24" Width: 3.24" Thickness: 0.03" Hole Size: 0.41"(4X)	CAT 5G-1442
TURBO EXHAUST Turbo Insert Cartridge 	5024301 11-06-10	Book out with parts: 5024305 5024306 5024307 5024308 5024870	CAT 0R-6968






DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Wastegate (Exhaust Bypass Valve) 	5024302 11-06-20		CAT 20R-7167
Gasket (Turbo Exhaust) 	5024303 11-06-30	Overall Width: 83 mm Overall Length: 88 mm	CAT 7C-9710
Locknut 	5024304 11-06-40	410 Stainless Steel Thread size: 3/8 - 16 Height: 0.37" Drive: 9/16" Flange Diameter: 0.71"	CAT 168-7800
ORDER ALL O-RINGS AND GASKETS WITH TURBO INSERT CARTRIDGE (CAT 0R-6968)			
Turbo Insert Cartridge - O-Ring 	5024305 11-06-50	Material: FKM ID: 0.91" Cross Section Diameter: 0.21"	CAT 112-3540
Turbo Insert Cartridge - Gasket 1 	5024306 11-06-60	Overall Width: 38 mm Overall Length: 72 mm	CAT 1S-4810

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Turbo Insert Cartridge - Gasket 2 	5024307 11-06-70	Overall Width: 28 mm Overall Length: 66 mm	CAT 1S-6595
Turbo Insert Cartridge - Gasket 3 	5024308 11-06-80	Overall Width: 47 mm Overall Length: 78 mm	CAT 252-8374
Turbo Insert Cartridge - Intake to Manifold Gasket 	5024870 11-06-90	Overall Width: 127 mm Overall Length: 127 mm	CAT 7L-4302
FUEL TRAIN Fuel Mixer Boot 	5024343 11-07-10	6-7" Transition Boot	INTAKE HOSES 7H6 (509) 489-3684, Spokane WA
Fuel Solenoid Valve 	5024344 11-07-20	DUNGS VPS-S04-505 DMV-D(LE) 5100/11 4" 150 Flanged	DUNGS VPS-S04-505

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Fuel Alarm Modules - HP 	5024345 11-07-30	High Pressure Old p/n: 217-089A	DUNGS 266918
Fuel Alarm Modules - LP 	5024349 11-07-35	Low Pressure Old p/n: 217-088A	DUNGS 266917
Fuel Regulator 	5024350 11-07-40	FISHER 1098 EGR - Must be ordered by s/n: 20342127	SPARTAN
Fuel Regulator 1098 Repair Diaphragm & O-Rings	5024351 11-07-45	Kit for FISHER 1098 EGR	Spartan Controls #R1098X00402
Fuel Regulator Repair Pilot Valve Kit	5026675 11-07-47	Kit for FISHER 1098 EGR	Spartan Controls #R6352X00012

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Fuel Regulator Repair Gasket Kit	5026677 11-07-49	Kit for FISHER 1098 EGR	Spartan Controls #R63EGX00122
Fuel Flame Arrestor Element	5024362 11-07-50	Emerson Varec 4" Model: 501041 S/N: 1214930	FISHER____?
Fuel Flame Arrestor Gasket	5024363 11-07-55		FISHER____?
GENERAL ENGINE Head - New 	5024364 11-08-10	New	CAT 20R-9943
Head - Rebuild	5024365 11-08-12	Rebuild	TAZMECH (no exceptions)

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
Head Bolt 	5027625 11-08-14	3/4"-16 x 8-1/2" 12 Point Head	CAT 7N-1961
Head Gasket Kit	5024309 11-08-20		CAT 597-3813
Cylinder Pack	5024310 11-08-40		CAT 0R-7700
Connecting Rod Bearings 	5024311 11-08-60		CAT 107-7330
Starter 	5024312 11-08-80		CAT 10R-9815 or local starter shops

DESCRIPTION OF ITEM	DEPT. CODE NUMBER	SIZE	ORDERING INFORMATION
ENGINE CONTROLS Valve - Engine Control 	5024366 11-09-10	New	HEINZMANN GMCU-85-LC Can be rebuilt
Actuator 	5024367 11-09-20	New	HEINZMANN STG-2080.21 Can be rebuilt
Governor 	5024368 11-09-30	PANDAROS DC6	HEINZMANN PANDAROS DC6
MAP Sensor 	5024369 11-09-40		BOSCH O-281-002-437 ADVANTAGE GOVERNOR 600-00-082-00
Crank Position Sensor 	5024370 11-09-50		ADVANTAGE GOVERNOR 600-00-006-02